


**ASTRA TECH
IMPLANT SYSTEM**

Product catalog

ASTRA TECH Implant System™ EV



**DENSPLY
IMPLANTS**



Simplicity without compromise

The design philosophy of the ASTRA TECH Implant System EV is based on the natural dentition utilizing a site-specific, crown-down approach supported by an intuitive surgical protocol and a simple prosthetic workflow, for increased confidence and satisfaction for all members of the treatment team.

- Versatile implant designs including straight, conical, sloped, short, narrow and wide, using only one surgical tray
- Flexible drilling protocol allows for preferred primary stability
- Restorative components including round and triangular options supporting soft tissue sculpturing
- Unique interface with one-position-only placement for:
 - ATLANTIS patient-specific CAD/CAM abutments
 - Self-guiding impression components that require only one hand for precise seating

The foundation of this evolutionary step remains the unique ASTRA TECH Implant System BioManagement Complex, well-documented for its long-term marginal bone maintenance and esthetic results.

ASTRA TECH IMPLANT SYSTEM

CONTENTS

Overview

| | |
|----------------------|----|
| Product overview 3.0 | 4 |
| Product overview 3.6 | 6 |
| Product overview 4.2 | 8 |
| Product overview 4.8 | 10 |
| Product overview 5.4 | 12 |

Surgery

| | |
|--|----|
| Implants – OsseoSpeed™ EV | 16 |
| Cover screws | 17 |
| Healing abutments – HealDesign™ EV/Healing Uni EV | 18 |

Prosthetics

Temporization

| | |
|---|----|
| TempDesign™ EV/TempAbutment EV – implant level | 21 |
| Abutment screws | 21 |

Cement-retained restorations

| | |
|---|----|
| TiDesign™ EV | 22 |
| ZirDesign™ EV | 23 |
| CastDesign™ EV | 23 |
| Impression and laboratory components – implant level | 24 |
| TitaniumBase EV | 26 |
| Direct Abutment™ EV | 27 |

Screw-retained restorations

| | |
|--------------------|----|
| Uni Abutment EV | 29 |
| Angled Abutment EV | 31 |

Attachment retained restorations

| | |
|------------------|----|
| Locator™ EV | 32 |
| Ball Abutment EV | 33 |

Instruments

| | |
|-------------------------|----|
| Surgical tray | 36 |
| Washtray EV | 37 |
| Drills | 38 |
| Surgical instruments | 42 |
| Surgical units | 44 |
| Restorative instruments | 45 |
| Laboratory products | 47 |

OsseoSpeed™ Profile EV

| | |
|---|----|
| Product overview P4.2 | 50 |
| Product overview P4.8 | 52 |
| Implants – OsseoSpeed™ Profile EV | 54 |
| Surgical Instruments | 55 |
| Healing abutments | 56 |
| Temporary abutments | 57 |
| Cement-retained restorations – TiDesign™ Profile EV | 58 |
| Screw-retained restorations | 58 |
| Impression and laboratory components – implant level | 59 |

Guided Surgery

| | |
|--------------------------|----|
| Trays for guided surgery | 61 |
| Punch/Initial Drill | 62 |
| Drills | 63 |
| PositioningAid | 66 |
| Fixation system | 67 |
| Sleeves | 67 |

Repair and retrieval

| | |
|---|----|
| Compability table | 69 |
| Remove/retrieve screw fragments | 70 |
| Clean internal threads | 71 |
| Remove/retrieve Uni Abutments EV/implants | 72 |
| General instruments | 73 |

Appendix

| | |
|--|----|
| Index: order by reference number | 74 |
| Index: alphabetical order | 79 |
| Torque guide | 84 |
| Explanation of the symbols on labels and instructions for use | 84 |

All products are subject to change without notice. All products may not be regulatory cleared/released/licensed in all markets. Please contact your local DENTSPLY Implants representative for current product assortment and availability.


To improve readability for our customers, DENTSPLY Implants does not use ® or ™ in body copy. However, DENTSPLY Implants does not waive any right to the trademark and nothing herein shall be interpreted to the contrary.

All trademarks and company names are the property of their respective owners.

Product illustrations are not to scale.

Product overview

3.0
GREEN



Implants

**OsseoSpeed™ EV
3.0 S**



- 8 mm 25212
- 9 mm 25213
- 11 mm 25214
- 13 mm 25215
- 15 mm 25216

Cover screw



- 0 mm 25280

Healing abutments

HealDesign™ EV 3.0



- Ø 3.5 2.5 mm 25901
- Ø 3.5 3.5 mm 25298
- Ø 3.5 4.5 mm 25297
- Ø 3.5 6.5 mm 25795

Healing Uni EV 3.0



- Ø 4 2 mm 25574
- Ø 4 3 mm 25575
- Ø 4 4 mm 25576
- Ø 4 6 mm 25577

Cement-retained

Temporary abutments

TempDesign™ EV



- Ø 6 5 mm 25503

Temp Abutment EV



- Ø 3.3 1 mm 25508

Abutments

TiDesign™ EV 3.0



- Ø 4.0 2.5 mm 25330
- Ø 4.0 1.5 mm 25331
- Ø 4.0 15° 1.5 mm 25332

ATLANTIS™ abutments

○ Patient-specific abutments



Screw-retained

Abutments

Uni Abutment EV 3.0



- 2 mm 25555
- 3 mm 25556
- 5 mm 25557

**ATLANTIS™ Crown
Abutment**

○ Patient-specific abutments

Healing caps

**Uni Abutment EV
Heal Cap**



- Ø 4.3 Short 25952
- Ø 4.3 25616
- Ø 5.5 Short 25953
- Ø 5.5 25617









Abutment










**Uni Abutment EV
Pick-up**



- Ø 4.3 25641
- Ø 5.5 25642

NOTE: ATLANTIS patient-specific prosthetic solutions available.
Speak with your local DENTSPLY Implants representative for more information.


| | | |
|---|---|--|
| <p>Direct Abutment™ EV 3.0</p>  <p> Ø 3.3 1 mm 25361 Ø 3.3 2 mm 25362 Ø 3.3 3 mm 25363 </p> <p>TitaniumBase EV 3.0</p>  <p> Ø 4.0 1 mm 25924 Ø 4.0 2 mm 25925 </p> | <p style="text-align: center;">Implant impressions</p> <p>Implant Pick-Up EV</p>  <p>Long 25513</p> <p>Implant Transfer EV</p>  <p>Long 25534</p> <p>Implant Pick-Up Design EV</p>  <p>25523</p> | <p style="text-align: center;">Lab products</p> <p>Lab Abutment Screw EV</p>  <p>25476 QTY 3</p> <p>Lab Pin Design EV</p>  <p>25528</p> <p>Implant Replica EV</p>  <p>25543</p> |
|---|---|--|

| | | | |
|---|---|---|--|
| <p style="text-align: center;">impressions</p> <p>Uni Abutment EV Transfer</p>  <p>25646</p> | <p style="text-align: center;">Lab products</p> <p>Uni Abutment EV Replica</p>  <p>25615</p> <p>Lab Abutment Pin EV</p>  <p>Short 25643 Intermediate 25644 Long 25645</p> <p>Lab Bridge Screw EV</p>  <p>25656 QTY 3</p> | <p style="text-align: center;">Bridge screw</p> <p>Bridge Screw EV</p>  <p>25481</p> <p>ATLANTIS™ suprastructures</p>  | <p style="text-align: center;">Cylinders</p> <p>Uni Abutment EV Temporary Cylinder</p>  <p>25648</p> <p>Uni Abutment EV Semi-Burnout Cylinder</p>  <p>25647</p> <p>Uni Abutment EV Burnout Cylinder</p>  <p>25649</p> |
|---|---|---|--|

Product overview

3.6

PURPLE



Implants

OsseoSpeed™ EV 3.6 S



- 6 mm 25221
- 8 mm 25222
- 9 mm 25223
- 11 mm 25224
- 13 mm 25225
- 15 mm 25226
- 17 mm 25227

Cover screw



- 0 mm 25281

Healing abutments

HealDesign™ EV 3.6



- Ø 4 2.5 mm 25902
- Ø 4 3.5 mm 25300
- Ø 4 4.5 mm 25299
- Ø 4 6.5 mm 25796
- Ø 5 2.5 mm 25903
- Ø 5 3.5 mm 25920
- Ø 5 4.5 mm 25904
- Ø 5 6.5 mm 25905
- Ø 6 3.5 mm 25906
- Ø 6 4.5 mm 25907
- △ Ø 5 3.5 mm 25301

Healing Uni EV 3.6



- Ø 4 2 mm 25285
- Ø 4 3 mm 25578
- Ø 4 4 mm 25286
- Ø 4 6 mm 25287

Cement-retained


Temporary abutments

TempDesign™ EV



- Ø 7.5 mm 25504

Temp Abutment EV



- Ø 4.0 1 mm 25509

Abutments

TiDesign™ EV 3.6



- Ø 4.5 2.5 mm 25334
- Ø 4.5 20° 1.5 mm 25335
- △ Ø 5.5 1.5 mm 25333

CastDesign™ EV 3.6



- Ø 4.1 1 mm 25326

ZirDesign™ EV 3.6



- Ø 4.5 2.5 mm 25316
- Ø 4.5 20° 1.5 mm 25317
- △ Ø 5.5 1.5 mm 25315

ATLANTIS™ abutments

○ Patient-specific abutments



Screw-retained

Abutments

Uni Abutment EV 3.6



- 1 mm 25558 3 mm 25560
- 2 mm 25559 5 mm 25561

Angled Abutment EV 3.6 20°



- Ø 4.2 1 mm 25619
- Ø 4.2 2 mm 25620
- Ø 4.2 1 mm 25621
- Ø 4.2 2 mm 25622

○ ATLANTIS™ Crown Abutment
○ Patient-specific abutments

Healing caps

Uni Abutment EV Heal Cap



- Ø 4.3 Short 25952
- Ø 4.3 25616
- Ø 5.5 Short 25953
- Ø 5.5 25617

Angled Abutment EV Heal Cap



25650

Abutment

Uni Abutment EV Pick-up



- Ø 4.3 25641
- Ø 5.5 25642

Angled Abutment EV Pick-up



25651

Attachment-retained

Abutments

Locator™ Abutment EV 3.6



- 1 mm 25657
- 2 mm 25658
- 3 mm 25659
- 4 mm 25660
- 5 mm 25661

Ball Abutment EV 3.6











- 1 mm 25684
- 2 mm 25685
- 3 mm 25686
- 4 mm 25687
- 5 mm 25688
- 7 mm 25689














Abutment impressions








Locator™ Abutment Pick-up



24484

| | | |
|--|---|--|
| <p>Direct Abutment™ EV 3.6</p>  <p>Ø 4 1 mm 25364 Ø 4 2 mm 25365 Ø 4 3 mm 25366</p> <p>TitaniumBase EV 3.6</p>  <p>Ø 4.1 1 mm 25926 Ø 4.1 2 mm 25927</p> | <p>Implant impressions</p> <p>Implant Pick-Up EV</p>  <p>Short 25516 Long 25515</p> <p>Implant Transfer EV</p>  <p>Short 25535 Long 25536</p> <p>Implant Pick-Up Design EV</p>  <p>25524</p> | <p>Lab products</p> <p>Lab Abutment Screw EV</p>  <p>25477 QTY 3</p> <p>Lab Pin Design EV</p>  <p>25528</p> <p>Implant Replica EV</p>  <p>25544</p> |
|--|---|--|


| | | | |
|---|---|---|--|
| <p>impressions</p> <p>Uni Abutment EV Transfer</p>  <p>25646</p> | <p>Lab products</p> <p>Uni Abutment EV Replica</p>  <p>25615</p> <p>Lab Abutment Pin EV</p>  <p>Short 25643 Intermediate 25644 Long 25645</p> <p>Angled Abutment EV Replica</p>  <p>25652</p> <p>Lab Bridge Screw EV</p>  <p>25656 QTY 3</p> | <p>Bridge screw</p> <p>Bridge Screw EV</p>  <p>25481</p> <p>ATLANTIS™ suprastructures</p>  | <p>Cylinders</p> <p>Uni Abutment EV Temporary Cylinder</p>  <p>25648</p> <p>Angled Abutment EV Temporary Cylinder</p>  <p>25654</p> <p>Uni Abutment EV Semi-Burnout Cylinder</p>  <p>25647</p> <p>Angled Abutment EV Semi-Burnout Cylinder</p>  <p>25653</p> <p>Uni Abutment EV Burnout Cylinder</p>  <p>25649</p> <p>Angled Abutment EV Burnout Cylinder</p>  <p>25655</p> |
|---|---|---|--|

| | |
|---|---|
| <p>Replicas</p> <p>Locator™ Abutment Replica</p>  <p>24485</p> <p>Ball Abutment EV Replica</p>  <p>25826</p> | <p>Attachment components</p> <p>Dalbo Plus Female Part TE Basic, complete</p>  <p>25834</p> <p>Locator™ Process Kit</p>  <p>24483</p> <p>Locator™ Insert – Male</p>  <p>Blue 24488 Pink 24487 Clear 24486</p> <p>Locator™ Insert – Extended Range Male</p>  <p>Grey 25679 Red 24492 Orange 25843 Green 24489</p> <p>OD Cylinder EV</p>  <p>25638</p> |
|---|---|

Product overview

4.2

YELLOW



Implants

OsseoSpeed™ EV 4.2 S



- 6 mm 25231
- 8 mm 25232
- 9 mm 25233
- 11 mm 25234
- 13 mm 25235
- 15 mm 25236
- 17 mm 25237

OsseoSpeed™ EV 4.2 C



- 8 mm 25262
- 9 mm 25263
- 11 mm 25264
- 13 mm 25265
- 15 mm 25266
- 17 mm 25267

Cover screw



- 0 mm 25282

Healing abutments

HealDesign™ EV 4.2



- Ø 5.0 2.5 mm 25908
- Ø 5.0 3.5 mm 25501
- Ø 5.0 4.5 mm 25302
- Ø 5.0 6.5 mm 25797
- Ø 6.5 2.5 mm 25909
- Ø 6.5 3.5 mm 25910
- Ø 6.5 4.5 mm 25911
- Ø 6.5 6.5 mm 25912



- △ Ø 5 3.5 mm 25303
- △ Ø 6.5 3.5 mm 25304

Healing Uni EV 4.2



- Ø 4 2 mm 25288
- Ø 4 3 mm 25579
- Ø 4 4 mm 25289
- Ø 4 6 mm 25290

Cement-retained


Temporary abutments

TempDesign™ EV



- Ø 9 5 mm 25505

Temp Abutment EV



- Ø 4.5 1 mm 25510

Abutments

TiDesign™ EV 4.2



- Ø 5.5 2.5 mm 25338
- Ø 5.5 20° 1.5 mm 25339
- △ Ø 5.5 1.5 mm 25336
- △ Ø 7.0 1.5 mm 25337

CastDesign™ EV 4.2



- Ø 4.1 1 mm 25327

ZirDesign™ EV 4.2



- Ø 5.5 2.5 mm 25320
- Ø 5.5 20° 1.5 mm 25321
- △ Ø 5.5 1.5 mm 25318
- △ Ø 7.0 1.5 mm 25319

ATLANTIS™ abutments

○ Patient-specific abutments



Screw-retained

Abutments

Uni Abutment EV 4.2



- 1 mm 25562
- 2 mm 25563
- 3 mm 25564
- 5 mm 25565

Angled Abutment EV 4.2 20°



- Ø 4.2 1 mm 25625
- Ø 4.2 2 mm 25626
- Ø 4.2 1 mm 25627
- Ø 4.2 2 mm 25628

○ ATLANTIS™ Crown Abutment
○ Patient-specific abutments

Healing caps

Uni Abutment EV Heal Cap



- Ø 4.3 Short 25952
- Ø 4.3 25616
- Ø 5.5 Short 25953
- Ø 5.5 25617

Angled Abutment EV Heal Cap



- 25650

Abutment

Uni Abutment EV Pick-up



- Ø 4.3 25641
- Ø 5.5 25642

Angled Abutment EV Pick-up



- 25651

Attachment-retained

Abutments

Locator™ Abutment EV 4.2



- 1 mm 25662
- 2 mm 25663
- 3 mm 25664
- 4 mm 25665
- 5 mm 25666

Ball Abutment EV 4.2











- 1 mm 25690
- 2 mm 25691
- 3 mm 25692
- 4 mm 25693
- 5 mm 25694
- 7 mm 25695














Abutment impressions








Locator™ Abutment Pick-up



- 24484

| | | |
|---|---|--|
| <p>Direct Abutment™ EV 4.2</p>  <p> Ø 5 1 mm 25367 Ø 5 2 mm 25368 Ø 5 3 mm 25369 Ø 6 1 mm 25494 Ø 6 2 mm 25495 Ø 6 3 mm 25496 </p> <p>TitaniumBase EV 4.2</p>  <p> Ø 4.7 1 mm 25928 Ø 4.7 2 mm 25929 </p> | <p>Implant impressions</p> <p>Implant Pick-Up EV</p>  <p>Short 25518 Long 25517</p> <p>Implant Transfer EV</p>  <p>Short 25537 Long 25538</p> <p>Implant Pick-Up Design EV</p>  <p>25525</p> | <p>Lab products</p> <p>Lab Abutment Screw EV</p>  <p>25478 QTY 3</p> <p>Lab Pin Design EV</p>  <p>25530</p> <p>Implant Replica EV</p>  <p>25545</p> |
|---|---|--|


| | | | |
|---|---|---|--|
| <p>impressions</p> <p>Uni Abutment EV Transfer</p>  <p>25646</p> | <p>Lab products</p> <p>Uni Abutment EV Replica</p>  <p>25615</p> <p>Lab Abutment Pin EV</p>  <p>Short 25643 Intermediate 25644 Long 25645</p> <p>Angled Abutment EV Replica</p>  <p>25652</p> <p>Lab Bridge Screw EV</p>  <p>25656 QTY 3</p> | <p>Bridge screw</p> <p>Bridge Screw EV</p>  <p>25481</p> <p>ATLANTIS™ suprastructures</p>  | <p>Cylinders</p> <p>Uni Abutment EV Temporary Cylinder</p>  <p>25648</p> <p>Angled Abutment EV Temporary Cylinder</p>  <p>25654</p> <p>Uni Abutment EV Semi-Burnout Cylinder</p>  <p>25647</p> <p>Angled Abutment EV Semi-Burnout Cylinder</p>  <p>25653</p> <p>Uni Abutment EV Burnout Cylinder</p>  <p>25649</p> <p>Angled Abutment EV Burnout Cylinder</p>  <p>25655</p> |
|---|---|---|--|

| | |
|---|--|
| <p>Replicas</p> <p>Locator™ Abutment Replica</p>  <p>24485</p> <p>Ball Abutment EV Replica</p>  <p>25826</p> | <p>Attachment components</p> <p>Dalbo Plus Female Part TE Basic, complete</p>  <p>25834</p> <p>Locator™ Process Kit</p>  <p>24483</p> <p>Locator™ Insert – Male</p>  <p>Blue 24488 Pink 24487 Clear 24486</p> <p>Locator™ Insert – Extended Range Male</p>  <p>Grey 25679 Red 24492 Orange 25843 Green 24489</p> <p>OD Cylinder EV</p>  <p>25638</p> |
|---|--|

Product overview

4.8

BLUE



Implants

OsseoSpeed™ EV 4.8 S



- 6 mm 25241
- 8 mm 25242
- 9 mm 25243
- 11 mm 25244
- 13 mm 25245
- 15 mm 25246
- 17 mm 25247

OsseoSpeed™ EV 4.8 C



- 8 mm 25272
- 9 mm 25273
- 11 mm 25274
- 13 mm 25275
- 15 mm 25276
- 17 mm 25277

Cover screw



0 mm 25283

Healing abutments

HealDesign™ EV 4.8



- Ø 5.0 2.5 mm 25913
- Ø 5.0 3.5 mm 25502
- Ø 5.0 4.5 mm 25914
- Ø 5.0 6.5 mm 25915
- Ø 6.5 2.5 mm 25916
- Ø 6.5 3.5 mm 25917
- Ø 6.5 4.5 mm 25306
- Ø 6.5 6.5 mm 25798
- Ø 7.5 3.5 mm 25918
- Ø 7.5 4.5 mm 25919

- △ Ø 5.0 3.5 mm 25305
- △ Ø 6.5 3.5 mm 25307

Healing Uni EV 4.8



- Ø 4 2 mm 25291
- Ø 4 3 mm 25580
- Ø 4 4 mm 25292
- Ø 4 6 mm 25293

Cement-retained

Temporary abutments

TempDesign™ EV



Ø 10 5 mm 25506

Temp Abutment EV



Ø 5.0 1 mm 25511

Abutments

TiDesign™ EV 4.8



- Ø 7.0 2.5 mm 25342
- Ø 5.5 20° 1.5 mm 25343
- △ Ø 5.5 1.5 mm 25340
- △ Ø 7.0 1.5 mm 25341

CastDesign™ EV 4.8



Ø 5.1 1 mm 25328

ZirDesign™ EV 4.8



- Ø 7.0 2.5 mm 25324
- Ø 5.5 20° 1.5 mm 25325
- △ Ø 5.5 1.5 mm 25322
- △ Ø 7.0 1.5 mm 25323

ATLANTIS™ abutments

○ Patient-specific abutments



Screw-retained

Abutments

Uni Abutment EV 4.8



- 1 mm 25566 3 mm 25568
- 2 mm 25567 5 mm 25569

Angled Abutment EV 4.8 20°



- Ø 4.2 1 mm 25631
- Ø 4.2 2 mm 25632
- Ø 4.2 1 mm 25633
- Ø 4.2 2 mm 25634

○ **ATLANTIS™ Crown Abutment**
○ Patient-specific abutments

Healing caps

Uni Abutment EV Heal Cap



- Ø 4.3 Short 25952
- Ø 4.3 25616
- Ø 5.5 Short 25953
- Ø 5.5 25617

Angled Abutment EV Heal Cap



25650

Abutment

Uni Abutment EV Pick-up



- Ø 4.3 25641
- Ø 5.5 25642

Angled Abutment EV Pick-up



25651

Attachment-retained

Abutments

Locator™ Abutment EV 4.8



- 1 mm 25667
- 2 mm 25668
- 3 mm 25669
- 4 mm 25670
- 5 mm 25671

Ball Abutment EV 4.8











- 1 mm 25696
- 2 mm 25697
- 3 mm 25698
- 4 mm 25699
- 5 mm 25700
- 7 mm 25701














Abutment impressions








Locator™ Abutment Pick-up



24484

| | | |
|---|---|--|
| <p>Direct Abutment™ EV 4.8</p>  <p> Ø 5 1 mm 25370 Ø 5 2 mm 25371 Ø 5 3 mm 25372 Ø 6 1 mm 25497 Ø 6 2 mm 25498 Ø 6 3 mm 25499 </p> <p>TitaniumBase EV 4.8</p>  <p> Ø 5.0 1 mm 25930 Ø 5.0 2 mm 25931 </p> | <p>Implant impressions</p> <p>Implant Pick-Up EV</p>  <p>Short 25520 Long 25519</p> <p>Implant Transfer EV</p>  <p>Short 25539 Long 25540</p> <p>Implant Pick-Up Design EV</p>  <p>25526</p> | <p>Lab products</p> <p>Lab Abutment Screw EV</p>  <p>25479 QTY 3</p> <p>Lab Pin Design EV</p>  <p>25530</p> <p>Implant Replica EV</p>  <p>25546</p> |
|---|---|--|


| | | | |
|---|---|---|--|
| <p>impressions</p> <p>Uni Abutment EV Transfer</p>  <p>25646</p> | <p>Lab products</p> <p>Uni Abutment EV Replica</p>  <p>25615</p> <p>Lab Abutment Pin EV</p>  <p>Short 25643 Intermediate 25644 Long 25645</p> <p>Angled Abutment EV Replica</p>  <p>25652</p> <p>Lab Bridge Screw EV</p>  <p>25656 QTY 3</p> | <p>Bridge screw</p> <p>Bridge Screw EV</p>  <p>25481</p> <hr/> <p>ATLANTIS™ suprastructures</p>  | <p>Cylinders</p> <p>Uni Abutment EV Temporary Cylinder</p>  <p>25648</p> <p>Angled Abutment EV Temporary Cylinder</p>  <p>25654</p> <p>Uni Abutment EV Semi-Burnout Cylinder</p>  <p>25647</p> <p>Angled Abutment EV Semi-Burnout Cylinder</p>  <p>25653</p> <p>Uni Abutment EV Burnout Cylinder</p>  <p>25649</p> <p>Angled Abutment EV Burnout Cylinder</p>  <p>25655</p> |
|---|---|---|--|

| | |
|---|--|
| <p>Replicas</p> <p>Locator™ Abutment Replica</p>  <p>24485</p> <p>Ball Abutment EV Replica</p>  <p>25826</p> | <p>Attachment components</p> <p>Dalbo Plus Female Part TE Basic, complete</p>  <p>25834</p> <p>Locator™ Process Kit</p>  <p>24483</p> <p>Locator™ Insert – Male</p>  <p> Blue 24488 Pink 24487 Clear 24486 </p> <p>Locator™ Insert – Extended Range Male</p>  <p> Grey 25679 Red 24492 Orange 25843 Green 24489 </p> <p>OD Cylinder EV</p>  <p>25638</p> |
|---|--|

Product overview

5.4

BROWN



Implants

OsseoSpeed™ EV 5.4 S



- 6 mm 25251
- 8 mm 25252
- 9 mm 25253
- 11 mm 25254
- 13 mm 25255
- 15 mm 25256

Cover screw



0 mm 25284

Healing abutments

HealDesign™ EV 5.4



- Ø 6.5 2.5 mm 25921
- Ø 6.5 3.5 mm 25309
- Ø 6.5 4.5 mm 25308
- Ø 6.5 6.5 mm 25799
- Ø 7.5 3.5 mm 25922
- Ø 7.5 4.5 mm 25923

Healing Uni EV 5.4



- Ø 4 2 mm 25294
- Ø 4 3 mm 25581
- Ø 4 4 mm 25295
- Ø 4 6 mm 25296

Cement-retained


Temporary abutments

TempDesign™ EV



Ø 10 5 mm 25507

Temp Abutment EV



Ø 5.5 1 mm 25512

Abutments

TiDesign™ EV 5.4



- Ø 7.0 2.5 mm 25344
- Ø 7.0 1.5 mm 25345

CastDesign™ EV 5.4



Ø 5.1 1 mm 25329

ATLANTIS™ abutments

○ Patient-specific abutments



Screw-retained

Abutments

Uni Abutment EV 5.4



- 1 mm 25570
- 2 mm 25571
- 3 mm 25572
- 5 mm 25573

ATLANTIS™ Crown Abutment

○ Patient-specific abutments

Healing caps

Uni Abutment EV Heal Cap



- Ø 4.3 Short 25952
- Ø 4.3 25616
- Ø 5.5 Short 25953
- Ø 5.5 25617









Abutment










Uni Abutment EV Pick-up



- Ø 4.3 25641
- Ø 5.5 25642

NOTE: ATLANTIS patient-specific prosthetic solutions available.
Speak with your local DENTSPLY Implants representative for more information.

| | | |
|---|--|--|
| <p>Direct Abutment™ EV 5.4</p>  <p> Ø 6 1 mm 25373 Ø 6 2 mm 25374 Ø 6 3 mm 25375 </p> <p>TitaniumBase EV 5.4</p>  <p> Ø 5.5 1 mm 25932 Ø 5.5 2 mm 25933 </p> | <p>Implant impressions</p> <p>Implant Pick-Up EV</p>  <p>Short 25522</p> <p>Implant Transfer EV</p>  <p>Short 25541 Long 25542</p> <p>Implant Pick-Up Design EV</p>  <p>25527</p> | <p>Lab products</p> <p>Lab Abutment Screw EV</p>  <p>25480 QTY 3</p> <p>Lab Pin Design EV</p>  <p>25530</p> <p>Implant Replica EV</p>  <p>25547</p> |
|---|--|--|

| | | | |
|---|---|---|--|
| <p>impressions</p> <p>Uni Abutment EV Transfer</p>  <p>25646</p> | <p>Lab products</p> <p>Uni Abutment EV Replica</p>  <p>25615</p> <p>Lab Abutment Pin EV</p>  <p>Short 25643 Intermediate 25644 Long 25645</p> <p>Lab Bridge Screw EV</p>  <p>25656 QTY 3</p> | <p>Bridge screw</p> <p>Bridge Screw EV</p>  <p>25481</p> <p>ATLANTIS™ suprastructures</p>  | <p>Cylinders</p> <p>Uni Abutment EV Temporary Cylinder</p>  <p>25648</p> <p>Uni Abutment EV Semi-Burnout Cylinder</p>  <p>25647</p> <p>Uni Abutment EV Burnout Cylinder</p>  <p>25649</p> |
|---|---|---|--|

Introduction



The design philosophy of the ASTRA TECH Implant System EV is based on the natural dentition utilizing a site-specific, crown-down approach supported by an intuitive surgical protocol and a simple prosthetic workflow.

The implant assortment provides versatility for meeting the needs of each individual site. This is further supported by corresponding restorative components designed for optimized soft tissue management and long-term function and esthetics.

| | | | | |
|-------|--------|--------|-------|-------|
| Ø 3.0 | Ø 3.6 | Ø 4.2 | Ø 4.8 | Ø 5.4 |
| | | | | |
| Green | Purple | Yellow | Blue | Brown |

Recommended implant size(s) in relation to tooth position, provided there is sufficient bone volume and space in relation to the adjacent dentition.



The foundation of this evolutionary step remains the unique **ASTRA TECH Implant System BioManagement Complex™**, well-documented for its long-term marginal bone maintenance and esthetic results.

DENTSPLY Implants warranty program* — We have you covered

IMPLANTS AND COMPONENTS



LIFETIME

ZIRCONIA



5-YEAR

INSTRUMENTS



3-YEAR

*For full terms and conditions, refer to the "Implant Systems Warranty" flyer.

Surgery

Versatile implant assortment

OsseoSpeed EV implants are available in a versatile range of shapes, diameters and lengths for all indications, including situations with limited space and/or bone quantity.



Flexible drilling protocol that allows for preferred primary stability

The drilling procedure is made easy by using color-coding and a simple numbering system.



Site-specific components

Including round and triangular healing abutments.



Color-coded assortment

Each implant-abutment connection size is identified by a specific color, which is used consistently throughout the system. The color is applied directly to components and instruments, as well as on packaging and informational material, where appropriate.



Three peel-off labels are provided for the patient's treatment record and for communicating with the restorative team.

For specific procedural details, please refer to the respective manual.

Implants

OsseoSpeed™ EV

Titanium, sterile


OsseoSpeed EV implants are available in a versatile range of shapes, diameters and lengths for all indications, including situations with limited space and/or bone quantity.

S = Straight


C = Conical



Specific colors have been assigned to the different implant-abutment connection sizes, which are consistently used throughout the system.



- Implants for all indications in both the anterior and posterior region.
- For further details – see Instructions for use or Surgical manual.
- All our implants are made of commercially pure titanium, grade 4.
- OsseoSpeed surface treatment over the entire implant to the top of the first MicroThread.
- For conical implants the body portion is 0.6 mm narrower.



3.0 OsseoSpeed™ EV 3.0 S



| | | | | | | |
|-----------|--|-------|-------|-------|-------|-------|
| Ø mm | | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 |
| Length mm | | 8 | 9 | 11 | 13 | 15 |
| Order no. | | 25212 | 25213 | 25214 | 25215 | 25216 |

3.6 OsseoSpeed™ EV 3.6 S



| | | | | | | | |
|-----------|-------|-------|-------|-------|-------|-------|-------|
| Ø mm | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 |
| Length mm | 6 | 8 | 9 | 11 | 13 | 15 | 17 |
| Order no. | 25221 | 25222 | 25223 | 25224 | 25225 | 25226 | 25227 |

4.2 OsseoSpeed™ EV 4.2 S



| | | | | | | | |
|-----------|-------|-------|-------|-------|-------|-------|-------|
| Ø mm | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 |
| Length mm | 6 | 8 | 9 | 11 | 13 | 15 | 17 |
| Order no. | 25231 | 25232 | 25233 | 25234 | 25235 | 25236 | 25237 |

4.2 OsseoSpeed™ EV 4.2 C



| | | | | | | | |
|-----------|--|-------|-------|-------|-------|-------|-------|
| Ø mm | | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 |
| Body Ø mm | | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 |
| Length mm | | 8 | 9 | 11 | 13 | 15 | 17 |
| Order no. | | 25262 | 25263 | 25264 | 25265 | 25266 | 25267 |

4.8 OsseoSpeed™ EV 4.8 S



| | | | | | | | |
|-----------|-------|-------|-------|-------|-------|-------|-------|
| Ø mm | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 |
| Length mm | 6 | 8 | 9 | 11 | 13 | 15 | 17 |
| Order no. | 25241 | 25242 | 25243 | 25244 | 25245 | 25246 | 25247 |

4.8 OsseoSpeed™ EV 4.8 C



| | | | | | | | |
|-----------|--|-------|-------|-------|-------|-------|-------|
| Ø mm | | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 |
| Body Ø mm | | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 |
| Length mm | | 8 | 9 | 11 | 13 | 15 | 17 |
| Order no. | | 25272 | 25273 | 25274 | 25275 | 25276 | 25277 |

5.4 OsseoSpeed™ EV 5.4 S



| | | | | | | |
|-----------|-------|-------|-------|-------|-------|-------|
| Ø mm | 5.4 | 5.4 | 5.4 | 5.4 | 5.4 | 5.4 |
| Length mm | 6 | 8 | 9 | 11 | 13 | 15 |
| Order no. | 25251 | 25252 | 25253 | 25254 | 25255 | 25256 |

Cover Screw EV



| | | | | | |
|-----------|-------|-------|-------|-------|-------|
| Order no. | 25280 | 25281 | 25282 | 25283 | 25284 |
|-----------|-------|-------|-------|-------|-------|



Cover Screw EV
Titanium, sterile



Healing abutments

HealDesign™ EV Titanium, sterile

- For soft tissue sculpturing during the healing phase
- Can be used for both one- and two-stage surgery
- Design is primarily matched to TiDesign EV and ZirDesign EV abutments
- Heights and diameters are harmonized with the permanent abutments as well as with the tooth position
 - Round shapes are indicated for all positions in the mouth.
 - △ Triangular shapes are designed for anterior implant sites and mimic the specific shape for incisors and canines. Triangular HealDesign™ EV is a two-piece abutment.
- Marked with diameter and height



* Compatible with OsseoSpeed Profile EV 4.2 and OsseoSpeed Profile EV 4.8

3.0 HealDesign™ EV 3.0



| | | | | |
|-----------|-------|-------|-------|-------|
| Ø mm | 3.5 | 3.5 | 3.5 | 3.5 |
| Height mm | 2.5 | 3.5 | 4.5 | 6.5 |
| Order no. | 25901 | 25298 | 25297 | 25795 |

3.6 HealDesign™ EV 3.6



| | | | | | | | | | | | |
|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Ø mm | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 6 | 6 | 5 |
| Height mm | 2.5 | 3.5 | 4.5 | 6.5 | 2.5 | 3.5 | 4.5 | 6.5 | 3.5 | 4.5 | 3.5 |
| Order no. | 25902 | 25300 | 25299 | 25796 | 25903 | 25920 | 25904 | 25905 | 25906 | 25907 | 25301 |

4.2 HealDesign™ EV 4.2




| | | | | | | | | | | |
|-----------|--------|--------|--------|--------|--------|--------|--------|--------|-------|-------|
| Ø mm | 5 | 5 | 5 | 5 | 6.5 | 6.5 | 6.5 | 6.5 | 5 | 6.5 |
| Height mm | 2.5 | 3.5 | 4.5 | 6.5 | 2.5 | 3.5 | 4.5 | 6.5 | 3.5 | 3.5 |
| Order no. | 25908* | 25501* | 25302* | 25797* | 25909* | 25910* | 25911* | 25912* | 25303 | 25304 |

4.8 HealDesign™ EV 4.8



| | | | | | | | | | | | | |
|-----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|-------|
| Ø mm | 5 | 5 | 5 | 5 | 6.5 | 6.5 | 6.5 | 6.5 | 7.5 | 7.5 | 5 | 6.5 |
| Height mm | 2.5 | 3.5 | 4.5 | 6.5 | 2.5 | 3.5 | 4.5 | 6.5 | 3.5 | 4.5 | 3.5 | 3.5 |
| Order no. | 25913* | 25502* | 25914* | 25915* | 25916* | 25917* | 25306* | 25798* | 25918* | 25919* | 25305 | 25307 |

5.4 HealDesign™ EV 5.4



| | | | | | | |
|-----------|-------|-------|-------|-------|-------|-------|
| Ø mm | 6.5 | 6.5 | 6.5 | 6.5 | 7.5 | 7.5 |
| Height mm | 2.5 | 3.5 | 4.5 | 6.5 | 3.5 | 4.5 |
| Order no. | 25921 | 25309 | 25308 | 25799 | 25922 | 25923 |

3.0 Healing Uni EV 3.0




| | | | | |
|-----------|-------|-------|-------|-------|
| A – Ø mm | 4 | 4 | 4 | 4 |
| Height mm | 2 | 3 | 4 | 6 |
| Order no. | 25574 | 25575 | 25576 | 25577 |

Healing Uni EV

Titanium, sterile

- Promotes soft tissue sculpturing primarily for Uni Abutment EV
- Laser etched bands for gauging
- Marked with height



3.6 Healing Uni EV 3.6



| | | | | |
|-----------|-------|-------|-------|-------|
| A – Ø mm | 4 | 4 | 4 | 4 |
| Height mm | 2 | 3 | 4 | 6 |
| Order no. | 25285 | 25578 | 25286 | 25287 |

4.2 Healing Uni EV 4.2



| | | | | |
|-----------|--------|--------|--------|--------|
| A – Ø mm | 4 | 4 | 4 | 4 |
| Height mm | 2 | 3 | 4 | 6 |
| Order no. | 25288* | 25579* | 25289* | 25290* |

4.8 Healing Uni EV 4.8



| | | | | |
|-----------|--------|--------|--------|--------|
| A – Ø mm | 4 | 4 | 4 | 4 |
| B – Ø mm | 4.3 | 4.3 | 4.3 | 4.3 |
| Height mm | 2 | 3 | 4 | 6 |
| Order no. | 25291* | 25580* | 25292* | 25293* |

5.4 Healing Uni EV 5.4



| | | | | |
|-----------|-------|-------|-------|-------|
| A – Ø mm | 4 | 4 | 4 | 4 |
| B – Ø mm | 4.8 | 4.8 | 4.8 | 4.8 |
| Height mm | 2 | 3 | 4 | 6 |
| Order no. | 25294 | 25581 | 25295 | 25296 |



* Compatible with OsseoSpeed Profile EV 4.2 and OsseoSpeed Profile EV 4.8

Prosthetics

Site-specific restorative components

Including round and triangular options.



Self-guiding impression components

Supports all indexing options; one-position-only, six positions and index free.

One system – one torque

All final abutments are designed for one tightening torque value of 25 Ncm for simplicity.



One interface – three indexing solutions



One-position-only



Six-position



Index free

The interface design allows for a number of indexing options depending on the component selected, including a unique one-position-only for ATLANTIS patient-specific abutments.

For specific procedural details, please refer to the respective manual.

Temporary abutments

TempDesign™ EV




| | | | | | |
|------------------|-------|-------|-------|-------|-------|
| Ø mm | 6 | 7 | 9 | 10 | 10 |
| Margin height mm | 5 | 5 | 5 | 5 | 5 |
| Vert. height mm | 10 | 12 | 12 | 12 | 10 |
| Order no. | 25503 | 25504 | 25505 | 25506 | 25507 |

TempDesign™ EV

Titanium-PEEK-plastic, non-sterile, delivered with an abutment screw

- Anatomically pre-designed for reduction technique
- For both screw- and cement-retained restorations
- Can be processed at the laboratory or chairside
- Temporary use; max 180 days
- Screw-retained restorations, limited to single-tooth only
- Indexed abutments will seat in six available positions.



Temp Abutment EV




| | | | | | |
|------------------|-------|-------|-------|-------|-------|
| Ø mm | 3.3 | 4.0 | 4.5 | 5.0 | 5.5 |
| Margin height mm | 1 | 1 | 1 | 1 | 1 |
| Vert. height mm | 9 | 9 | 9 | 9 | 9 |
| Order no. | 25508 | 25509 | 25510 | 25511 | 25512 |

Temp Abutment EV

Titanium, non-sterile, delivered with an abutment screw

- Designed for build-up technique
- For large, multi-unit restorations and/or long-term temporization
- Primarily processed in the laboratory
- Cement-retained restorations, all positions in the mouth
- Screw-retained restorations, limited to single-tooth only
- Indexed abutments will seat in six available positions.



Abutment Screw EV



| | | | | | |
|-----------|---------------|---------------|---------------|---------------|---------------|
| Order no. | M1.4 25203 | M1.6 25204 | M1.8 25205 | M2.0 25206 | M2.0 25207 |
|-----------|---------------|---------------|---------------|---------------|---------------|

Abutment Screw EV




Titanium, non-sterile


Note: A corresponding Abutment Screw EV is included with every temporary abutment as well as final two-piece abutments. To order additional screws, refer to Abutment Screw EV section to the left.

Cement-retained restorations


TiDesign™ EV

Titanium, non-sterile,
delivered with an abutment screw

-  Round – design for the majority of restorative situations
-  Triangular – primarily for incisors and canines with triangular shape; low margin of 1.5 mm above implant level
- Angled design for offset situations compensating for implants in a restoratively unfavorable position
-  Indexed abutments will seat in six available positions.
- Marked with \emptyset



A = buccal height
B = lingual height



Note: A corresponding Abutment Screw EV is included with every two-piece final abutment. To order additional screws, refer to Abutment Screw EV section (p.21).

3.0 TiDesign™ EV 3.0



| | | | |
|--------------------|-------|-------|-------|
| Ø mm | 4 | 4 | 4 |
| A – height bucc mm | 2.5 | 1.5 | 1.5 |
| B – height ling mm | 3.5 | 2.5 | 2.5 |
| Vertical height mm | 8 | 7 | 7 |
| Order no. | 25330 | 25331 | 25332 |

3.6 TiDesign™ EV 3.6



| | | | |
|--------------------|-------|-------|-------|
| Ø mm | 4.5 | 4.5 | 5.5 |
| A – height bucc mm | 2.5 | 1.5 | 1.5 |
| B – height ling mm | 3.5 | 2.5 | 2.5 |
| Vertical height mm | 10 | 9 | 9 |
| Order no. | 25334 | 25335 | 25333 |

4.2 TiDesign™ EV 4.2



| | | | | |
|--------------------|-------|-------|-------|-------|
| Ø mm | 5.5 | 5.5 | 5.5 | 7 |
| A – height bucc mm | 2.5 | 1.5 | 1.5 | 1.5 |
| B – height ling mm | 3.5 | 2.5 | 2.5 | 2.5 |
| Vertical height mm | 10 | 9 | 9 | 9 |
| Order no. | 25338 | 25339 | 25336 | 25337 |

4.8 TiDesign™ EV 4.8



| | | | | |
|--------------------|-------|-------|-------|-------|
| Ø mm | 7 | 5.5 | 5.5 | 7 |
| A – height bucc mm | 2.5 | 1.5 | 1.5 | 1.5 |
| B – height ling mm | 3.5 | 2.5 | 2.5 | 2.5 |
| Vertical height mm | 10 | 9 | 9 | 9 |
| Order no. | 25342 | 25343 | 25340 | 25341 |

5.4 TiDesign™ EV 5.4



| | | |
|--------------------|-------|-------|
| Ø mm | 7 | 7 |
| A – height bucc mm | 2.5 | 1.5 |
| B – height ling mm | 3.5 | 2.5 |
| Vertical height mm | 10 | 9 |
| Order no. | 25344 | 25345 |

3.6 ZirDesign™ EV 3.6



| | | | |
|--------------------|-------|-------|-------|
| Ø mm | 4.5 | 4.5 | 5.5 |
| A – height bucc mm | 2.5 | 1.5 | 1.5 |
| B – height ling mm | 3.5 | 2.5 | 2.5 |
| Vertical height mm | 10 | 9 | 9 |
| Order no. | 25316 | 25317 | 25315 |

4.2 ZirDesign™ EV 4.2




| | | | | |
|--------------------|-------|-------|-------|-------|
| Ø mm | 5.5 | 5.5 | 5.5 | 7 |
| A – height bucc mm | 2.5 | 1.5 | 1.5 | 1.5 |
| B – height ling mm | 3.5 | 2.5 | 2.5 | 2.5 |
| Vertical height mm | 10 | 9 | 9 | 9 |
| Order no. | 25320 | 25321 | 25318 | 25319 |

ZirDesign™ EV


Zirconia, non-sterile, delivered with an abutment screw

- Round – design for the majority of restorative situations
- Triangular – primarily for incisors and canines with triangular shape; low margin of 1.5 mm above implant level
- Angled design for offset situations compensating for implants in a restoratively unfavorable position
- Indexed abutments will seat in six available positions.



A = buccal height
B = lingual height

4.8 ZirDesign™ EV 4.8



| | | | | |
|--------------------|-------|-------|-------|-------|
| Ø mm | 7 | 5.5 | 5.5 | 7 |
| A – height bucc mm | 2.5 | 1.5 | 1.5 | 1.5 |
| B – height ling mm | 3.5 | 2.5 | 2.5 | 2.5 |
| Vertical height mm | 10 | 9 | 9 | 9 |
| Order no. | 25324 | 25325 | 25322 | 25323 |



CastDesign™ EV




| | | | | |
|--------------------|-------|-------|-------|-------|
| Ø mm | 4.1 | 4.1 | 5.1 | 5.1 |
| Height mm | 1 | 1 | 1 | 1 |
| Vertical height mm | 11 | 11 | 11 | 11 |
| Order no. | 25326 | 25327 | 25328 | 25329 |

CastDesign™ EV

Metal Base: Au 60%, Pd 20%, Pt 19%, Ir 1%
Cylinder: PMMA burnout plastic
Non-sterile, delivered with an abutment screw

For cases that require angulation corrections up to 30° using regular wax-up and cast-to techniques

- Cement-retained restorations, all positions in the mouth
- Screw-retained restorations, limited to single-tooth only
- Indexed abutments will seat in six available positions.




Impression and laboratory components – implant-level

Implant Pick-Up EV / Implant Pick-Up Design EV

Titanium, non-sterile


- Self-guiding positioning
- Designed with hex at the pin head
- Possibilities to capture the exact soft tissue shape for best possible esthetic results
- Supports all indexing options; one-position-only, six position and indexed free




Implant Transfer EV

Titanium, non-sterile

- Self-guiding positioning
- Must be repositioned in the unique site in the impression
- Designed with a hex at the pin head




Implant Pick-Up EV, Short




| | | | | | |
|-----------|--|-------|-------|-------|-------|
| Ø mm | | 4.6 | 4.6 | 4.6 | 5.4 |
| Height mm | | 16.5 | 16.5 | 16.5 | 16.5 |
| Order no. | | 25516 | 25518 | 25520 | 25522 |

Implant Pick-Up EV, Long



| | | | | |
|-----------|-------|-------|-------|-------|
| Ø mm | 3.8 | 4.6 | 4.6 | 4.6 |
| Height mm | 22 | 22 | 22 | 22 |
| Order no. | 25513 | 25515 | 25517 | 25519 |

Implant Pick-Up Design EV



| | | | | | |
|-----------|-------|-------|-------|-------|-------|
| Ø mm | 3.0 | 3.6 | 4.2 | 4.8 | 5.4 |
| Height mm | 22 | 22 | 22 | 22 | 22 |
| Order no. | 25523 | 25524 | 25525 | 25526 | 25527 |

Implant Transfer EV, Short



| | | | | | |
|-----------|--|-------|-------|-------|-------|
| Ø mm | | 3.6 | 4.2 | 4.8 | 5.4 |
| Height mm | | 11 | 11 | 11 | 11 |
| Order no. | | 25535 | 25537 | 25539 | 25541 |

Implant Transfer EV, Long



3.0 3.6 4.2 4.8 5.4

| | | | | | |
|-----------|-------|-------|-------|-------|-------|
| Ø mm | 3.5 | 3.6 | 4.2 | 4.8 | 5.4 |
| Height mm | 14 | 14 | 14 | 14 | 14 |
| Order no. | 25534 | 25536 | 25538 | 25540 | 25542 |

Implant Replica EV



3.0 3.6 4.2 4.8 5.4

| | | | | | |
|-----------|-------|-------|-------|-------|-------|
| Height mm | 16.5 | 16.5 | 16.5 | 16.5 | 16.5 |
| Order no. | 25543 | 25544 | 25545 | 25546 | 25547 |

Implant Replica EV

Titanium, non-sterile

Adjustment of apex allow for removal of replica from master model without need for sectioning

Lab Abutment Screw EV



3.0 3.6 4.2 4.8 5.4

| | | | | | |
|-----------|-------|-------|-------|-------|-------|
| Order no. | 25476 | 25477 | 25478 | 25479 | 25480 |
|-----------|-------|-------|-------|-------|-------|

Lab Abutment Screw EV

Titanium, non-sterile

QTY 3

Designed for use with Implant Replica EV only

Lab Pin Design EV



3.0 3.6 4.2 4.8 5.4

| | | | | | |
|-----------|-------|--|-------|--|--|
| Height mm | 25 | | 25 | | |
| Order no. | 25528 | | 25530 | | |

Lab Pin Design EV


Stainless steel, non-sterile


- For maintenance of screw access channel during the laboratory procedure
- Friction fit to the Lab Abutment Screw EV screw hole

Cement-retained restorations


TitaniumBase EV

Titanium, non-sterile, delivered with an abutment screw

- For temporary and final cement- / screw-retained restorations
 - Screw-retained restorations, limited to single-tooth only
- Single and partial situations, all positions in the mouth
- TitaniumBase EV is provided with two flattened sides forming an anti-rotational feature
-  Indexed abutments will seat in six available positions



3.0 TitaniumBase EV 3.0



| | | |
|--------------------|-------|-------|
| Ø mm | 4 | 4 |
| Margin height mm | 1 | 2 |
| Vertical height mm | 5 | 6 |
| Order no. | 25924 | 25925 |

3.6 TitaniumBase EV 3.6




| | | |
|--------------------|-------|-------|
| Ø mm | 4.1 | 4.1 |
| Margin height mm | 1 | 2 |
| Vertical height mm | 5 | 6 |
| Order no. | 25926 | 25927 |

4.2 TitaniumBase EV 4.2



| | | |
|--------------------|-------|-------|
| Ø mm | 4.7 | 4.7 |
| Margin height mm | 1 | 2 |
| Vertical height mm | 5 | 6 |
| Order no. | 25928 | 25929 |

4.8 TitaniumBase EV 4.8



| | | |
|--------------------|-------|-------|
| Ø mm | 5 | 5 |
| Margin height mm | 1 | 2 |
| Vertical height mm | 5 | 6 |
| Order no. | 25930 | 25931 |

5.4 TitaniumBase EV 5.4



| | | |
|--------------------|-------|-------|
| Ø mm | 5.5 | 5.5 |
| Margin height mm | 1 | 2 |
| Vertical height mm | 5 | 6 |
| Order no. | 25932 | 25933 |

Components and instruments for scanning of OsseoSpeed™ EV implants

ATLANTIS™ FLO

For lab-based scanning of OsseoSpeed EV implants



ATLANTIS™ FLO screwdriver

Required for ATLANTIS FLO, used with lab-based scanning



| | | | | | |
|-----------|------------|------------|------------|------------|------------|
| | 3.0 | 3.6 | 4.2 | 4.8 | 5.4 |
| FLO code | P-01 | P-02 | P-03 | P-04 | P-05 |
| Order no. | 34593 | 34594 | 34595 | 34596 | 34597 |

| | |
|-----------|-------|
| Order no. | 34601 |
|-----------|-------|

ATLANTIS™ IO FLO

For intraoral scanning of OsseoSpeed EV implants. To be used with Hex Screwdriver EV.



| | | | | | |
|-------------|------------|------------|------------|------------|------------|
| | 3.0 | 3.6 | 4.2 | 4.8 | 5.4 |
| IO FLO code | IO P-01 | IO P-02 | IO P-03 | IO P-04 | IO P-05 |
| Order no. | 35243 | 35244 | 35245 | 35246 | 35247 |

3.0 Direct Abutment™ EV 3.0



| | | | |
|------------------|-------|-------|-------|
| Ø mm | 3.3 | 3.3 | 3.3 |
| Margin height mm | 1 | 2 | 3 |
| Vert. height mm | 6 | 7 | 8 |
| Order no. | 25361 | 25362 | 25363 |

3.6 Direct Abutment™ EV 3.6




| | | | |
|------------------|-------|-------|-------|
| Ø mm | 4.0 | 4.0 | 4.0 |
| Margin height mm | 1 | 2 | 3 |
| Vert. height mm | 6 | 7 | 8 |
| Order no. | 25364 | 25365 | 25366 |

**Direct Driver EV
Ø3.3 Ø4**



| | |
|-----------|-------|
| Length mm | 26 |
| Order no. | 25764 |



Direct Abutment™ EV

Titanium, sterile

- Sold separately; not included in the Direct EV API™ kit
- Index-free abutments will be seated in any rotational position.
- Marked with Ø

4.2 Direct Abutment™ EV 4.2



| | | | | | | |
|------------------|--------|--------|--------|--------|--------|--------|
| Ø mm | 5.0 | 5.0 | 5.0 | 6.0 | 6.0 | 6.0 |
| Margin height mm | 1 | 2 | 3 | 1 | 2 | 3 |
| Vert. height mm | 6 | 7 | 8 | 6 | 7 | 8 |
| Order no. | 25367* | 25368* | 25369* | 25494* | 25495* | 25496* |

Direct Driver EV Ø3.3 Ø4

Stainless steel, non-sterile

Required for carrying and installation of Direct Abutment EV Ø 3.3 and Ø 4.0 only.

Hex Driver EV

Stainless steel, non-sterile

Use the Hex Driver EV for the Ø 5.0 and Ø 6.0 Direct Abutment™ EV.

4.8 Direct Abutment™ EV 4.8



| | | | | | | |
|------------------|--------|--------|--------|--------|--------|--------|
| Ø mm | 5.0 | 5.0 | 5.0 | 6.0 | 6.0 | 6.0 |
| Margin height mm | 1 | 2 | 3 | 1 | 2 | 3 |
| Vert. height mm | 6 | 7 | 8 | 6 | 7 | 8 |
| Order no. | 25370* | 25371* | 25372* | 25497* | 25498* | 25499* |

5.4 Direct Abutment™ EV 5.4




| | | | |
|------------------|-------|-------|-------|
| Ø mm | 6.0 | 6.0 | 6.0 |
| Margin height mm | 1 | 2 | 3 |
| Vert. height mm | 6 | 7 | 8 |
| Order no. | 25373 | 25374 | 25375 |



* Compatible with OsseoSpeed Profile EV 4.2 and OsseoSpeed Profile EV 4.8

Direct EV API™
Non-sterile



Contains all corresponding components for working with the Direct Abutment™ EV

- Two compartments for clinical and laboratory components respectively
- Direct Abutment™ EV must be ordered separately

Cement-retained restorations

Direct EV API™



| | | | | |
|-----------|-------|-------|-------|-------|
| Ø mm | 3.3 | 4 | 5 | 6 |
| Order no. | 25346 | 25347 | 25348 | 25349 |

Direct Abutment™ EV HealCap
Polycarbonate plastic, non-sterile

- Temporary use; maximum 30 days

Direct Abutment™ EV HealCap



| | | | | |
|-----------|-------|-------|-------|-------|
| Ø mm | 3.3 | 4 | 5 | 6 |
| Order no. | 25310 | 25311 | 25312 | 25313 |

Direct Abutment™ EV Pick-Up
Polypropylene plastic, non-sterile

- DA EV Pick-Up Ø3.3 and Ø6 – transparent
- DA EV Pick-Up Ø4 – white
- DA EV Pick-Up Ø5 – grey

Direct Abutment™ EV Pick-Up



| | | | | |
|-----------|-------|-------|-------|-------|
| Ø mm | 3.3 | 4 | 5 | 6 |
| Order no. | 25396 | 25397 | 25398 | 25399 |

Direct Abutment™ EV Replica
Titanium, non-sterile

Direct Abutment™ EV Replica



| | | | | |
|-----------|-------|-------|-------|-------|
| Ø mm | 3.3 | 4 | 5 | 6 |
| Order no. | 25401 | 25402 | 25403 | 25404 |

Direct Abutment™ EV Burnout Cap
PMMA Burn-out Plastic, non-sterile

Direct Abutment™ EV Burnout Cap



| | | | | |
|-----------|-------|-------|-------|-------|
| Ø mm | 3.3 | 4 | 5 | 6 |
| Order no. | 25406 | 25407 | 25408 | 25409 |

Screw-retained restorations

3.0 Uni Abutment EV 3.0



| | | | | |
|--------------------|--|-------|-------|-------|
| A/B – Ø mm | | 3.6 | 3.6 | 3.6 |
| Height mm | | 2 | 3 | 5 |
| Vertical height mm | | 3.2 | 4.2 | 6.2 |
| Order no. | | 25555 | 25556 | 25557 |

3.6 Uni Abutment EV 3.6



| | | | | |
|--------------------|-------|-------|-------|-------|
| A/B – Ø mm | 3.6 | 3.6 | 3.6 | 3.6 |
| Height mm | 1 | 2 | 3 | 5 |
| Vertical height mm | 2.2 | 3.2 | 4.2 | 6.2 |
| Order no. | 25558 | 25559 | 25560 | 25561 |

4.2 Uni Abutment EV 4.2




| | | | | |
|--------------------|--------|--------|--------|--------|
| A/B – Ø mm | 3.6 | 3.6 | 3.6 | 3.6 |
| Height mm | 1 | 2 | 3 | 5 |
| Vertical height mm | 2.2 | 3.2 | 4.2 | 6.2 |
| Order no. | 25562* | 25563* | 25564* | 25565* |

4.8 Uni Abutment EV 4.8



| | | | | |
|--------------------|--------|--------|--------|--------|
| A – Ø mm | 3.6 | 3.6 | 3.6 | 3.6 |
| B – Ø mm | 4.3 | 4.3 | 4.3 | 4.3 |
| Height mm | 1 | 2 | 3 | 5 |
| Vertical height mm | 2.2 | 3.2 | 4.2 | 6.2 |
| Order no. | 25566* | 25567* | 25568* | 25569* |


5.4 Uni Abutment EV 5.4




| | | | | |
|--------------------|-------|-------|-------|-------|
| A – Ø mm | 3.6 | 3.6 | 3.6 | 3.6 |
| B – Ø mm | 4.8 | 4.8 | 4.8 | 4.8 |
| Height mm | 1 | 2 | 3 | 5 |
| Vertical height mm | 2.2 | 3.2 | 4.2 | 6.2 |
| Order no. | 25570 | 25571 | 25572 | 25573 |

Uni Abutment EV

Titanium, sterile

- Supporting multiple unit restorations only
- Design facilitates non-parallel implant situations up to 66°
- Same top cone for all platforms
-  Index-free abutments will be seated in any rotational position
- Uni Driver EV required for carrying, installation and removal



Uni Driver EV

Stainless steel, non-sterile

- For placing and removing Uni Abutment EV
- Use with restorative driver handle and Torque Wrench EV
- Uni Driver EV has a hexagon in the middle of the shaft, needed to meet the removal torques




* Compatible with OsseoSpeed Profile EV 4.2 and OsseoSpeed Profile EV 4.8

Screw-retained restorations

Uni Abutment EV Heal Cap


Titanium, sterile, one-piece

- Marked with diameter



Uni Abutment EV Pick-Up and Transfer

Stainless steel, non-sterile, two-piece



Uni Abutment EV Replica

Stainless steel, non-sterile, one-piece

Temporary Cylinder

Titanium, non-sterile

Semi-Burnout Cylinder

Metal Base:

Au 60%, Pd 20%, Pt 19%, Ir 1%

Cylinder: PMMA burnout plastic, non-sterile

Burnout Cylinder

PMMA burnout plastic, non-sterile

Note: Bridge screws needs to be ordered separately.

Uni Abutment EV Heal Cap Short

Heal Cap Short



| | 4.3 | 4.3 | 5.5 | 5.5 | 4.3 | 5.5 | 4.7 |
|-----------------|-------|-------|-------|-------|-------|-------|-------|
| Ø mm | 4.3 | 4.3 | 5.5 | 5.5 | 4.3 | 5.5 | 4.7 |
| Vert. height mm | 3.4 | 4.4 | 3.4 | 4.4 | 17.6 | 17.6 | 9.7 |
| Order no. | 25952 | 25616 | 25953 | 25617 | 25641 | 25642 | 25646 |

Uni Abutment EV Replica

Temporary Cylinder

Semi-Burnout Cylinder

Burnout Cylinder



| | 3.6 | 4.4 | 4.4 | 4.2 |
|-----------|-------|-------|-------|-------|
| Ø mm | 3.6 | 4.4 | 4.4 | 4.2 |
| Order no. | 25615 | 25648 | 25647 | 25649 |

Uni Driver EV



| | |
|-----------|-------|
| Length mm | 21.5 |
| Order no. | 25708 |

Bridge Screw EV

Titanium, non-sterile

- M1.8, anodized (light blue); hex only

Lab Bridge Screw EV

Titanium, non-sterile

QTY 3

Lab Abutment Pin EV

Stainless steel, non-sterile


- For maintenance of screw access channel
- Fits the Uni Abutment EV Replica

Bridge Screw EV Lab Bridge Screw EV



| | M1.8 | M1.8 |
|----------------------|-------|-------|
| Screw head height mm | 1.6 | 1.6 |
| Screw head Ø mm | 2.35 | 2.35 |
| Order no. | 25481 | 25656 |

Lab Abutment Pin EV Short Intermediate Long



| | | | |
|-----------|-------|-------|-------|
| Length mm | 14 | 18 | 22 |
| Order no. | 25643 | 25644 | 25645 |

3.6 Angled Abutment EV 3.6, 20°



| | | | | |
|--------------------|-------|-------|-------|-------|
| Margin height mm | 1 | 2 | 1 | 2 |
| Vertical height mm | 6 | 7 | 6 | 7 |
| Order no. | 25619 | 25620 | 25621 | 25622 |

4.2 Angled Abutment EV 4.2, 20°



| | | | | |
|--------------------|-------|-------|-------|-------|
| Margin height mm | 1 | 2 | 1 | 2 |
| Vertical height mm | 6 | 7 | 6 | 7 |
| Order no. | 25625 | 25626 | 25627 | 25628 |

4.8 Angled Abutment EV 4.8, 20°




| | | | | |
|--------------------|-------|-------|-------|-------|
| Margin height mm | 1 | 2 | 1 | 2 |
| Vertical height mm | 6 | 7 | 6 | 7 |
| Order no. | 25631 | 25632 | 25633 | 25634 |

Angled Abutment EV

Titanium, sterile, delivered with an abutment screw

- Supporting multiple unit restorations only
- Same top cone for all platforms
- Indexed abutments will seat in six available positions.
- Index-free abutments will be seated in any rotational position.



Note: A corresponding abutment screw is included with every Angled Abutment EV. To order additional screws, refer to Abutment Screw EV section (p.21).

Angled Abutment EV

Heal Cap



Pick-Up



Replica



| | | | |
|--------------------|-------|-------|-------|
| Vertical height mm | 9 | 12 | 17 |
| Order no. | 25650 | 25651 | 25652 |

Angled Abutment EV HealCap

Titanium, sterile, two-piece

Angled Abutment EV Pick-Up

Stainless steel, non-sterile, two-piece

Angled Abutment EV Replica

Stainless steel, non-sterile

Angled Abutment EV

Temporary Cylinder



Semi-Burnout Cylinder



Burnout Cylinder



| | | | |
|-----------|-------|-------|-------|
| Order no. | 25654 | 25653 | 25655 |
|-----------|-------|-------|-------|

Temporary Cylinder

Titanium, non-sterile

Semi-Burnout Cylinder

Metal Base: Au 60%, Pd 20%, Pt 19%, Ir 1%
Cylinder: PMMA burnout plastic, non-sterile

Burnout Cylinder


PMMA burnout plastic, non-sterile


Note: Bridge screws needs to be ordered separately.

Attachment-retained restorations

Locator™ Abutment EV

Titanium, TiN, coated non-sterile

- Locator Core Tool required
-  Index-free abutments will be seated in any rotational position.



3.6 Locator™ Abutment EV 3.6



| | | | | | |
|-----------|-------|-------|-------|-------|-------|
| A – Ø mm | 3.86 | 3.86 | 3.86 | 3.86 | 3.86 |
| B – Ø mm | 3.7 | 3.7 | 3.7 | 3.7 | 3.7 |
| Height mm | 1 | 2 | 3 | 4 | 5 |
| Order no. | 25657 | 25658 | 25659 | 25660 | 25661 |

4.2 Locator™ Abutment EV 4.2



| | | | | | |
|-----------|--------|--------|--------|--------|--------|
| A – Ø mm | 3.85 | 3.85 | 3.85 | 3.85 | 3.85 |
| B – Ø mm | 3.7 | 3.7 | 3.7 | 3.7 | 3.7 |
| Height mm | 1 | 2 | 3 | 4 | 5 |
| Order no. | 25662* | 25663* | 25664* | 25665* | 25666* |

4.8 Locator™ Abutment EV 4.8



| | | | | | |
|-----------|--------|--------|--------|--------|--------|
| A – Ø mm | 3.85 | 3.85 | 3.85 | 3.85 | 3.85 |
| B – Ø mm | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 |
| Height mm | 1 | 2 | 3 | 4 | 5 |
| Order no. | 25667* | 25668* | 25669* | 25670* | 25671* |



* Compatible with OsseoSpeed Profile EV 4.2 and OsseoSpeed Profile EV 4.8

Locator™ Core Tool

Stainless steel, non-sterile

Includes plastic holder/sleeve for manual placement of the abutment.


Locator™ Abutment Pick-up

Aluminum, non-sterile

Locator™ Abutment Replica

Aluminum, non-sterile

Locator™ Abutment Pick-up Abutment Replica Driver Core Tool



| | | | | |
|-----------------|-------|-------|-------|-------|
| Total length mm | | | 23 | |
| Order no. | 24484 | 24485 | 25766 | 24482 |

Locator™ Process Kit



| | |
|-----------|-------|
| Order no. | 24483 |
|-----------|-------|

Locator™ Insert Male

Blue



Pink



Clear



| | | | |
|---------------------|-------|-------|-------|
| Grams | 680 | 1361 | 2268 |
| Retention force, kg | 0.7 | 1.4 | 2.3 |
| Order no. | 24488 | 24487 | 24486 |

Locator™ Insert Extended Range Male

Grey



Red



Orange




Green



| | | | | |
|---------------------|-------|---------|-------|-----------|
| Grams | 0 | 226-680 | 907 | 1361-1814 |
| Retention force, kg | 0 | 0.5 | 0.9 | 1.8 |
| Order no. | 25679 | 24492 | 25843 | 24489 |

3.6 Ball Abutment EV 3.6



| | | | | | | |
|-----------------|-------|-------|-------|-------|-------|-------|
| A/B Ø mm | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 |
| Height mm | 1 | 2 | 3 | 4 | 5 | 7 |
| Vert. height mm | 3.9 | 4.9 | 5.9 | 6.9 | 7.9 | 9.9 |
| Order no. | 25684 | 25685 | 25686 | 25687 | 25688 | 25689 |

4.2 Ball Abutment EV 4.2



| | | | | | | |
|-----------------|--------|--------|--------|--------|--------|--------|
| A/B Ø mm | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 |
| Height mm | 1 | 2 | 3 | 4 | 5 | 7 |
| Vert. height mm | 3.9 | 4.9 | 5.9 | 6.9 | 7.9 | 9.9 |
| Order no. | 25690* | 25691* | 25692* | 25693* | 25694* | 25695* |

Locator™ Process Kit

QTY 2 sets

Locator™ Insert – Male

Nylon non-sterile

The clear, pink and blue insert retention parts allow for a divergence of up to 10° for a single implant and 20° between implants.

QTY 4

Locator™ Insert – Extended Range Male

Nylon non-sterile


The grey, red, orange and green inserts permit a divergence of 10–20° for a single implant and up to 40° between implants.


The grey insert is used temporary during long-term treatment for protecting the abutments.

QTY 4

Ball Abutment EV

Titanium, sterile

- Diameter of the ball is 2.25 mm
-  Index-free abutments will be seated in any rotational position.




*Compatible with OsseoSpeed Profile EV 4.2 and OsseoSpeed Profile EV 4.8

Attachment-retained restorations

4.8 Ball Abutment EV 4.8



*Compatible with
OsseoSpeed Profile EV 4.2 and
OsseoSpeed Profile EV 4.8



| | | | | | | |
|-----------------|--------|--------|--------|--------|--------|--------|
| A Ø mm | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 |
| B Ø mm | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 | 4.3 |
| Height mm | 1 | 2 | 3 | 4 | 5 | 7 |
| Vert. height mm | 3.9 | 4.9 | 5.9 | 6.9 | 7.9 | 9.9 |
| Order no. | 25696* | 25697* | 25698* | 25699* | 25700* | 25701* |

Ball Abutment EV Replica

Stainless steel, non-sterile

Ball Abutment Driver EV

Stainless steel, non-sterile

Ball Abutment Driver EV required
for installation and removal.

Ball Abutment EV Replica



| | |
|-----------|-------|
| Order no. | 25826 |
|-----------|-------|

Ball Abutment Driver EV



| | |
|--------------|-------|
| Total length | 22.7 |
| Order no. | 25768 |

Dalbo Plus Female Part Basic includes:

- **Dalbo Plus attachment**
Titanium, non-sterile
- **Lamellae retention Insert E**
Gold alloy, non-sterile
- **Dalbo Plus Duplicating Aid**
Plastic, non-sterile

Dalbo Plus Screwdriver/Activator

Stainless steel, non-sterile

Used with Ball Abutment for ball solutions.

Dalbo Plus

Female Part TE Basic, complete



Lamellae retention Insert E



Duplicating Aid



Screwdriver/ Activator



| | | | | |
|-----------|-------|-------|-------|-------|
| Order no. | 25834 | 25844 | 25827 | 25835 |
|-----------|-------|-------|-------|-------|

OD Cylinder EV

Material: Au 68.6%, Ag 11.85%,
Cu 10.6%, Pd 3.95%, Zn 2.5%,
Pt 2.45%, Ir 0.05%
Non-sterile

Used with Uni Abutment EV for
bar solution

- Compatible with most bar
system on the market

OD Cylinder EV





| | |
|-----------|-------|
| Order no. | 25638 |
|-----------|-------|

Instruments

A user-friendly tray assortment – adaptable to the clinical preferences


The flexible tray design with interchangeable overlays allows for adaption of tray content according to your clinical preferences. Each overlay has an intuitive layout to support the user during the procedure.

The washtray is intended for automated reprocessing of surgical instruments and ideal for large clinics or hospitals looking for a time- and cost efficient clinical workflow.



Drills with excellent cutting properties


Multiple-use drills delivered in sterile packaging for the option of single-use. In addition to the diameter, all drills shafts are color-coded and marked with a number/letter for easy identification and reference.



A user-friendly packaging designed for easy handling.

Versatile torque wrench design

Few parts and designed for easy handling and cleaning procedures. Interchangeable driver handles for versatile surgical and restorative needs.



Surgical tray

One surgical tray – three overlay options

- Tray design with three interchangeable overlays allows for adaptation of tray content according to your clinical preferences.
- Color-coded and intuitive layout.
- PPSU plastic, silicone holders, non-sterile

Overlay 1

- Streamlined content for the most commonly used straight implants.



Large Tray EV, shown with Overlay 1




| | | | |
|-----------------|---------------|--------------|--------------|
| Measurements mm | Length 290 | Width 178 | Height 54 |
| Order no. | 25769 | | |

Overlay 2

- Designed to accommodate the complete range of diameters for straight and conical implants.




Overlay 2




Overlay 3

- Supports the full implant assortment including short and OsseoSpeed Profile EV implants.




Overlay 3



| | | | |
|-----------|-----------|-----------|-----------|
| | Overlay 1 | Overlay 2 | Overlay 3 |
| Order no. | 25721 | 25722 | 25723 |


Washtray EV

Washtray ASTRA TECH Implant System EV



| Measurements mm | Length | Width | Height |
|-----------------|-----------|-------|--------|
| | 275 | 176 | 64 |
| Order no. | 3107 1000 | | |

Washtray GS ASTRA TECH Implant System EV



| Measurements mm | Length | Width | Height |
|-----------------|-----------|-------|--------|
| | 275 | 176 | 64 |
| Order no. | 3107 1020 | | |

Washtray Sterilization Container ASTRA TECH Implant System EV



| Outer dimensions mm | Length | Width | Height |
|---------------------|-----------|-------|--------|
| | 312 | 190 | 92 |
| Inner dimensions mm | 280 | 180 | 78 |
| Order no. | 3107 1002 | | |

Washtray

- One tray for all steps of reprocessing: enhances time- and cost-efficiency
- Instruments are fixed and organized from chair-side through all steps of reprocessing and back to chair-side
- Sterilization container for simple, quick and safe handling can be ordered separately

Note: The overlay must be separated from the washtray before cleaning and re-assembled prior sterilization. Please see "DENTSPLY Implants Instruction for Sterilization and Instrument Care"!

Washtray ASTRA TECH Implant System EV

- Including metal tray with instrument holders, overlay and guide
- The removable overlay has a layout very similar to overlay 3 the existing plastic surgical kit

Material

Tray: Stainless steel
 Overlay: Aluminum
 Yellow parts: Silicone
 Holders: PEEK-plastic with metal spring

Washtray GS ASTRA TECH Implant System EV

- Including metal tray with instrument holders, overlay and guide
- The removable overlay has a layout very similar to the Proline overlay on the existing plastic surgical kit

Material

Tray: Stainless steel
 Overlay: Aluminum
 Yellow parts: Silicone
 Holders: PEEK-plastic with metal spring

Washtray Sterilization Container ASTRA TECH Implant System EV

- Including two reusable filters, could be used for 1000 cycles.

Material

Container: Aluminum

3107 1001

Washtray Overlay ASTRA TECH Implant System EV

3107 1021

Washtray Overlay GS ASTRA TECH Implant System EV

Material

Overlay: Aluminum

Drills

Drills EV

Stainless steel, TiN-coated

- Laser-etched depth indication lines
- Delivered sterile
- Multiple-use except for Precision Drill EV, which is single-use only
- Marked with drill diameter and corresponding number/letter
- Drills for spongy preparation are color-coded white (1) – (6)


Note: Precision Drill EV is extremely sharp and should never be handled manually once out of its package



Drilling depth

The drilling depth is measured from the widest part of the drill tip up to the indication line.

Additional tip depth is maximum 1.0 mm regardless of the drill diameter.



Guide Drill EV



Precision Drill EV



Twist Drill EV, 6-13

(1)



Twist Drill EV, 6-17

(1)



| | | | | |
|-----------|-------|-------|-------|-------|
| Ø mm | n/a | n/a | 1.9 | 1.9 |
| Order no. | 25160 | 25161 | 25163 | 25162 |

Step Drill EV, 6-13 mm

(2)



(3)



(4)



(5)



(6)



| | | | | | |
|-----------|---------|---------|---------|---------|---------|
| Ø mm | 1.9/2.5 | 2.5/3.1 | 3.1/3.7 | 3.7/4.3 | 4.3/4.9 |
| Order no. | 25165 | 25169 | 25173 | 25177 | 25181 |

Step Drill EV, 6-17 mm

(2)



(3)



(4)



(5)




(6)



| | | | | | |
|-----------|---------|---------|---------|---------|---------|
| Ø mm | 1.9/2.5 | 2.5/3.1 | 3.1/3.7 | 3.7/4.3 | 4.3/4.9 |
| Order no. | 25164 | 25168 | 25172 | 25176 | 25180 |

A – Cortical Drill EV



| | | | | | |
|-----------|---------|---------|---------|---------|---------|
| Ø mm | 2.5/2.7 | 3.1/3.3 | 3.7/3.9 | 4.3/4.5 | 4.9/5.1 |
| Order no. | 25423 | 25488 | 25490 | 25492 | 25431 |


Cortical bone preparation – straight implants

Used for the preparation of the cortical layer to reduce pressure in the bone around the implant neck.


- Cortical bone preparation drills color-coded according to implant-abutment connection.
- Color: corresponds to implant size
- Markings: diameter and drill letter
- **A** – thin cortical bone < 2 mm
- **B** – thick cortical bone ≥ 2 mm
- Length: one option

Note: There are separate cortical drills specific for the 6 mm implant.

B – Cortical Drill EV



| | | | | | |
|-----------|---------|---------|---------|---------|---------|
| Ø mm | 2.5/3.0 | 3.1/3.6 | 3.7/4.2 | 4.3/4.8 | 4.9/5.4 |
| Order no. | 25193 | 25195 | 25197 | 25199 | 25201 |



A 6mm – Cortical Drill EV




| | | | | | |
|-----------|--|---------|---------|---------|---------|
| Ø mm | | 3.1/3.3 | 3.7/3.9 | 4.3/4.5 | 4.9/5.1 |
| Order no. | | 25487 | 25412 | 25420 | 25422 |



Drills

B 6mm – Cortical Drill EV



| | | | | |
|-----------|---------|---------|---------|---------|
| Ø mm | 3.1/3.6 | 3.7/4.2 | 4.3/4.8 | 4.9/5.4 |
| Order no. | 25411 | 25419 | 25421 | 25424 |

Cortical bone preparation – conical implants

Used for the preparation of the cortical layer to reduce pressure in the bone around the implant neck.

Apical border of the indication line indicates the minimum depth needed to fit the implant.


A In thin cortex, drill to the apical border of the depth indication line.

B In thick cortex, drill to the full depth of the depth indication line.


Make sure enough depth is provided for the entire implant.

- Color: corresponds to implant
- Markings: diameter and drill letter
- Length: one option

A/B – Conical Drill EV



| | | |
|-----------|---------|---------|
| Ø mm | 3.1/4.2 | 3.7/4.8 |
| Order no. | 25188 | 25190 |



Optional drills

V – Twist Drill EV, 6–17 mm

| | | | | | |
|-----------|---|---|---|---|--|
| |  |  |  |  |  |
| | 3.0 | 3.6 | 4.2 | 4.8 | 5.4 |
| Ø mm | 2.5 | 3.1 | 3.7 | 4.3 | 4.9 |
| Order no. | 25780 | 25781 | 25782 | 25783 | 25784 |

Additional osteotomy preparation

If deemed necessary, additional preparation can be performed with either of the following drills:





V Twist Drill EV

- Use to widen the apical portion of the osteotomy
- Long version only

Note: For conical implants, color refers to the diameter of the implants.




X – Step Drill EV, 6–13 mm

| | | | | | |
|-----------|---|---|---|---|--|
| |  |  |  |  |  |
| | 3.0 | 3.6 | 4.2 | 4.8 | 5.4 |
| Ø mm | 2.5/2.85 | 3.1/3.45 | 3.7/4.05 | 4.3/4.65 | 4.9/5.25 |
| Order no. | 25482 | 25483 | 25484 | 25485 | 25486 |

X Step Drill EV

- Use to widen both the apical and body portion of the osteotomy
- Short version only

Note: For conical implants, color refers to the diameter of the implants.




Surgical instruments

Implant Driver EV

Stainless steel, non-sterile

- For picking up and installing implant.
- Marked with depth and diameter
- Dimple to facilitate correct positioning

Note: For use with Contra Angle or Torque Wrench EV Surgical Driver Handle



Implant Driver EV Short



3.6 4.2 4.8 5.4

| | | | | |
|-----------------|-------|-------|-------|-------|
| Total length mm | 23.5 | 23.6 | 23.8 | 23.7 |
| Order no. | 25378 | 25380 | 25382 | 25384 |

Implant Driver EV Long




3.0 3.6 4.2 4.8 5.4

| | | | | | |
|-----------------|-------|-------|-------|-------|-------|
| Total length mm | 33.6 | 33.7 | 33.8 | 34.0 | 33.9 |
| Order no. | 25377 | 25379 | 25381 | 25383 | 25385 |

Direction Indicator EV

- For use after drill ① and drill ③



Direction Indicator EV

Implant Driver Extender EV-GS

Implant Depth Gauge EV



| | | | |
|-----------|-------|-------|-------|
| Order no. | 25765 | 26021 | 25710 |
|-----------|-------|-------|-------|

Implant Driver Extender EV-GS

Stainless steel, non-sterile

Note: For extension of drills.

Implant Depth Gauge EV

Titanium, non-sterile

- One side corresponds to implant lengths 6–17 mm
- One side is measuring probe with 0–15 mm markings

Titanium Bowl

Titanium




| | |
|-----------|-------|
| Order no. | 22137 |
|-----------|-------|

Forceps

Titanium



| | |
|-----------|-------|
| Length | 94 mm |
| Order no. | 22437 |



Torque Wrench EV

| | |
|-----------|-------|
| Order no. | 25774 |
|-----------|-------|

Torque Wrench EV Surgical Driver Handle



| | |
|-----------|-------|
| Order no. | 25775 |
|-----------|-------|

Torque Wrench EV

Stainless steel, non-sterile

Use together with Surgical Driver Handle for implant installation and adjustment of implant position

Torque Wrench EV Surgical Driver Handle

Stainless steel, non-sterile

Hex Driver EV Machine

Short



Intermediate



Long



| | | | |
|-----------------|-------|-------|-------|
| Total length mm | 20 | 24 | 35 |
| Order no. | 25790 | 25727 | 25728 |

Hex Driver EV Machine

Stainless steel, non-sterile

For use with Contra Angle or

Torque Wrench EV Surgical Driver Handle or Torque Wrench EV Restorative Driver Handle

Hex Driver EV Manual

Short



Intermediate



Long



| | | | |
|-----------------|-------|-------|-------|
| Total length mm | 20 | 31 | 38 |
| Order no. | 25771 | 25772 | 25773 |

Hex Driver EV Manual

Stainless steel, non-sterile

Mucosal Punch EV



| | | | | | | |
|-----------|-------|-------|-------|-------|-------|-------|
| Ø | 3.5 | 4 | 4.5 | 5 | 5.5 | 6.5 |
| Order no. | 25711 | 25712 | 25713 | 25714 | 25715 | 25731 |

Mucosal Punch EV

Sterile

Single use only

QTY 5

Surgical units

Implant unit includes:

- Control unit
- Foot control
- Motor with 1.8 m cable including 5 clips
- Main cable
- Motor support
- Stand
- Locking pins
- Irrigation tubing (QTY 3), disposable for single patient use.

Note: Contra Angle must be purchased separately.

20:1 Contra Angle for Implant Unit and for ImplantMED Drill Unit

Note: Be sure to pay attention to the correct contra angle adjustment of your drive unit.

Disposable Irrigation Set, W&H

Includes pump segment. 2.2 m, sterile for ImplantMED and recommended for Implant Unit. QTY 6

Irrigation Tube, W&H, disposable 2.2 m, sterile for ElcoMED 100 and ImplantMED. QTY 10

Suction Tube

Medena
 Ø 5.5 mm/8 mm, 2.0 m, QTY 1
 Single-use, sterile.

Medena
 Ø 5.5 mm/8 mm, 3.5 m, QTY 1
 Single-use, sterile.

Medena
 Ø 5.5 mm/8 mm, 2.0 m, QTY 1
 Including double bent suction tip.
 Single-use, sterile.

Bone Trap™

- Simplifies the procedure of collecting and using autologous bone
- Disposable and delivered sterile

Implant Unit

SI 915
115 V



Order no. 24360

SI 923
230 V



Order no. 24412

Contra Angle W&H

WS-75 E/KM



Can be dismantled

Order no. 22903

WI-75 E/KM



Cannot be dismantled

Order no. 24350

Irrigation Set



Order no. 22176

Irrigation Tube



Order no. 22177

Suction Tube

Medena
2.0m



Order no. 68108

Medena
3.5m

Medena 2.0m with
double bent suction tip



Order no. 68130

Order no. 68118

Radiographic Implant Guides EV



Order no. 25500

Bone Trap™



Order no. 22179

Restorative instruments

Hex Driver EV Manual



| | Short | Intermediate | Long |
|-----------------|-------|--------------|-------|
| Total length mm | 20 | 31 | 38 |
| Order no. | 25771 | 25772 | 25773 |

Hex Driver EV Manual
Stainless steel, non-sterile

Hex Driver EV Machine



| | Short | Intermediate | Long |
|-----------------|-------|--------------|-------|
| Total length mm | 20 | 24 | 35 |
| Order no. | 25790 | 25727 | 25728 |

Hex Driver EV Machine
Stainless steel, non-sterile
For use with Contra Angle or Torque Wrench EV Surgical Driver Handle or Torque Wrench EV Restorative Driver Handle

Direct Driver EV Ø3.3 Ø4 Uni Driver EV Locator™ Driver EV



| | Direct Driver EV Ø3.3 Ø4 | Uni Driver EV | Locator™ Driver EV |
|-----------------|--------------------------|---------------|--------------------|
| Total length mm | 26 | 21.5 | 23 |
| Order no. | 25764 | 25708 | 25766 |

Direct Driver EV
Stainless steel, non-sterile
Required for carrying and installation of Direct Abutment EV Ø3.3 and Ø4

Uni Driver EV
Stainless steel, non-sterile

- For placing and removing Uni Abutment EV
- Use with restorative driver handle and Torque Wrench EV
- Uni Driver EV has a hexagon in the middle of the shaft, needed to meet the removal torques

Locator™ Driver EV
Stainless steel, non-sterile
For placement and removal of Locator abutments

ATLANTIS™ Angulated Screw Access Screwdriver



| | 18 | 24 | 32 |
|-----------------|-------|-------|-------|
| Total length mm | 18 | 24 | 32 |
| Order no. | 36030 | 36031 | 36032 |

ATLANTIS™ Angulated Screw Access Screwdriver

- Must be used in combination with ATLANTIS implant suprastructures that have been designed and manufactured with Angulated Screw Access on 1 or more connections
- Every connection with angulated screw access is supplied with a corresponding ATLANTIS prosthetic screw
- Angulated screw access allows the prosthetic screw access channel to be angled up to 30 degrees off the implant/abutment axis, for optimal esthetics and function

Restorative instruments

Ball Abutment Driver EV

Stainless steel, non-sterile

For placement and removal of Ball Abutment EV

Direct, Uni, Locator and Ball Abutment drivers fit Torque Wrench EV driver handles.

Dalbo Plus Screwdriver/Activator

Stainless steel, non-sterile

Locator™ Core Tool

Stainless steel, non-sterile

Includes plastic holder/sleeve for manual placement of the abutment

Ball Abutment Driver EV



Dalbo Plus Screwdriver/Activator



Locator™ Core Tool




| | | | |
|-----------------|-------|-------|-------|
| Total length mm | 22.7 | | |
| Order no. | 25768 | 25835 | 24482 |

Abutment Depth Gauge EV

Titanium, non-sterile


- Laser etched bands for measuring mucosal height over the implant in millimeters.
- Waist at 4–5 mm indication for better visual orientation.




Abutment Depth Gauge EV



Order no. 25792



Order no. 25793



Order no. 25726

Torque Wrench EV

Stainless steel, non-sterile

Use together with a restorative driver handle for tightening of abutment and/or bridge screw.

Torque Wrench EV



Order no. 25774

Torque Wrench EV Restorative Handles

Stainless steel, non-sterile

4x4 Low

For compatibility for instruments with a square connection 4 x 4 mm

Torque Wrench EV Restorative Driver Handle

Low

4x4 Low



Order no. 25776 25777 25730

Laboratory products

Lab Abutment Screw EV



| | | | | | |
|-----------|-------|-------|-------|-------|-------|
| Order no. | 25476 | 25477 | 25478 | 25479 | 25480 |
|-----------|-------|-------|-------|-------|-------|

Lab Abutment Screw EV

Titanium, non-sterile
QTY 3

Designed for use with
Implant Replica EV only

Lab Pin Design EV



| | | |
|-----------|---------|-------------|
| | 3.0 3.6 | 4.2 4.8 5.4 |
| Ø mm | 3.0/3.6 | 4.2/4.8/5.4 |
| Height mm | 25 | 25 |
| Order no. | 25528 | 25530 |


Lab Pin Design EV

Stainless steel, non-sterile

- For maintenance of screw access channel during the laboratory procedure
- Friction fit to the Lab Abutment Screw EV screw hole

Lab Abutment Pin EV

Short Intermediate Long



| | | | |
|-----------|-------|-------|-------|
| Length mm | 14 | 18 | 22 |
| Order no. | 25643 | 25644 | 25645 |

Lab Bridge Screw EV



| | |
|----------------------|-------|
| Screw head height mm | 1.6 |
| Screw head Ø mm | 2.35 |
| Order no. | 25656 |

Lab Abutment Pin EV

Stainless steel, non-sterile

- For maintenance of screw access channel
- Fits the UniAbutment EV Replica

Lab Bridge Screw EV

Titanium, non-sterile
QTY 3

Grinding Handle



| | |
|-----------|-------|
| Order no. | 22740 |
|-----------|-------|

Polishing Protector Uni EV



| | |
|-----------|-------|
| Order no. | 25778 |
|-----------|-------|

Polishing Protector Uni EV

Stainless steel, non-sterile
QTY 3

OsseoSpeed™ Profile EV

A unique implant specifically designed for sloped ridges

OsseoSpeed Profile EV is specially shaped for efficient use of existing bone in sloped ridge situations.





Wide range of implant options

Available in straight and conical implant designs in 8–17 mm lengths.




Self-guiding impression components for an accurate and predictable workflow

This innovative design provides a time-efficient installation procedure and a predictable workflow between the clinician and dental technician.



One-position-only placement of all indexed components

The unique one-position-only placement makes the entire treatment procedure simple and predictable, from implant placement to the connection of the final abutment.



OSSEOSPEED PROFILE EV

Product overview

P
4.2

YELLOW



One-position-only



Index free



Round



Triangular

Implants

**OsseoSpeed™ Profile EV
4.2 PS**



8 mm 25440
9 mm 25441
11 mm 25442
13 mm 25443
15 mm 25444
17 mm 25445

**OsseoSpeed™ Profile EV
4.2 PC**



8 mm 25452
9 mm 25453
11 mm 25454
13 mm 25455
15 mm 25456
17 mm 25457

Cover screw

Cover Screw Profile EV 4.2



0 mm 25582

Healing abutments

HealDesign™ Profile EV 4.2



○ Ø 5.0 3 mm 25587
○ Ø 5.0 4 mm 25584
△ Ø 5.0 3 mm 25585
△ Ø 6.5 3 mm 25586

Healing EV 4.2



○ Ø 5.0 2.5 mm 25909
○ Ø 5.0 3.5 mm 25501
○ Ø 5.0 4.5 mm 25302
○ Ø 5.0 6.5 mm 25797
○ Ø 6.5 2.5 mm 25908
○ Ø 6.5 3.5 mm 25910
○ Ø 6.5 4.5 mm 25911
○ Ø 6.5 6.5 mm 25912

Healing Uni EV 4.2



Ø 4 2 mm 25288
Ø 4 3 mm 25579
Ø 4 4 mm 25289
Ø 4 6 mm 25290

Cement-retained


Temporary abutments

TempDesign™ Profile EV



Ø 7 1 mm 25756

Temp Abutment Profile EV



Ø 4.5 1 mm 25758

Abutments

TiDesign™ Profile EV 4.2



○ Ø 5.5 15° 2 mm 25595
○ Ø 5.5 3 mm 25594
△ Ø 5.5 2 mm 25592
△ Ø 7.0 2 mm 25593

ATLANTIS™ abutments



Patient-specific abutments

Screw-retained

Abutments

Uni Abutment EV 4.2



1 mm 25562
2 mm 25563
3 mm 25564
5 mm 25565

Angled Abutment Profile EV



1 mm 25890
2 mm 25891

ATLANTIS™ Crown Abutment



Patient-specific abutments

Healing caps

**Uni Abutment EV
Heal Cap**



Ø 4.3 Short 25952
Ø 4.3 25616
Ø 5.5 Short 25953
Ø 5.5 25617

**Angled Abutment EV
Heal Cap**



25650

Abutment

**Uni Abutment EV
Pick-up**



Ø 4.3 25641
Ø 5.5 25642

**Angled Abutment EV
Pick-up**



25651

Attachment-retained

Abutments

**Locator™ Abutment
EV 4.2**



1 mm 25662
2 mm 25663
3 mm 25664
4 mm 25665
5 mm 25666

Ball Abutment EV 4.2











1 mm 25690
2 mm 25691
3 mm 25692
4 mm 25693
5 mm 25694
7 mm 25695














Abutment impressions

Locator™ Abutment Pick-up










24484

| | | |
|--|---|--|
| <p>Direct Abutment™ EV 4.2</p>  <p> Ø 5 1 mm 25367 Ø 5 2 mm 25368 Ø 5 3 mm 25369 Ø 6 1 mm 25494 Ø 6 2 mm 25495 Ø 6 3 mm 25496 </p> <p>Direct EV API™</p>  <p> Ø 5 25348 Ø 6 25349 </p> | <p>Implant impressions</p> <p>Implant Pick-Up Profile EV</p>  <p>Short 25601 Long 25600</p> <p>Implant Transfer Profile EV</p>  <p>Short 25606 Long 25607</p> <p>Implant Pick-Up Design Profile EV</p>  <p>25604</p> | <p>Lab products</p> <p>Lab Abutment Screw EV</p>  <p>25478 QTY 3</p> <p>Lab Pin Design EV</p>  <p>25530</p> <p>Implant Replica Profile EV</p>  <p>25610</p> |
|--|---|--|

| | | | |
|---|---|---|--|
| <p>impressions</p> <p>Uni Abutment EV Transfer</p>  <p>25646</p> | <p>Lab products</p> <p>Uni Abutment EV Replica</p>  <p>25615</p> <p>Lab Abutment Pin EV</p>  <p>Short 25643 Intermediate 25644 Long 25645</p> <p>Angled Abutment EV Replica</p>  <p>25652</p> <p>Lab Bridge Screw EV</p>  <p>25656 QTY 3</p> | <p>Bridge screw</p> <p>Bridge Screw EV</p>  <p>25481</p> <p>ATLANTIS™ suprastructures</p>  <p>Patient-specific CAD/CAM implant suprastructures</p> | <p>Cylinders</p> <p>Uni Abutment EV Temporary Cylinder</p>  <p>25648</p> <p>Angled Abutment EV Temporary Cylinder</p>  <p>25654</p> <p>Uni Abutment EV Semi-Burnout Cylinder</p>  <p>25647</p> <p>Angled Abutment EV Semi-Burnout Cylinder</p>  <p>25653</p> <p>Uni Abutment EV Burnout Cylinder</p>  <p>25649</p> <p>Angled Abutment EV Burnout Cylinder</p>  <p>25655</p> |
|---|---|---|--|

OSSEOSPEED PROFILE EV

| | |
|--|--|
| <p>Replicas</p> <p>Locator™ Abutment Replica</p>  <p>24485</p> <p>Ball Abutment Replica</p>  <p>25826</p> | <p>Attachment components</p> <p>Dalbo Plus Female Part TE Basic, complete</p>  <p>25834</p> <p>Locator™ Process Kit</p>  <p>24483</p> <p>Locator™ Insert – Male</p>  <p> Blue 24488 Pink 24487 Clear 24486 </p> <p>Locator™ Insert – Extended Range Male</p>  <p> Grey 25679 Red 24492 Orange 25843 Green 24489 </p> <p>OD Cylinder EV</p>  <p>25638</p> |
|--|--|

Product overview

P
4.8
BLUE



Implants

**OsseoSpeed™ Profile EV
4.8 PS**



8 mm 25446
9 mm 25447
11 mm 25448
13 mm 25449
15 mm 25450
17 mm 25451

**OsseoSpeed™ Profile EV
4.8 PC**



8 mm 25458
9 mm 25459
11 mm 25460
13 mm 25461
15 mm 25462
17 mm 25463

Cover screw

Cover Screw Profile EV 4.8



0 mm 25583

Healing abutments

HealDesign™ Profile EV 4.8



○ Ø 5 3 mm 25591
○ Ø 6.5 4 mm 25589
△ Ø 5 3 mm 25588
△ Ø 6.5 3 mm 25590

HealDesign™ EV 4.8



○ Ø 5.0 2.5 mm 25913
○ Ø 5.0 3.5 mm 25502
○ Ø 5.0 4.5 mm 25914
○ Ø 5.0 6.5 mm 25915
○ Ø 6.5 2.5 mm 25916
○ Ø 6.5 3.5 mm 25917
○ Ø 6.5 4.5 mm 25306
○ Ø 6.5 6.5 mm 25798
○ Ø 7.5 3.5 mm 25918
○ Ø 7.5 4.5 mm 25919

Healing Uni EV 4.8



Ø 4 2 mm 25291
Ø 4 3 mm 25580
Ø 4 4 mm 25292
Ø 4 6 mm 25293

Cement-retained

Temporary abutments

TempDesign™ Profile EV



Ø 8 1 mm 25757

Temp Abutment Profile EV



Ø 5 1 mm 25759


Abutments

TiDesign™ Profile EV 4.8



○ Ø 5.5 15° 2 mm 25599
○ Ø 7.0 3 mm 25598
△ Ø 5.5 2 mm 25596
△ Ø 7.0 2 mm 25597

ATLANTIS™ abutments



Patient-specific abutments

Screw-retained

Abutments

Uni Abutment EV 4.8



1 mm 25566
2 mm 25567
3 mm 25568
5 mm 25569

Angled Abutment Profile EV



1 mm 25892
2 mm 25893

ATLANTIS™ Crown Abutment



Patient-specific abutments

Healing caps

**Uni Abutment EV
Heal Cap**



Ø 4.3 Short 25952
Ø 4.3 25616
Ø 5.5 Short 25953
Ø 5.5 25617

**Angled Abutment EV
Heal Cap**



25650

Abutment

**Uni Abutment EV
Pick-up**



Ø 4.3 25641
Ø 5.5 25642

**Angled Abutment EV
Pick-up**



25651

Attachment-retained

Abutments

**Locator™ Abutment
EV 4.8**



1 mm 25667
2 mm 25668
3 mm 25669
4 mm 25670
5 mm 25671

Ball Abutment EV 4.8











1 mm 25696
2 mm 25697
3 mm 25698
4 mm 25699
5 mm 25700
7 mm 25701














Abutment impressions

Locator™ Abutment Pick-up










24484

| | | |
|--|---|--|
| <p>Direct Abutment™ EV 4.8</p>  <p> Ø 5 1 mm 25370 Ø 5 2 mm 25371 Ø 5 3 mm 25372 Ø 6 1 mm 25497 Ø 6 2 mm 25498 Ø 6 3 mm 25499 </p> <p>Direct EV API™</p>  <p> Ø 5 25348 Ø 6 25349 </p> | <p>Implant impressions</p> <p>Implant Pick-Up Profile EV</p>  <p>Short 25603 Long 25602</p> <p>Implant Transfer Profile EV</p>  <p>Short 25608 Long 25609</p> <p>Implant Pick-Up Design Profile EV</p>  <p>25605</p> | <p>Lab products</p> <p>Lab Abutment Screw EV</p>  <p>25479 QTY 3</p> <p>Lab Pin Design EV</p>  <p>25530</p> <p>Implant Replica Profile EV</p>  <p>25611</p> |
|--|---|--|

| | | | |
|---|---|---|--|
| <p>impressions</p> <p>Uni Abutment EV Transfer</p>  <p>25646</p> | <p>Lab products</p> <p>Uni Abutment EV Replica</p>  <p>25615</p> <p>Lab Abutment Pin EV</p>  <p>Short 25643 Intermediate 25644 Long 25645</p> <p>Angled Abutment EV Replica</p>  <p>25652</p> <p>Lab Bridge Screw EV</p>  <p>25656 QTY 3</p> | <p>Bridge screw</p> <p>Bridge Screw EV</p>  <p>25481</p> <p>ATLANTIS™ suprastructures</p>  <p>Patient-specific CAD/CAM implant suprastructures</p> | <p>Cylinders</p> <p>Uni Abutment EV Temporary Cylinder</p>  <p>25648</p> <p>Angled Abutment EV Temporary Cylinder</p>  <p>25654</p> <p>Uni Abutment EV Semi-Burnout Cylinder</p>  <p>25647</p> <p>Angled Abutment EV Semi-Burnout Cylinder</p>  <p>25653</p> <p>Uni Abutment EV Burnout Cylinder</p>  <p>25649</p> <p>Angled Abutment EV Burnout Cylinder</p>  <p>25655</p> |
|---|---|---|--|

OSSEOSPEED PROFILE EV

| | | | |
|---|--|---|---|
| <p>Replicas</p> <p>Locator™ Abutment Replica</p>  <p>24485</p> <p>Ball Abutment EV Replica</p>  <p>25826</p> | <p>Dalbo Plus Female Part TE Basic, complete</p>  <p>25834</p> | <p>Locator™ Process Kit</p>  <p>24483</p> <p>Locator™ Insert – Male</p>  <p> Blue 24488 Pink 24487 Clear 24486 </p> | <p>Locator™ Insert – Extended Range Male</p>  <p> Grey 25679 Red 24492 Orange 25843 Green 24489 </p> <p>OD Cylinder EV</p>  <p>25638</p> |
|---|--|---|---|


Implants

OsseoSpeed™ Profile EV


Titanium, sterile

OsseoSpeed Profile EV implants are available in a range of shapes, diameters and lengths.


PS = Profile Straight PC = Profile Conical



Specific colors have been assigned to the different implant-abutment connection sizes, which are consistently used throughout the system.



- For further details – see Instructions for Use or the Surgical manual for ASTRA TECH Implant System EV.
- All implants are made of commercially pure titanium, grade 4.
- OsseoSpeed surface treatment over the entire implant to the top of the first MicroThread.
- For conical implants the body portion is 0.6 mm narrower.



P_{4.2} OsseoSpeed™ Profile EV 4.2 PS



| | | | | | | |
|---------------|-------|-------|-------|-------|-------|-------|
| Length mm | 8 | 9 | 11 | 13 | 15 | 17 |
| A – height mm | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 |
| Order no. | 25440 | 25441 | 25442 | 25443 | 25444 | 25445 |

P_{4.2} OsseoSpeed™ Profile EV 4.2 PC



| | | | | | | |
|---------------|-------|-------|-------|-------|-------|-------|
| Body Ø mm | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 | 3.6 |
| Length mm | 8 | 9 | 11 | 13 | 15 | 17 |
| A – height mm | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 | 1.3 |
| Order no. | 25452 | 25453 | 25454 | 25455 | 25456 | 25457 |

P_{4.8} OsseoSpeed™ Profile EV 4.8 PS



| | | | | | | |
|---------------|-------|-------|-------|-------|-------|-------|
| Length mm | 8 | 9 | 11 | 13 | 15 | 17 |
| A – height mm | 1.7 | 1.7 | 1.7 | 1.7 | 1.7 | 1.7 |
| Order no. | 25446 | 25447 | 25448 | 25449 | 25450 | 25451 |

P_{4.8} OsseoSpeed™ Profile EV 4.8 PC



| | | | | | | |
|---------------|-------|-------|-------|-------|-------|-------|
| Body Ø mm | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 |
| Length mm | 8 | 9 | 11 | 13 | 15 | 17 |
| A – height mm | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 |
| Order no. | 25458 | 25459 | 25460 | 25461 | 25462 | 25463 |

Cover Screw Profile EV



| | | |
|-----------|-------|-------|
| Order no. | 25582 | 25583 |
|-----------|-------|-------|

Radiographic Implant Guides Profile EV



| | |
|-----------|-------|
| Order no. | 25637 |
|-----------|-------|

Cover Screw Profile EV

Titanium, sterile

- Self-guiding component; engages into the implant only when correctly seated
- One height option for each implant-abutment connection size
- Cover Screw Profile EV is a two-piece cover screw with color coded sleeve. The included screw is without color
- **P** One-position-only cover screw, will seat in one position only



Surgical instruments

Implant Driver Profile EV Short



| | | |
|-----------------|-------|-------|
| Total length mm | 24 | 24 |
| Order no. | 25464 | 25466 |

Implant Driver Profile EV Long



| | | |
|-----------------|-------|-------|
| Total length mm | 34 | 34 |
| Order no. | 25465 | 25467 |

Implant Driver Profile EV

Stainless steel, non-sterile

- For picking up and installing implant
- Marked with diameter and a "P" for Profile
- Dimple and flat surface on the driver to facilitate correct positioning
- **P** One-position-only instrument, will seat in one position only



Note: For use with Contra Angle or Torque Wrench EV Surgical Driver Handle

Healing abutments

HealDesign™ Profile EV

Titanium, sterile

- For soft tissue sculpturing during the healing phase
- Can be used for both one- and two-stage surgery
- Design is primarily matched to TiDesign EV and ZirDesign EV abutments
- Heights and diameters are harmonized with the permanent abutments as well as with the tooth position
 - Round shapes are indicated for all positions in the mouth.
 - △ Triangular shapes are designed for anterior implant sites and mimic the specific shape for incisors and canines. Triangular HealDesign™ EV is a two-piece abutment.
- Marked with diameter, height and "P" for Profile
- (P) One-position-only, healing abutment, will seat in one position only



P_{4.2} HealDesign™ Profile EV 4.2

| | | | | |
|-------------|-------|-------|-------|-------|
| | | | | |
| Ø mm | 5 | 5 | 5 | 6.5 |
| Height A mm | 5 | 4 | 4.5 | 4 |
| Height B mm | 4 | 3 | 3 | 3 |
| Order no. | 25584 | 25587 | 25585 | 25586 |

P_{4.8} HealDesign™ Profile EV 4.8

| | | | | |
|-------------|-------|-------|-------|-------|
| | | | | |
| Ø mm | 5 | 6.5 | 5 | 6.5 |
| Height A mm | 4.5 | 5.5 | 4.5 | 4.5 |
| Height B mm | 3 | 4 | 3 | 3 |
| Order no. | 25591 | 25589 | 25588 | 25590 |

Temporary abutments

TempDesign™ Profile EV



| | | |
|--------------------|-------|-------|
| Ø mm | 7 | 8 |
| Height bucc A mm | 1 | 1 |
| ling B mm | 1 | 1 |
| Vertical height mm | 12 | 12 |
| Order no. | 25756 | 25757 |

Temp Abutment Profile EV



| | | |
|--------------------|-------|-------|
| Ø mm | 4.5 | 5.0 |
| Height bucc A mm | 1 | 1 |
| ling B mm | 1 | 1 |
| Vertical height mm | 9 | 9 |
| Order no. | 25758 | 25759 |

Abutment Screw EV




| | | |
|-----------|-------|-------|
| | M1.8 | M2.0 |
| Order no. | 25205 | 25206 |

TempDesign™ EV

Titanium-PEEK-plastic, non-sterile, delivered with an abutment screw


- Anatomically pre-designed for reduction technique
- For both screw- and cement-retained restorations
- Can be processed at the laboratory or chairside
- Temporary use; max 180 days
- Screw-retained restorations; limited to single-tooth only
- (P) One-position-only abutments, will seat in one position only



Temp Abutment EV

Titanium, non-sterile, delivered with an abutment screw

- Designed for build-up technique
- For large, multi-unit restorations and/or long-term temporization
- Primarily processed in the laboratory
- Cement-retained restorations, all positions in the mouth
- Screw-retained restorations, limited to single-tooth only
- (P) One-position-only abutments, will seat in one-position-only



Note: A corresponding Abutment Screw EV is included with every temporary abutment as well as final two-piece abutments. To order additional screws, see below

Abutment Screw EV

Titanium, non-sterile

Note: A corresponding Abutment Screw EV is included with every temporary abutment as well as final two-piece abutments.


OSSEOSPEED PROFILE EV

Cement-retained restorations


TiDesign™ Profile EV

Titanium, non-sterile, delivered with an abutment screw

- Round – design for the majority of restorative situations
- ▲ Triangular – primarily for incisors and canines with triangular shape
- Angled design for offset situations compensating for implants in a restoratively unfavorable position
- Marked with diameter and P for Profile
- (P) One-position-only abutments, will seat in one position only



P_{4.2} TiDesign™ Profile EV 4.2



| | | | | |
|--------------------|-------|-------|-------|-------|
| Ø mm | 5.5 | 5.5 | 5.5 | 7.0 |
| A – height bucc mm | 3 | 2 | 2 | 2 |
| B – height ling mm | 3 | 2 | 2 | 2 |
| Vertical height mm | 9.5 | 8.5 | 8.5 | 8.5 |
| Order no. | 25594 | 25595 | 25592 | 25593 |

P_{4.8} TiDesign™ Profile EV 4.8



| | | | | |
|--------------------|-------|-------|-------|-------|
| Ø mm | 7.0 | 5.5 | 5.5 | 7.0 |
| A – height bucc mm | 3 | 2 | 2 | 2 |
| B – height ling mm | 3 | 2 | 2 | 2 |
| Vertical height mm | 9 | 8 | 8 | 8 |
| Order no. | 25598 | 25599 | 25596 | 25597 |

Screw-retained restorations

Uni Abutment EV (See page 29)


Titanium, sterile

- Supporting multiple unit restorations only
- Design facilitates non-parallel implant situations up to 66°
- Same top cone for all platforms
- Index-free abutments will be seated in any rotational position

Angled Abutment Profile EV

Titanium, sterile, delivered with an abutment screw

- Supporting multiple unit restorations only
- Same top cone as standard OsseoSpeed EV
- Index-free abutments will be seated in any rotational position
- Marked with a “P”



P_{4.2} Angled Abutment Profile EV 4.2, 20°



| | | |
|--------------------|-------|-------|
| A – height bucc mm | 2 | 3 |
| B – height ling mm | 1 | 2 |
| Vertical height mm | 6 | 7 |
| Order no. | 25890 | 25891 |


P_{4.8} Angled Abutment Profile EV 4.8, 20°



| | | |
|--------------------|-------|-------|
| A – height bucc mm | 2 | 3 |
| B – height ling mm | 1 | 2 |
| Vertical height mm | 6 | 7 |
| Order no. | 25892 | 25893 |

Impression and laboratory components – implant-level

Implant Pick-Up Profile EV, Short




| | | |
|-------------|-------|-------|
| Sleeve Ø mm | 4.6 | 4.6 |
| Height mm | 16.5 | 16.5 |
| Order no. | 25601 | 25603 |

Implant Pick-Up Profile EV, Long



| | | |
|-------------|-------|-------|
| Sleeve Ø mm | 4.6 | 4.6 |
| Height mm | 22 | 22 |
| Order no. | 25600 | 25602 |

Implant Pick-Up Design Profile EV



| | | |
|-------------|-------|-------|
| Sleeve Ø mm | 4.2 | 4.8 |
| Height mm | 22 | 22 |
| Order no. | 25604 | 25605 |

Implant Transfer Profile EV, Short




| | | |
|-------------|-------|-------|
| Sleeve Ø mm | 4.2 | 4.8 |
| Height mm | 11 | 11 |
| Order no. | 25606 | 25608 |

Implant Transfer Profile EV, Long




| | | |
|-------------|-------|-------|
| Sleeve Ø mm | 4.2 | 4.8 |
| Height mm | 14 | 14 |
| Order no. | 25607 | 25609 |

Implant Replica Profile EV



| | | |
|-----------|-------|-------|
| Height mm | 16.5 | 16.5 |
| Order no. | 25610 | 25611 |


Lab Abutment Screw EV



| | | |
|-----------|-------|-------|
| Order no. | 25478 | 25479 |
|-----------|-------|-------|

Implant Pick-Up Profile EV / Implant Pick-Up Design Profile EV
Titanium, non-sterile


- Self-guiding positioning
- Marked with a "P"
- Designed with hex at the pin head
- Possibilities of capture the exact soft tissue shape for best possible esthetic results
- Supports indexing options; one-position-only and index free



Marked with a sloped groove and a "P" to identify Profile

Implant Transfer Profile EV
Titanium, non-sterile

- Self-guiding positioning
- Marked with a "P"
- Must be repositioned in the unique site in the impression
- Designed with a hex at the pin head
- Supports indexing options; one-position-only and index free



Marked with a sloped groove and a "P" to identify Profile



Implant Replica Profile EV
Titanium, non-sterile

Adjustment of apex allow for removal of replica from master model without need for sectioning

Lab Abutment Screw EV

Titanium, non-sterile
QTY 3

Designed for use with Implant Replica Profile EV and Implant Replica EV only

OSSEOSPEED PROFILE EV

Guided surgery with ASTRA TECH Implant System™ EV

The combination of SIMPLANT computer-guided implant treatment and the ASTRA TECH Implant System EV simplifies the process of digital implant dentistry without sacrificing precision and safety.

Sleeve-on-drill instruments for an easy and safe surgical handling

The sleeve-on design simplifies handling and eliminates the need for additional assistance in holding freestanding drill keys in place.



SIMPLANT SAFE Guide with lateral opening for easier access

The optional lateral access provides greater ease of handling even for cases with limited inter-occlusal space. This allows for treatment of an expanded range of indications and increased patient comfort and satisfaction.



A user-friendly tray assortment – adaptable to the clinical preferences

The flexible tray design with interchangeable overlays allows for adaption of tray content according to your clinical preferences. Each overlay has an intuitive layout to support the user during the procedure


The washtray is intended for automated reprocessing of surgical instruments and ideal for large clinics or hospitals looking for a time- and cost efficient clinical workflow.

Trays for guided surgery


One plastic surgical tray – two overlay options

The guided surgical tray design with two interchangeable overlays allows for adaptation of tray content according to your clinical preferences.

Streamline




Proline



Large Tray EV
(without overlay) Streamline Proline

| | | | |
|-----------|-------|-------|-------|
| Order no. | 25769 | 26099 | 26098 |
|-----------|-------|-------|-------|

Washtray GS ASTRA TECH Implant System EV



Streamline

- The Streamline Overlay supports the most commonly used straight implants from 6 mm to 15 mm.

Proline

- The Proline Overlay supports the complete assortment within guided surgery including 6mm, conical and Profile EV implants.
- The overlays can be snapped onto the tray base. This solution offers the possibility of adapting the tray's contents according to individual preferences.

| | Straight | | | Conical | |
|--------|----------|-------|-------|---------|-------|
| | | | | | |
| Ø | 3.6 S | 4.2 S | 4.8 S | 4.2 C | 4.8 C |
| Length | | | | | |
| 6 mm | x | x | x | | |
| 8 mm | x | x | x | x | x |
| 9 mm | x | x | x | x | x |
| 11 mm | x | x | x | x | x |
| 13 mm | x | x | x | x | x |
| 15 mm | x | x | x | x | x |

| | Profile Straight | | Profile Conical | |
|--------|------------------|--------|-----------------|--------|
| | | | | |
| Ø | 4.2 PS | 4.8 PS | 4.2 PC | 4.8 PC |
| Length | | | | |
| 6 mm | | | | |
| 8 mm | x | x | x | x |
| 9 mm | x | x | x | x |
| 11 mm | x | x | x | x |
| 13 mm | x | x | x | x |
| 15 mm | x | x | x | x |

Washtray GS ASTRA TECH Implant System™ EV

The Washtray allows for machine cleaning, disinfection and subsequent steam sterilization of instruments. For more information see page 36.

| | |
|-----------|-----------|
| Order no. | 3107 1020 |
|-----------|-----------|

Punch / Initial Drill

Punch EV-GS

Stainless steel

- Laser etched depth indicator
- Delivered sterile
- Laser marked with (P) and corresponding implant diameter.
- Laser marking according to implant length
- Color: corresponds to the implant diameter
- Single use only

Note: By using SIMPLANT as the planning Software, these Drills will be delivered case specific with the SAFE Guide.

Punch EV-GS



| | | | |
|-----------|-------|-------|-------|
| Ø mm | 3.6 | 4.2 | 4.8 |
| Order no. | 26010 | 26011 | 26012 |

Initial Drill

Stainless steel

- Laser etched depth indicator
- Delivered sterile
- Laser marked with (I) and corresponding implant diameter.
- Laser marking according to implant length
- Color: corresponds to implant diameter
- Multiple use drill

Initial Drill



| | | | |
|-----------|-------|-------|-------|
| Ø mm | 3.6 | 4.2 | 4.8 |
| Order no. | 26013 | 26014 | 26015 |

Drills

Drill EV-GS with narrow diameter Sleeve (ND)

1-Drill EV-GS, ND



3.6 4.2

3-Drill EV-GS, ND



3.6 4.2

4-Drill EV-GS, ND



3.6 4.2

| | | | |
|----------------|----------|-------------|-------------|
| Ø mm | Ø1.9 ND | Ø2.5/3.1 ND | Ø3.1/3.7 ND |
| Implant length | 6–8 mm | 6–8 mm | 6–8 mm |
| Order no. | 26051 | 26054 | 26057 |
| Implant length | 9–11 mm | 9–11 mm | 9–11 mm |
| Order no. | 26052 | 26055 | 26058 |
| Implant length | 13–15 mm | 13–15 mm | 13–15 mm |
| Order no. | 26053 | 26056 | 26059 |

Drill EV-GS with narrow diameter Sleeve (ND)

Stainless steel

- Drills for spongy bone preparation
- Physical depth stop
- Delivered sterile with Sleeve on Drill
- Laser marked with the corresponding number and drill diameter
- Drills color white for all diameters
- Multiple use drill
- Single use Sleeve

Note: By using SIMPLANT as the planning Software, these Drills will be delivered case specific with the SAFE Guide.

Drill EV-GS with wide diameter Sleeve (WD)

1-Drill EV-GS, WD



4.8

3-Drill EV-GS, WD



4.8

4-Drill EV-GS, WD



4.8

5-Drill EV-GS, WD



4.8

| | | | | |
|----------------|----------|-------------|-------------|-------------|
| Ø mm | Ø1.9 WD | Ø2.5/3.1 WD | Ø3.1/3.7 WD | Ø3.7/4.3 WD |
| Implant length | 6–8 mm | 6–8 mm | 6–8 mm | 6–8 mm |
| Order no. | 26060 | 26063 | 26066 | 26069 |
| Implant length | 9–11 mm | 9–11 mm | 9–11 mm | 9–11 mm |
| Order no. | 26061 | 26064 | 26067 | 26070 |
| Implant length | 13–15 mm | 13–15 mm | 13–15 mm | 13–15 mm |
| Order no. | 26062 | 26065 | 26068 | 26071 |

Drill EV-GS with wide diameter Sleeve (WD)

Stainless steel

- Drills for spongy bone preparation
- Physical depth stop
- Delivered sterile with Sleeve on Drill
- Laser marked with the corresponding number and drill diameter
- Drills color white for all diameters
- Multiple use drill
- Single use Sleeve

Note: By using SIMPLANT as the planning Software, these Drills will be delivered case specific with the SAFE Guide.

Cortical preparation

Cortical Drill EV-GS

Stainless steel

- For straight implants
- Drills for the preparation of the cortical layer to reduce pressure in the bone around the implant neck
- Color: corresponds to implant
- Laser marked with (A) or (B), the drill diameter and implant length
- Laser etched depth indicator
- (A) – thin cortical bone < 2 mm
- (B) – thick cortical bone ≥ 2 mm
- Multiple use drill

Cortical Drill EV-GS

(A)-Cortical Drill EV-GS (B)-Cortical Drill EV-GS (A)-Cortical Drill EV-GS (B)-Cortical Drill EV-GS (A)-Cortical Drill EV-GS (B)-Cortical Drill EV-GS



| | | | | | | |
|-----------|----------|----------|----------|----------|----------|----------|
| Ø mm | Ø3.1/3.3 | Ø3.1/3.6 | Ø3.7/3.9 | Ø3.7/4.2 | Ø4.3/4.5 | Ø4.3/4.8 |
| Order no. | 26004 | 26005 | 26006 | 26007 | 26008 | 26009 |

Conical Drill EV-GS

Stainless steel

- For conical implants
- Drills to prepare the conical shape of the cavity
- (A) – thin cortical bone < 2 mm
- (B) – thick cortical bone ≥ 2 mm
- Color: corresponds to implant
- Laser marked with (A/B), the drill diameter and implant length.
- Multiple use drill

Conical Drill EV-GS


A/B-Drill EV-GS 4.2C, 9-13 A/B-Drill EV-GS 4.2C, 8-11-15 A/B-Drill EV-GS 4.8C, 9-13 A/B-Drill EV-GS 4.8C, 8-11-15



| | | | | |
|-----------|----------|----------|----------|----------|
| Ø mm | Ø3.1/4.2 | Ø3.1/4.2 | Ø3.7/4.8 | Ø3.7/4.8 |
| Order no. | 26000 | 26001 | 26002 | 26003 |

Optional Drill EV-GS

Ⓟ-Drill EV-GS



| | | | | |
|----------------|----------|----------|----------|----------|
| Ø mm | Ø3.1 | Ø3.7 | Ø3.7 | Ø4.3 |
| Implant length | 6–8 mm | 6–8 mm | 6–8 mm | 6–8 mm |
| Order no. | 26084 | 26087 | 26090 | 26093 |
| Implant length | 9–11 mm | 9–11 mm | 9–11 mm | 9–11 mm |
| Order no. | 26085 | 26088 | 26091 | 26094 |
| Implant length | 13–15 mm | 13–15 mm | 13–15 mm | 13–15 mm |
| Order no. | 26086 | 26089 | 26092 | 26095 |

Additional osteotomy preparation

If necessary, additional preparation can be performed with one of the following drills:

Ⓟ-Drill EV-GS

- Use to widen the apical portion of the osteotomy
- Physical depth stop
- Delivered sterile with Sleeve on Drill
- Laser marked with Ⓟ, the drill diameter and implant length
- Drills have color according to implant body diameter
- Multiple use drill
- Single use Sleeve

Note: By using SIMPLANT as the planning Software, these Drills will be delivered case specific with the SAFE Guide.

Ⓧ-Drill EV-GS



| | | | | |
|----------------|-----------|-----------|-----------|-----------|
| Ø mm | Ø3.1/3.45 | Ø3.7/4.05 | Ø3.7/4.05 | Ø4.3/4.65 |
| Implant length | 6–8 mm | 6–8 mm | 6–8 mm | 6–8 mm |
| Order no. | 26072 | 26075 | 26078 | 26081 |
| Implant length | 9–11 mm | 9–11 mm | 9–11 mm | 9–11 mm |
| Order no. | 26073 | 26076 | 26079 | 26082 |
| Implant length | 13–15 mm | 13–15 mm | 13–15 mm | 13–15 mm |
| Order no. | 26074 | 26077 | 26080 | 26083 |

Ⓧ-Drill EV-GS

- Use to widen both the apical and body portion of the osteotomy
- Physical depth stop
- Delivered sterile with Sleeve on Drill
- Laser marked with Ⓧ, the drill diameter and implant length
- Drills have color according to implant body diameter
- Multiple use drill
- Single use Sleeve

Note: By using SIMPLANT as the planning Software, these Drills will be delivered case specific with the SAFE Guide.

Optional Drill EV-GS

Surgical Instruments

Implant Driver EV-GS

Stainless steel, non-sterile

- For picking up and installing implant
- With two level grooves to indicate the depth position according to the guide
- Six Notches for Straight and Conical to facilitate the correct position
- One Notch for OsseoSpeed Profile EV to facilitate the correct position

Note: For use with Contra Angle or Torque Wrench EV Surgical Driver Handle order no. 25775
ASTRA TECH Implant System EV Product Catalog

Implant Driver EV-GS

Implant Driver EV-GS 3.6



3.6

Implant Driver EV-GS 4.2



4.2

Implant Driver EV-GS 4.8



4.8

Implant Driver Extender EV-GS



| | | | | |
|-----------|----------------------|----------------------|----------------------|-------|
| Version | Straight and Conical | Straight and Conical | Straight and Conical | |
| Order no. | 26016 | 26017 | 26018 | 26021 |

| | | | | |
|-----------|--|-----------------|-----------------|--|
| | | P 4.2 | P 4.8 | |
| Version | | Profile | Profile | |
| Order no. | | 26019 | 26020 | |

PositioningAid

Positioning System

Titanium

- Multiple use
- Color: corresponds to implant
- Laser markings: Implant Length 6-9-13 mm or 8-11-15 mm

Positioning System

EV-PositioningAid




3.6

EV-PositioningAid



4.2

EV-PositioningAid



4.8

| | | | |
|----------------|----------------------|----------------------|----------------------|
| Ø mm | Ø3.6 | Ø4.2 | Ø4.8 |
| Implant length | 8-11-15 mm | 8-11-15 mm | 8-11-15 mm |
| Type | Straight and Conical | Straight and Conical | Straight and Conical |
| Order no. | 26039 | 26041 | 26043 |
| Implant length | 6-9-13 mm | 6-9-13 mm | 6-9-13 mm |
| Type | Straight and Conical | Straight and Conical | Straight and Conical |
| Order no. | 26040 | 26042 | 26044 |

| | | | |
|----------------|--|-----------------|-----------------|
| | | P 4.2 | P 4.8 |
| Implant length | | 8-11-15 mm | 8-11-15 mm |
| Type | | Profile | Profile |
| Order no. | | 26045 | 26047 |
| Implant length | | 6-9-13 mm | 6-9-13 mm |
| Type | | Profile | Profile |
| Order no. | | 26046 | 26048 |

Fixation System

Stabilization Abutments



| Ø mm | Ø3.6 | Ø4.2 | Ø4.8 |
|----------------|------------|------------|------------|
| Implant length | 8-11-15 mm | 8-11-15 mm | 8-11-15 mm |
| Order no. | 26033 | 26035 | 26037 |
| Implant length | 6-9-13 mm | 6-9-13 mm | 6-9-13 mm |
| Order no. | 26034 | 26036 | 26038 |

Fixation System

Titanium

- Multiple use
- Color: corresponds to the implant
- Stabilizes the guide for further implant treatment
- Laser markings: Implant length 6-9-13 mm or 8-11-15 mm and diameter

Fixation System

Drill for guide fixation screw



Guide fixation screw



| | | |
|-----------|-------|-------|
| | 14 mm | Ø2.0 |
| Order no. | 26050 | 26049 |

Fixation System

Stainless steel

- Single use screw
- Multiple use drill
- Delivered sterile
- Drill to prepare the bone for the fixation screw
- Secures the guide directly to the bone to avoid guide movement
- The screw needs the Hex driver EV manual with the ref. nr. 25771, 25772, 25773

Sleeves

Sleeve-on-Drill™



| | ND | WD |
|----------------------|--------------------|--------------------|
| Drill Type & Ø Inner | 1-Sleeve Ø1.9 ND | 1-Sleeve Ø1.9 WD |
| Order no. | 26022 | 26027 |
| Drill Type & Ø Inner | 3/V-Sleeve Ø3.1 ND | 3-Sleeve Ø3.1 WD |
| Order no. | 26023 | 26028 |
| Drill Type & Ø Inner | 4/V-Sleeve Ø3.7 ND | 4/V-Sleeve Ø3.7 WD |
| Order no. | 26024 | 26029 |
| Drill Type & Ø Inner | X-Sleeve Ø3.45 ND | 5/V-Sleeve Ø4.3 WD |
| Order no. | 26025 | 26030 |
| Drill Type & Ø Inner | X-Sleeve Ø4.05 ND | X-Sleeve Ø4.05 WD |
| Order no. | 26026 | 26031 |
| Drill Type & Ø Inner | - | X-Sleeve Ø4.65 WD |
| Order no. | - | 26032 |

Sleeve-on-Drill™

Stainless steel

- Delivered sterile
- Laser marked with inner and outer sleeve diameter according to the corresponding drill type.
- Outer sleeve diameter = inner tube size
ND = narrow diameter
WD = wide diameter
- Single use only

Note: By using SIMPLANT as the planning Software, these Sleeves will be delivered case specific with the SAFE Guide.

Repair procedures

The ASTRA TECH Implant System EV proved a selection of unique products for safe and easy handling when meeting specific failures and other errors in the clinical situation. For different reasons abutments, implants or screws occasionally need to be removed and/or replaced.

The specific repair and retrieval products are used together with the ordinary instruments within ASTRA TECH Implant System EV.











Compatibility table

Identify the implant/abutment size for OsseoSpeed EV.

Select the corresponding instruments; see the order number in the table below.

ASTRA TECH Implant System™ EV

| | OsseoSpeed EV | | | | | OsseoSpeed Profile EV | | Uni Abutment EV |
|----------------------------------|---|---|---|---|---|---|---|---|
| |  |  |  |  |  |  |  |  |
| Fragment Fork | 25856 | 25856 | 25857 | 25857 | 25857 | 25857 | 25857 | 25857 |
| Fragment Drill | 25858 | 25858 | 25859 | 25859 | 25859 | 25859 | 25859 | 25859 |
| Screw Extractor | 25860 | 25860 | 25861 | 25861 | 25861 | 25861 | 25861 | N/A |
| Thread Cleaner | 25862 | 25863 | 25864 | 25865 | 25865 | 25864 | 25865 | 25864 |
| Trephine Drill | 25866 | 25867 | 25886 25868 | 25887 25869 | 25888 25870 | 25886 25868 | 25887 25869 | N/A |
| Rescue Driver Uni Abutment EV | | | | | | | | 25794 |


Remove/retrieve screw fragments

Guiding Cylinder EV

Stainless steel, non-sterile, single-use only

- Guides the instruments into the center of the fragment
- Protects the internal threads in the implant
- Marked with diameter and EV
- Use together with Guiding Cylinder Handle and Fragment Drill or Fragment Fork for OsseoSpeed EV implants

Guiding Cylinder EV




| | | | | | |
|-----------|-------|-------|-------|-------|-------|
| Order no. | 25846 | 25847 | 25848 | 25849 | 25850 |
|-----------|-------|-------|-------|-------|-------|

Guiding Cylinder Uni Abutment EV

Stainless steel, non-sterile, single-use only

- Guides the instruments into the center of the fragment
- Protects the internal threads in the abutment
- Marked with diameter and EV
- Use together with Guiding Cylinder Handle and Fragment Drill or Fragment Fork for Uni Abutment EV in ASTRA TECH Implant System EV

Guiding Cylinder Uni Abutment EV



| | |
|-----------|-------|
| Order no. | 25851 |
|-----------|-------|

Guiding Cylinder Handle

Stainless steel, non-sterile

- Adjustable handle for Guiding Cylinders

Guiding Cylinder Handle



| | |
|-----------|-------|
| Order no. | 25855 |
|-----------|-------|

Fragment Fork



| | | |
|-----------|-----------|-----------|
| | M1.4/M1.6 | M1.8/M2.0 |
| Order no. | 25856 | 25857 |


Fragment Fork

Tungsten-Carbide, non-sterile, single-use only

- Used for retrieval of factured abutment- and bridge screws fragment
- For manual use only
- Rotate the Fragment Fork counter-clockwise
- Marked with thread size
- Use together with Restorative Driver Handle EV

Note: Manual use only.

Fragment Drill



| | | |
|-----------|-------|-------|
| Ø | 0.8 | 1.0 |
| Order no. | 25858 | 25859 |

Fragment Drill

Shank: Stainless steel

Cutting portion: Tungsten-Carbide

Non-sterile, single-use only

- Used for creating an indentation in the abutment- or bridge screw fragment
- Drill counter-clockwise
- Marked with diameter

Screw Extractor



| | | |
|-----------|-------|-------|
| Ø | 0.8 | 1.0 |
| Order no. | 25860 | 25861 |

Screw Extractor

Stainless steel, non-sterile, single-use only

- Used for retrieval of abutment screw fragments
- Rotate the screw extractor counter-clockwise
- Marked with diameter
- Use together with Surgical Driver Handle EV

Note: Manual use only.

Clean internal threads

Thread Cleaner



| | | | | |
|-----------|-------|-------|-------|-------|
| | M1.4 | M1.6 | M1.8 | M2.0 |
| Order no. | 25862 | 25863 | 25864 | 25865 |

Thread Cleaner

Stainless steel, non-sterile, single-use only.

- Used for cleaning of threads internally in an implant/abutment
- Marked with thread size
- Use together with Restorative Driver Handle EV

Note: Manual use only.

Remove Uni Abutments EV/implants

Rescue Driver Uni Abutment EV

Stainless steel, non-sterile

- Used for retrieval of Uni Abutment EV

Rescue Driver Uni Abutment EV




Order no. 25794

Trephine Drill

Stainless steel, non-sterile, single-use only

- Used for the retrieval of partly or fully integrated OsseoSpeed EV implants.
- Marked with diameter and length.



Trephine Drill



| | | | | | | | | |
|------------|--------|--------|--------|--------|--------|--------|--------|--------|
| Length mm | 6-17mm | 6-17mm | 6-13mm | 6-17mm | 6-13mm | 6-17mm | 6-13mm | 6-17mm |
| Inner Ø mm | 3.2 | 3.8 | 4.4 | 4.4 | 5.0 | 5.0 | 5.6 | 5.6 |
| Outer Ø mm | 4.0 | 4.6 | 5.2 | 5.2 | 5.8 | 5.8 | 6.4 | 6.4 |
| Order no. | 25866 | 25867 | 25886 | 25868 | 25887 | 25869 | 25888 | 25870 |

*Note: Same drill for all 3.0 implants and single-use only.

Abutment Retriever

Stainless steel, non-sterile, single-use only

- Use together with a Wrench.

Abutment Retriever



Order no. 22429

Implant Retriever

Stainless steel, non-sterile, single-use only

- Use together with a Wrench.

Implant Retriever



Order no. 22192

General instruments

Torque Wrench EV



| | |
|-----------|-------|
| Order no. | 25774 |
|-----------|-------|

Torque Wrench EV

Stainless steel, non-sterile

- Use together with a Driver Handle.

Torque Wrench EV, Surgical Driver Handle



| | |
|-----------|-------|
| Ø mm | 8.9 |
| Length mm | 15.3 |
| Order no. | 25775 |

Torque Wrench EV, Restorative Driver Handle



| | | |
|-----------|-------|-------|
| Ø mm | 8.9 | 8.9 |
| Length mm | 15.5 | 11.5 |
| Order no. | 25776 | 25777 |

Torque Wrench EV, Restorative Driver Handle 4x4 low



| | |
|-----------|-------|
| Ø mm | 8.9 |
| Length mm | 9.7 |
| Order no. | 25730 |

Torque Wrench EV, Surgical Driver Handle

Stainless steel, non-sterile

Torque Wrench EV, Restorative Driver Handle 4x4 low

Stainless steel, non-sterile

Hex Driver EV Manual



| | | | |
|-----------------|-------|--------------|-------|
| | Short | Intermediate | Long |
| Total length mm | 20 | 31 | 38 |
| Order no. | 25771 | 25772 | 25773 |

Hex Driver EV Manual

Stainless steel, non-sterile

Index

Order by reference number

| REF | page |
|-------|--|
| 22137 | Titanium Bowl42 |
| 22176 | Disposable Irrigation Set..... 44 |
| 22177 | Irrigation Tubing 2.2 m Sterile..... 44 |
| 22179 | BoneTrap..... 44 |
| 22192 | Implant Retriever72 |
| 22429 | Abutment Retriever72 |
| 22437 | Forceps – 94 mm.....42 |
| 22740 | Grinding Handle..... 47 |
| 22903 | Contra Angle W&H WS-75 E/KM AE..... 44 |
| 24350 | Contra Angle W&H WI-75 E/KM..... 44 |
| 24360 | Implant Unit SI-915, 115 V 44 |
| 24412 | Implant Unit SI-923, 230 V..... 44 |
| 24482 | Locator Core Tool.....32, 46 |
| 24483 | Locator Process Kit 7, 9, 11, 33, 51, 53 |
| 24484 | Locator Abutment Pick-up.....6, 8, 10, 32, 50, 52 |
| 24485 | Locator Abutment Replica..... 7, 9, 11, 32, 51, 53 |
| 24486 | Locator Insert Clear 7, 9, 11, 33, 51, 53 |
| 24487 | Locator Insert Pink 7, 9, 11, 33, 51, 53 |
| 24488 | Locator Insert Blue..... 7, 9, 11, 33, 51, 53 |
| 24489 | Locator Insert Green..... 7, 9, 11, 33, 51, 53 |
| 24492 | Locator Insert Red..... 7, 9, 11, 33, 51, 53 |
| 25160 | Guide Drill EV.....38 |
| 25161 | Precision Drill EV.....38 |
| 25162 | 1 – Twist Drill EV Ø 1.9, 6–17 mm.....38 |
| 25163 | 1 – Twist Drill EV Ø 1.9, 6–13 mm.....38 |
| 25164 | 2 – Step Drill EV Ø 1.9/2.5, 6–17 mm.....38 |
| 25165 | 2 – Step Drill EV Ø 1.9/2.5, 6–13 mm.....38 |
| 25168 | 3 – Step Drill EV Ø 2.5/3.1, 6–17 mm.....38 |
| 25169 | 3 – Step Drill EV Ø 2.5/3.1, 6–13 mm.....38 |
| 25172 | 4 – Step Drill EV Ø 3.1/3.7, 6–17 mm.....38 |
| 25173 | 4 – Step Drill EV Ø 3.1/3.7, 6–13 mm.....38 |
| 25176 | 5 – Step Drill EV Ø 3.7/4.3, 6–17 mm.....38 |
| 25177 | 5 – Step Drill EV Ø 3.7/4.3, 6–13 mm.....38 |
| 25180 | 6 – Step Drill EV Ø 4.3/4.9, 6–17 mm.....38 |
| 25181 | 6 – Step Drill EV Ø 4.3/4.9, 6–13 mm.....38 |
| 25188 | A/B – Conical Drill EV Ø 3.1/4.2..... 40 |
| 25190 | A/B – Conical Drill EV Ø 3.7/4.8..... 40 |
| 25193 | B – Cortical Drill EV Ø 2.5/3.0.....39 |
| 25195 | B – Cortical Drill EV Ø 3.1/3.6.....39 |
| 25197 | B – Cortical Drill EV Ø 3.7/4.2.....39 |
| 25199 | B – Cortical Drill EV Ø 4.3/4.8.....39 |
| 25201 | B – Cortical Drill EV Ø 4.9/5.4.....39 |
| 25203 | Abutment Screw EV 3.0.....21 |
| 25204 | Abutment Screw EV 3.6.....21 |
| 25205 | Abutment Screw EV 4.2.....21, 57 |
| 25206 | Abutment Screw EV 4.8.....21, 57 |
| 25207 | Abutment Screw EV 5.4.....21 |
| 25212 | OsseoSpeed™ EV 3.0 S – 8 mm.....4, 16 |
| 25213 | OsseoSpeed™ EV 3.0 S – 9 mm.....4, 16 |
| 25214 | OsseoSpeed™ EV 3.0 S – 11 mm.....4, 16 |
| 25215 | OsseoSpeed™ EV 3.0 S – 13 mm.....4, 16 |
| 25216 | OsseoSpeed™ EV 3.0 S – 15 mm.....4, 16 |
| 25221 | OsseoSpeed™ EV 3.6 S – 6 mm.....6, 16 |
| 25222 | OsseoSpeed™ EV 3.6 S – 8 mm.....6, 16 |
| 25223 | OsseoSpeed™ EV 3.6 S – 9 mm.....6, 16 |
| 25224 | OsseoSpeed™ EV 3.6 S – 11 mm.....6, 16 |
| 25225 | OsseoSpeed™ EV 3.6 S – 13 mm.....6, 16 |
| 25226 | OsseoSpeed™ EV 3.6 S – 15 mm.....6, 16 |
| 25227 | OsseoSpeed™ EV 3.6 S – 17 mm.....6, 16 |

| REF | page |
|-------|--|
| 25231 | OsseoSpeed™ EV 4.2 S – 6 mm 8, 16 |
| 25232 | OsseoSpeed™ EV 4.2 S – 8 mm 8, 16 |
| 25233 | OsseoSpeed™ EV 4.2 S – 9 mm 8, 16 |
| 25234 | OsseoSpeed™ EV 4.2 S – 11 mm.....8, 16 |
| 25235 | OsseoSpeed™ EV 4.2 S – 13 mm.....8, 16 |
| 25236 | OsseoSpeed™ EV 4.2 S – 15 mm.....8, 16 |
| 25237 | OsseoSpeed™ EV 4.2 S – 17 mm.....8, 16 |
| 25241 | OsseoSpeed™ EV 4.8 S – 6 mm.....10, 17 |
| 25242 | OsseoSpeed™ EV 4.8 S – 8 mm.....10, 17 |
| 25243 | OsseoSpeed™ EV 4.8 S – 9 mm.....10, 17 |
| 25244 | OsseoSpeed™ EV 4.8 S – 11 mm.....10, 17 |
| 25245 | OsseoSpeed™ EV 4.8 S – 13 mm.....10, 17 |
| 25246 | OsseoSpeed™ EV 4.8 S – 15 mm.....10, 17 |
| 25247 | OsseoSpeed™ EV 4.8 S – 17 mm.....10, 17 |
| 25251 | OsseoSpeed™ EV 5.4 S – 6 mm.....12, 17 |
| 25252 | OsseoSpeed™ EV 5.4 S – 8 mm.....12, 17 |
| 25253 | OsseoSpeed™ EV 5.4 S – 9 mm.....12, 17 |
| 25254 | OsseoSpeed™ EV 5.4 S – 11 mm.....12, 17 |
| 25255 | OsseoSpeed™ EV 5.4 S – 13 mm.....12, 17 |
| 25256 | OsseoSpeed™ EV 5.4 S – 15 mm.....12, 17 |
| 25262 | OsseoSpeed™ EV 4.2 C – 8 mm.....8, 16 |
| 25263 | OsseoSpeed™ EV 4.2 C – 9 mm.....8, 16 |
| 25264 | OsseoSpeed™ EV 4.2 C – 11 mm.....8, 16 |
| 25265 | OsseoSpeed™ EV 4.2 C – 13 mm.....8, 16 |
| 25266 | OsseoSpeed™ EV 4.2 C – 15 mm.....8, 16 |
| 25267 | OsseoSpeed™ EV 4.2 C – 17 mm.....8, 16 |
| 25272 | OsseoSpeed™ EV 4.8 C – 8 mm.....10, 17 |
| 25273 | OsseoSpeed™ EV 4.8 C – 9 mm.....10, 17 |
| 25274 | OsseoSpeed™ EV 4.8 C – 11 mm.....10, 17 |
| 25275 | OsseoSpeed™ EV 4.8 C – 13 mm.....10, 17 |
| 25276 | OsseoSpeed™ EV 4.8 C – 15 mm.....10, 17 |
| 25277 | OsseoSpeed™ EV 4.8 C – 17 mm.....10, 17 |
| 25280 | Cover Screw EV 3.0.....4, 17 |
| 25281 | Cover Screw EV 3.6 – 0 mm.....6, 17 |
| 25282 | Cover Screw EV 4.2 – 0 mm.....8, 17 |
| 25283 | Cover Screw EV 4.8 – 0 mm.....10, 17 |
| 25284 | Cover Screw EV 5.4 – 0 mm.....12, 17 |
| 25285 | Healing Uni EV 3.6 – 2 mm/Ø 4.....6, 19 |
| 25286 | Healing Uni EV 3.6 – 4 mm/Ø 4.....6, 19 |
| 25287 | Healing Uni EV 3.6 – 6 mm/Ø 4.....6, 19 |
| 25288 | Healing Uni EV 4.2 – 2 mm/Ø 4.....8, 19, 50 |
| 25289 | Healing Uni EV 4.2 – 4 mm/Ø 4.....8, 19, 50 |
| 25290 | Healing Uni EV 4.2 – 6 mm/Ø 4.....8, 19, 50 |
| 25291 | Healing Uni EV 4.8 – 2 mm/Ø 4.3.....10, 19, 50 |
| 25292 | Healing Uni EV 4.8 – 4 mm/Ø 4.3.....10, 19, 50 |
| 25293 | Healing Uni EV 4.8 – 6 mm/Ø 4.3.....10, 19, 50 |
| 25294 | Healing Uni EV 5.4 – 2 mm/Ø 4.8.....12, 19 |
| 25295 | Healing Uni EV 5.4 – 4 mm/Ø 4.8.....12, 19 |
| 25296 | Healing Uni EV 5.4 – 6 mm/Ø 4.8.....12, 19 |
| 25297 | HealDesign™ EV 3.0 Ø 3.5 – 4.5 mm4, 18 |
| 25298 | HealDesign™ EV 3.0 Ø 3.5 – 3.5 mm4, 18 |
| 25299 | HealDesign™ EV 3.6 Ø 4 – 4.5 mm6, 18 |
| 25300 | HealDesign™ EV 3.6 Ø 4 – 3.5 mm6, 18 |
| 25301 | HealDesign™ EV 3.6 Ø 5 – 3.5 mm Triangular.....6, 18 |
| 25302 | HealDesign™ EV 4.2 Ø 5 – 4.5 mm8, 18, 50 |
| 25303 | HealDesign™ EV 4.2 Ø 5 – 3.5 mm Triangular.....8, 18 |
| 25304 | HealDesign™ EV 4.2 Ø 6.5 – 3.5 mm Triangular.....8, 18 |
| 25305 | HealDesign™ EV 4.8 Ø 5 – 3.5 mm Triangular.....10, 18 |
| 25306 | HealDesign™ EV 4.8 Ø 6.5 – 4.5 mm10, 18, 52 |

| REF | page |
|-------|---|
| 25307 | HealDesign™ EV 4.8 Ø 6.5 – 3.5 mm Triangular..... 10, 18 |
| 25308 | HealDesign™ EV 5.4 Ø 6.5 – 4.5 mm 12, 18 |
| 25309 | HealDesign™ EV 5.4 Ø 6.5 – 3.5 mm 12, 18 |
| 25310 | Direct Abutment™ EV Heal Cap 3.3.....28 |
| 25311 | Direct Abutment™ EV Heal Cap 4.....28 |
| 25312 | Direct Abutment™ EV Heal Cap 5.....28 |
| 25313 | Direct Abutment™ EV Heal Cap 6.....28 |
| 25315 | ZirDesign™ EV 3.6 Ø 5.5 – 1.5 mm Triangular 6, 23 |
| 25316 | ZirDesign™ EV 3.6 Ø 4.5 – 2.5 mm 6, 23 |
| 25317 | ZirDesign™ EV 3.6 20° Ø 4.5 – 1.5 mm 6, 23 |
| 25318 | ZirDesign™ EV 4.2 Ø 5.5 – 1.5 mm Triangular.....8, 23 |
| 25319 | ZirDesign™ EV 4.2 Ø 7 – 1.5 mm Triangular.....8, 23 |
| 25320 | ZirDesign™ EV 4.2 Ø 5.5 – 2.5 mm8, 23 |
| 25321 | ZirDesign™ EV 4.2 20° Ø 5.5 – 1.5 mm8, 23 |
| 25322 | ZirDesign™ EV 4.8 Ø 5.5 – 1.5 mm Triangular.....10, 23 |
| 25323 | ZirDesign™ EV 4.8 Ø 7 – 1.5 mm Triangular10, 23 |
| 25324 | ZirDesign™ EV 4.8 Ø 7 – 2.5 mm10, 23 |
| 25325 | ZirDesign™ EV 4.8 20° Ø 5.5 – 1.5 mm10, 23 |
| 25326 | CastDesign™ EV 3.6.....6, 23 |
| 25327 | CastDesign™ EV 4.2.....8, 23 |
| 25328 | CastDesign™ EV 4.8.....10, 23 |
| 25329 | CastDesign™ EV 5.4.....12, 23 |
| 25330 | TiDesign™ EV 3.0 Ø 4 – 2,5 mm.....4, 22 |
| 25331 | TiDesign™ EV 3.0 Ø 4 – 1.5 mm.....4, 22 |
| 25332 | TiDesign™ EV 3.0 15° Ø 4 – 1.5 mm.....4, 22 |
| 25333 | TiDesign™ EV 3.6 Ø 5.5 – 1.5/2.5 mm Triangular.....6, 22 |
| 25334 | TiDesign™ EV 3.6 Ø 4.5 – 2.5/3.5 mm6, 22 |
| 25335 | TiDesign™ EV 3.6 20° Ø 4.5 – 1.5/2.5 mm6, 22 |
| 25336 | TiDesign™ EV 4.2 Ø 5.5 – 1.5/2.5 mm Triangular.....8, 22 |
| 25337 | TiDesign™ EV 4.8 Ø 7 – 2.5/3.5 mm8, 22 |
| 25338 | TiDesign™ EV 4.2 Ø 5.5 – 2.5/3.5 mm8, 22 |
| 25339 | TiDesign™ EV 4.2 20° Ø 5.5 – 1.5/2.5 mm8, 22 |
| 25340 | TiDesign™ EV 4.8 Ø 5.5 – 1.5/2.5 mm Triangular.....10, 22 |
| 25341 | TiDesign™ EV 4.8 Ø 7 – 1.5/2.5 mm Triangular.....10, 22 |
| 25342 | TiDesign™ EV 4.8 Ø 7 – 2.5/3.5 mm10, 22 |
| 25343 | TiDesign™ EV 4.8 20° Ø 5.5 – 1.5/2.5 mm10, 22 |
| 25344 | TiDesign™ EV 5.4 Ø 7 – 2.5/3.5 mm12, 22 |
| 25345 | TiDesign™ EV 5.4 Ø 7 – 1.5/2.5 mm12, 22 |
| 25346 | Direct EV API™ Ø 3.3.....5, 28 |
| 25347 | Direct EV API™ Ø 4.....7, 28 |
| 25348 | Direct EV API™ Ø 5.....9, 11, 28, 50, 52 |
| 25349 | Direct EV API™ Ø 6.....9, 11, 28, 50, 52 |
| 25361 | Direct Abutment™ EV 3.0 Ø 3.3 – 1 mm5, 27 |
| 25362 | Direct Abutment™ EV 3.0 Ø 3.3 – 2 mm5, 27 |
| 25363 | Direct Abutment™ EV 3.0 Ø 3.3 – 3 mm5, 27 |
| 25364 | Direct Abutment™ EV 3.6 Ø 4 – 1 mm7, 27 |
| 25365 | Direct Abutment™ EV 3.6 Ø 4 – 2 mm7, 27 |
| 25366 | Direct Abutment™ EV 3.6 Ø 4 – 3 mm7, 27 |
| 25367 | Direct Abutment™ EV 4.2 Ø 5 – 1 mm9, 27, 51 |
| 25368 | Direct Abutment™ EV 4.2 Ø 5 – 2 mm9, 27, 51 |
| 25369 | Direct Abutment™ EV 4.2 Ø 5 – 3 mm9, 27, 51 |
| 25370 | Direct Abutment™ EV 4.8 Ø 5 – 1 mm11, 27, 53 |
| 25371 | Direct Abutment™ EV 4.8 Ø 5 – 2 mm11, 27, 53 |
| 25372 | Direct Abutment™ EV 4.8 Ø 5 – 3 mm11, 27, 53 |
| 25373 | Direct Abutment™ EV 5.4 Ø 6 – 1 mm13, 27 |
| 25374 | Direct Abutment™ EV 5.4 Ø 6 – 2 mm13, 27 |
| 25375 | Direct Abutment™ EV 5.4 Ø 6 – 3 mm13, 27 |
| 25377 | Implant Driver EV 3.0 Long42 |
| 25378 | Implant Driver EV 3.6 Short.....42 |
| 25379 | Implant Driver EV 3.6 Long42 |
| 25380 | Implant Driver EV 4.2 Short.....42 |
| 25381 | Implant Driver EV 4.2 Long42 |
| 25382 | Implant Driver EV 4.8 Short.....42 |
| 25383 | Implant Driver EV 4.8 Long42 |
| 25384 | Implant Driver EV 5.4 Short.....42 |
| 25385 | Implant Driver EV 5.4 Long42 |
| 25396 | Direct Abutment™ EV Pick-Up 3.3.....28 |
| 25397 | Direct Abutment™ EV Pick-Up 4.....28 |

| REF | page |
|-------|--|
| 25398 | Direct Abutment™ EV Pick-Up 5.....28 |
| 25399 | Direct Abutment™ EV Pick-Up 6.....28 |
| 25401 | Direct Abutment™ EV Replica 3.328 |
| 25402 | Direct Abutment™ EV Replica 428 |
| 25403 | Direct Abutment™ EV Replica 528 |
| 25404 | Direct Abutment™ EV Replica 628 |
| 25406 | Direct Abutment™ EV Burnout Cap 3.3.....28 |
| 25407 | Direct Abutment™ EV Burnout Cap 4.....28 |
| 25408 | Direct Abutment™ EV Burnout Cap 5.....28 |
| 25409 | Direct Abutment™ EV Burnout Cap 6.....28 |
| 25411 | B 6 mm – Cortical Drill EV Ø 3.1/3.640 |
| 25412 | A 6 mm – Cortical Drill EV Ø 3.7/3.939 |
| 25419 | B 6 mm – Cortical Drill EV Ø 3.7/4.239 |
| 25420 | A 6 mm – Cortical Drill EV Ø 4.3/4.5.....39 |
| 25421 | B 6 mm – Cortical Drill EV Ø 4.3/4.8.....40 |
| 25422 | A 6 mm – Cortical Drill EV Ø 4.9/5.139 |
| 25423 | A – Cortical Drill EV Ø 2.5/2.739 |
| 25424 | B 6 mm – Cortical Drill EV Ø 4.9/5.440 |
| 25431 | A – Cortical Drill EV Ø 4.9/5.139 |
| 25440 | OsseoSpeed™ Profile EV 4.2 PS – 8 mm.....50, 54 |
| 25441 | OsseoSpeed™ Profile EV 4.2 PS – 9 mm.....50, 54 |
| 25442 | OsseoSpeed™ Profile EV 4.2 PS – 11 mm.....50, 54 |
| 25443 | OsseoSpeed™ Profile EV 4.2 PS – 13 mm.....50, 54 |
| 25444 | OsseoSpeed™ Profile EV 4.2 PS – 15 mm.....50, 54 |
| 25445 | OsseoSpeed™ Profile EV 4.2 PS – 17 mm.....50, 54 |
| 25446 | OsseoSpeed™ Profile EV 4.8 PS – 8 mm.....52, 54 |
| 25447 | OsseoSpeed™ Profile EV 4.8 PS – 9 mm.....52, 54 |
| 25448 | OsseoSpeed™ Profile EV 4.8 PS – 11 mm.....52, 54 |
| 25449 | OsseoSpeed™ Profile EV 4.8 PS – 13 mm.....52, 54 |
| 25450 | OsseoSpeed™ Profile EV 4.8 PS – 15 mm.....52, 54 |
| 25451 | OsseoSpeed™ Profile EV 4.8 PS – 17 mm.....52, 54 |
| 25452 | OsseoSpeed™ Profile EV 4.2 PC – 8 mm.....50, 54 |
| 25453 | OsseoSpeed™ Profile EV 4.2 PC – 9 mm.....50, 54 |
| 25454 | OsseoSpeed™ Profile EV 4.2 PC – 11 mm.....50, 54 |
| 25455 | OsseoSpeed™ Profile EV 4.2 PC – 13 mm.....50, 54 |
| 25456 | OsseoSpeed™ Profile EV 4.2 PC – 15 mm.....50, 54 |
| 25457 | OsseoSpeed™ Profile EV 4.2 PC – 17 mm.....50, 54 |
| 25458 | OsseoSpeed™ Profile EV 4.8 PC – 8 mm.....52, 54 |
| 25459 | OsseoSpeed™ Profile EV 4.8 PC – 9 mm.....52, 54 |
| 25460 | OsseoSpeed™ Profile EV 4.8 PC – 11 mm.....52, 54 |
| 25461 | OsseoSpeed™ Profile EV 4.8 PC – 13 mm.....52, 54 |
| 25462 | OsseoSpeed™ Profile EV 4.8 PC – 15 mm.....52, 54 |
| 25463 | OsseoSpeed™ Profile EV 4.8 PC – 17 mm.....52, 54 |
| 25464 | Implant Driver Profile EV 4.2 Short.....55 |
| 25465 | Implant Driver Profile EV 4.2 Long55 |
| 25466 | Implant Driver Profile EV 4.8 Short.....55 |
| 25467 | Implant Driver Profile EV 4.8 Long55 |
| 25476 | Lab Abutment Screw EV 3.0.....5, 25, 47 |
| 25477 | Lab Abutment Screw EV 3.6 – M1.6.....7, 25, 47 |
| 25478 | Lab Abutment Screw EV 4.2 – M1.89, 25, 47, 50, 59 |
| 25479 | Lab Abutment Screw EV 4.8 – M211, 25, 47, 52, 59 |
| 25480 | Lab Abutment Screw EV 5.4 – M213, 25, 47 |
| 25481 | Bridge Screw EV – M1.8.....5, 7, 9, 11, 13, 30, 47, 51, 53 |
| 25482 | X – Step Drill EV Ø 2.5/2.85, 6–13 mm.....41 |
| 25483 | X – Step Drill EV Ø 3.1/3.45, 6–13 mm.....41 |
| 25484 | X – Step Drill EV Ø 3.7/4.05, 6–13 mm.....41 |
| 25485 | X – Step Drill EV Ø 4.3/4.65, 6–13 mm.....41 |
| 25486 | X – Step Drill EV Ø 4.9/5.25, 6–13 mm.....41 |
| 25487 | A 6 mm – Cortical Drill EV Ø 3.1/3.339 |
| 25488 | A – Cortical Drill EV Ø 3.1/3.339 |
| 25490 | A – Cortical Drill EV Ø 3.7/3.939 |
| 25492 | A – Cortical Drill EV Ø 4.3/4.5.....39 |
| 25494 | Direct Abutment™ EV 4.2 Ø 6 – 1 mm.....9, 26, 51 |
| 25495 | Direct Abutment™ EV 4.2 Ø 6 – 2 mm.....9, 26, 51 |
| 25496 | Direct Abutment™ EV 4.2 Ø 6 – 3 mm.....9, 26, 51 |
| 25497 | Direct Abutment™ EV 4.8 Ø 6 – 1 mm.....11, 26, 53 |
| 25498 | Direct Abutment™ EV 4.8 Ø 6 – 2 mm.....11, 26, 53 |
| 25499 | Direct Abutment™ EV 4.8 Ø 6 – 3 mm.....11, 26, 53 |

| REF | page |
|-------|---|
| 25500 | Radiographic Implant Guides EV 44 |
| 25501 | HealDesign™ EV 4.2 Ø 5 – 3.5 mm 8, 18, 50 |
| 25502 | HealDesign™ EV 4.8 Ø 5 – 3.5 mm 10, 18, 52 |
| 25503 | TempDesign EV 3.0 4, 21 |
| 25504 | TempDesign EV 3.6 6, 21 |
| 25505 | TempDesign EV 4.2 8, 21 |
| 25506 | TempDesign EV 4.8 10, 21 |
| 25507 | TempDesign EV 5.4 12, 21 |
| 25508 | Temp Abutment EV 3.0 4, 21 |
| 25509 | Temp Abutment EV 3.6 6, 21 |
| 25510 | Temp Abutment EV 4.2 8, 21 |
| 25511 | Temp Abutment EV 4.8 10, 21 |
| 25512 | Temp Abutment EV 5.4 12, 21 |
| 25513 | Implant Pick-Up EV 3.0 Long 5, 24 |
| 25515 | Implant Pick-Up EV 3.6 Long 7, 24 |
| 25516 | Implant Pick-Up EV 3.6 Short 7, 24 |
| 25517 | Implant Pick-Up EV 4.2 Long 9, 24 |
| 25518 | Implant Pick-Up EV 4.2 Short 9, 24 |
| 25519 | Implant Pick-Up EV 4.8 Long 11, 24 |
| 25520 | Implant Pick-Up EV 4.8 Short 11, 24 |
| 25522 | Implant Pick-Up EV 5.4 Short 13, 24 |
| 25523 | Implant Pick-Up Design EV 3.0 5, 24 |
| 25524 | Implant Pick-Up Design EV 3.6 7, 24 |
| 25525 | Implant Pick-Up Design EV 4.2 9, 24 |
| 25526 | Implant Pick-Up Design EV 4.8 11, 24 |
| 25527 | Implant Pick-Up Design EV 5.4 13, 24 |
| 25528 | Lab Pin Design EV 3.0/3.6 5, 7, 25, 47 |
| 25530 | Lab Pin Design EV 4.2/4.8/5.4 9, 11, 13, 25, 47, 50, 52 |
| 25534 | Implant Transfer EV 3.0 Long 5, 25 |
| 25535 | Implant Transfer EV 3.6 Short 7, 24 |
| 25536 | Implant Transfer EV 3.6 Long 7, 25 |
| 25537 | Implant Transfer EV 4.2 Short 9, 24 |
| 25538 | Implant Transfer EV 4.2 Long 9, 25 |
| 25539 | Implant Transfer EV 4.8 Short 11, 24 |
| 25540 | Implant Transfer EV 4.8 Long 11, 25 |
| 25541 | Implant Transfer EV 5.4 Short 13, 24 |
| 25542 | Implant Transfer EV 5.4 Long 13, 25 |
| 25543 | Implant Replica EV 3.0 5, 25 |
| 25544 | Implant Replica EV 3.6 7, 25 |
| 25545 | Implant Replica EV 4.2 9, 25 |
| 25546 | Implant Replica EV 4.8 11, 25 |
| 25547 | Implant Replica EV 5.4 13, 25 |
| 25555 | Uni Abutment EV 3.0 – 2 mm 4, 29 |
| 25556 | Uni Abutment EV 3.0 – 3 mm 4, 29 |
| 25557 | Uni Abutment EV 3.0 – 5 mm 4, 29 |
| 25558 | Uni Abutment EV 3.6 – 1 mm 6, 29 |
| 25559 | Uni Abutment EV 3.6 – 2 mm 6, 29 |
| 25560 | Uni Abutment EV 3.6 – 3 mm 6, 29 |
| 25561 | Uni Abutment EV 3.6 – 5 mm 6, 29 |
| 25562 | Uni Abutment EV 4.2 – 1 mm 8, 29, 50 |
| 25563 | Uni Abutment EV 4.2 – 2 mm 8, 29, 50 |
| 25564 | Uni Abutment EV 4.2 – 3 mm 8, 29, 50 |
| 25565 | Uni Abutment EV 4.2 – 5 mm 8, 29, 50 |
| 25566 | Uni Abutment EV 4.8 – 1 mm 10, 29, 52 |
| 25567 | Uni Abutment EV 4.8 – 2 mm 10, 29, 52 |
| 25568 | Uni Abutment EV 4.8 – 3 mm 10, 29, 52 |
| 25569 | Uni Abutment EV 4.8 – 5 mm 10, 29, 52 |
| 25570 | Uni Abutment EV 5.4 – 1 mm 12, 29 |
| 25571 | Uni Abutment EV 5.4 – 2 mm 12, 29 |
| 25572 | Uni Abutment EV 5.4 – 3 mm 12, 29 |
| 25573 | Uni Abutment EV 5.4 – 5 mm 12, 29 |
| 25574 | Healing Uni EV 3.0 – 2 mm 4, 19 |
| 25575 | Healing Uni EV 3.0 – 3 mm 4, 19 |
| 25576 | Healing Uni EV 3.0 – 4 mm 4, 19 |
| 25577 | Healing Uni EV 3.0 – 6 mm 4, 19 |
| 25578 | Healing Uni EV 3.6 – 3 mm/Ø 4 6, 19 |
| 25579 | Healing Uni EV 4.2 – 3 mm/Ø 4 8, 19, 50 |

| REF | page |
|-------|--|
| 25580 | Healing Uni EV 4.8 – 3 mm/Ø 4.3 10, 19, 52 |
| 25581 | Healing Uni EV 5.4 – 3 mm/Ø 4.8 12, 19 |
| 25582 | Cover Screw Profile EV 4.2 50, 55 |
| 25583 | Cover Screw Profile EV 4.8 52, 55 |
| 25584 | HealDesign™ Profile EV 4.2, Ø 5 50, 56 |
| 25585 | HealDesign™ Profile EV 4.2, Ø 5 Triangular 50, 56 |
| 25586 | HealDesign™ Profile EV 4.2, Ø 6.5 Triangular 50, 56 |
| 25587 | HealDesign™ Profile EV 4.2, Ø 5 50, 56 |
| 25588 | HealDesign™ Profile EV 4.8, Ø 5 Triangular 52, 56 |
| 25589 | HealDesign™ Profile EV 4.8, Ø 6.5 52, 56 |
| 25590 | HealDesign™ Profile EV 4.8, Ø 6.5 Triangular 52, 56 |
| 25591 | HealDesign™ Profile EV 4.8, Ø 5 52, 56 |
| 25592 | TiDesign™ Profile EV 4.2, Ø 5.5 Triangular 50, 58 |
| 25593 | TiDesign™ Profile EV 4.2, Ø 7.0 Triangular 50, 58 |
| 25594 | TiDesign™ Profile EV 4.2, Ø 5.5 50, 58 |
| 25595 | TiDesign™ Profile EV 4.2, Ø 5.5 15° 50, 58 |
| 25596 | TiDesign™ Profile EV 4.8, Ø 5.5 Triangular 52, 58 |
| 25597 | TiDesign™ Profile EV 4.8, Ø 7.0 Triangular 52, 58 |
| 25598 | TiDesign™ Profile EV 4.8, Ø 7.0 52, 58 |
| 25599 | TiDesign™ Profile EV 4.8, Ø 5.5 15° 52, 58 |
| 25600 | Implant Pick-Up Profile EV 4.2, Long 50, 59 |
| 25601 | Implant Pick-Up Profile EV 4.2, Short 50, 59 |
| 25602 | Implant Pick-Up Profile EV 4.8, Long 52, 59 |
| 25603 | Implant Pick-Up Profile EV 4.8, Short 52, 59 |
| 25604 | Implant Pick-Up Design Profile EV 4.2 51, 59 |
| 25605 | Implant Pick-Up Design Profile EV 4.8 53, 59 |
| 25606 | Implant Transfer Profile EV 4.2, Short 51, 59 |
| 25607 | Implant Transfer Profile EV 4.2, Long 51, 59 |
| 25608 | Implant Transfer Profile EV 4.8, Short 53, 59 |
| 25609 | Implant Transfer Profile EV 4.8, Long 53, 59 |
| 25610 | Implant Replica Profile EV 4.2 51, 59 |
| 25611 | Implant Replica Profile EV 4.8 53, 59 |
| 25615 | Uni Abutment EV Replica 5, 7, 9, 11, 13, 30, 51, 53 |
| 25616 | Uni Abutment EV Heal Cap Ø 4.3 – 4.5 mm 4, 6, 8, 10, 12, 30, 50, 52 |
| 25617 | Uni Abutment EV Heal Cap Ø 5.5 – 4.5 mm 4, 6, 8, 10, 12, 30, 50, 52 |
| 25619 | Angled Abutment EV 3.6 20° – 1 mm 6, 31 |
| 25620 | Angled Abutment EV 3.6 20° – 2 mm 6, 31 |
| 25621 | Angled Abutment EV 3.6 20° – 1 mm NI 6, 31 |
| 25622 | Angled Abutment EV 3.6 20° – 2 mm NI 6, 31 |
| 25625 | Angled Abutment EV 4.2 20° – 1 mm 8, 31 |
| 25626 | Angled Abutment EV 4.2 20° – 2 mm 8, 31 |
| 25627 | Angled Abutment EV 4.2 20° – 1 mm NI 8, 31 |
| 25628 | Angled Abutment EV 4.2 20° – 2 mm NI 8, 31 |
| 25631 | Angled Abutment EV 4.8 20° – 1 mm 10, 31 |
| 25632 | Angled Abutment EV 4.8 20° – 2 mm 10, 31 |
| 25633 | Angled Abutment EV 4.8 20° – 1 mm NI 10, 31 |
| 25634 | Angled Abutment EV 4.8 20° – 2 mm NI 10, 31 |
| 25637 | Radiographic Implant Guides Profile EV 55 |
| 25638 | OD Cylinder EV 7, 9, 11, 34, 51, 53 |
| 25641 | Uni Abutment EV Pick-Up Ø 4.3 4, 6, 8, 10, 12, 30, 50, 52 |
| 25642 | Uni Abutment EV Pick-Up Ø 5.5 4, 6, 8, 10, 12, 30, 50, 52 |
| 25643 | Lab Abutment Pin EV Short 5, 7, 9, 11, 13, 30, 47, 51, 53 |
| 25644 | Lab Abutment Pin EV Intermediate 5, 7, 9, 11, 13, 30, 47, 51, 53 |
| 25645 | Lab Abutment Pin EV Long 5, 7, 9, 11, 13, 30, 47, 51, 53 |
| 25646 | Uni Abutment EV Transfer 5, 7, 9, 11, 13, 30, 51, 53 |
| 25647 | Uni Abutment EV Semi-Burnout Cylinder 5, 7, 9, 11, 13, 30, 51, 53 |
| 25648 | Uni Abutment EV Temporary Cylinder 5, 7, 9, 11, 13, 30, 51, 53 |
| 25649 | Uni Abutment EV Burnout Cylinder 5, 7, 9, 11, 13, 30, 51, 53 |
| 25650 | Angled Abutment EV Heal Cap 6, 8, 10, 31, 50, 52 |
| 25651 | Angled Abutment EV Pick-Up 6, 8, 10, 31, 50, 52 |
| 25652 | Angled Abutment EV Replica 6, 8, 10, 31, 51, 53 |
| 25653 | Angled Abutment EV Semi-Burnout Cylinder 7, 9, 11, 31, 51, 53 |
| 25654 | Angled Abutment EV Temporary Cylinder 7, 9, 11, 31, 51, 53 |
| 25655 | Angled Abutment EV Burnout Cylinder 7, 9, 11, 31, 51, 53 |
| 25656 | Lab Bridge Screw EV – M1.8 5, 7, 9, 11, 13, 30, 47, 51, 53 |

| REF | page |
|-------|---|
| 25657 | Locator™ Abutment EV 3.6 – 1 mm.....6, 32 |
| 25658 | Locator™ Abutment EV 3.6 – 2 mm.....6, 32 |
| 25659 | Locator™ Abutment EV 3.6 – 3 mm.....6, 32 |
| 25660 | Locator™ Abutment EV 3.6 – 4 mm.....6, 32 |
| 25661 | Locator™ Abutment EV 3.6 – 5 mm.....6, 32 |
| 25662 | Locator™ Abutment EV 4.2 – 1 mm.....8, 32, 50 |
| 25663 | Locator™ Abutment EV 4.2 – 2 mm.....8, 32, 50 |
| 25664 | Locator™ Abutment EV 4.2 – 3 mm.....8, 32, 50 |
| 25665 | Locator™ Abutment EV 4.2 – 4 mm.....8, 32, 50 |
| 25666 | Locator™ Abutment EV 4.2 – 5 mm.....8, 32, 50 |
| 25667 | Locator™ Abutment EV 4.8 – 1 mm.....10, 32, 52 |
| 25668 | Locator™ Abutment EV 4.8 – 2 mm.....10, 32, 52 |
| 25669 | Locator™ Abutment EV 4.8 – 3 mm.....10, 32, 52 |
| 25670 | Locator™ Abutment EV 4.8 – 4 mm.....10, 32, 52 |
| 25671 | Locator™ Abutment EV 4.8 – 5 mm.....10, 32, 52 |
| 25679 | Locator™ Insert Grey.....7, 9, 11, 33, 51, 53 |
| 25684 | Ball Abutment EV 3.6 – 1 mm.....6, 33 |
| 25685 | Ball Abutment EV 3.6 – 2 mm.....6, 33 |
| 25686 | Ball Abutment EV 3.6 – 3 mm.....6, 33 |
| 25687 | Ball Abutment EV 3.6 – 4 mm.....6, 33 |
| 25688 | Ball Abutment EV 3.6 – 5 mm.....6, 33 |
| 25689 | Ball Abutment EV 3.6 – 7 mm.....6, 33 |
| 25690 | Ball Abutment EV 4.2 – 1 mm.....8, 33, 50 |
| 25691 | Ball Abutment EV 4.2 – 2 mm.....8, 33, 50 |
| 25692 | Ball Abutment EV 4.2 – 3 mm.....8, 33, 50 |
| 25693 | Ball Abutment EV 4.2 – 4 mm.....8, 33, 50 |
| 25694 | Ball Abutment EV 4.2 – 5 mm.....8, 33, 50 |
| 25695 | Ball Abutment EV 4.2 – 7 mm.....8, 33, 50 |
| 25696 | Ball Abutment EV 4.8 – 1 mm.....10, 34, 52 |
| 25697 | Ball Abutment EV 4.8 – 2 mm.....10, 34, 52 |
| 25698 | Ball Abutment EV 4.8 – 3 mm.....10, 34, 52 |
| 25699 | Ball Abutment EV 4.8 – 4 mm.....10, 34, 52 |
| 25700 | Ball Abutment EV 4.8 – 5 mm.....10, 34, 52 |
| 25701 | Ball Abutment EV 4.8 – 7 mm.....10, 34, 52 |
| 25708 | Uni Driver EV.....30, 45 |
| 25710 | Implant Depth Gauge EV.....42 |
| 25711 | Mucosal Punch EV Ø 3.5.....43 |
| 25712 | Mucosal Punch EV Ø 4.....43 |
| 25713 | Mucosal Punch EV Ø 4.5.....43 |
| 25714 | Mucosal Punch EV Ø 5.....43 |
| 25715 | Mucosal Punch EV Ø 5.5.....43 |
| 25721 | Large Tray EV, Overlay 1.....36 |
| 25722 | Large Tray EV, Overlay 2.....36 |
| 25723 | Large Tray EV, Overlay 3.....36 |
| 25726 | Abutment Depth Gauge EV 5.4.....46 |
| 25727 | Hex Driver EV Machine Intermediate, 24 mm.....43, 45 |
| 25728 | Hex Driver EV Machine Long, 35 mm.....43, 45 |
| 25730 | Torque Wrench EV Restorative Driver Handle 4x4 Low.....46 |
| 25731 | Mucosal Punch EV Ø 6.5.....43 |
| 25756 | TempDesign™ Profile EV 4.2.....50, 57 |
| 25757 | TempDesign™ Profile EV 4.8.....52, 57 |
| 25758 | Temp Abutment Profile EV 4.2.....50, 57 |
| 25759 | Temp Abutment Profile EV 4.8.....52, 57 |
| 25764 | Direct Driver EV Ø3.3 Ø4.....27, 45 |
| 25765 | Direction Indicator EV.....42 |
| 25766 | Locator™ Driver EV.....32, 45 |
| 25768 | Ball Abutment Driver EV.....33, 46 |
| 25769 | Large Tray EV.....36, 61 |
| 25771 | Hex Driver EV Manual Short, 20 mm.....43, 45, 73 |
| 25772 | Hex Driver EV Manual Intermediate, 31 mm.....43, 45, 73 |
| 25773 | Hex Driver EV Manual Long, 38 mm.....43, 45, 73 |
| 25774 | Torque Wrench EV.....43, 46, 73 |
| 25775 | Torque Wrench EV Surgical Driver Handle.....43, 73 |
| 25776 | Torque Wrench EV Restorative Driver Handle.....46, 73 |
| 25777 | Torque Wrench EV Restorative Driver Handle Low.....46, 73 |
| 25778 | Polishing Protector Uni EV.....47 |
| 25780 | V – Twist Drill EV Ø 2.5, 6–17 mm.....41 |
| 25781 | V – Twist Drill EV Ø 3.1, 6–17 mm.....41 |

| REF | page |
|-------|--|
| 25782 | V – Twist Drill EV Ø 3.7, 6–17 mm.....41 |
| 25783 | V – Twist Drill EV Ø 4.3, 6–17 mm.....41 |
| 25784 | V – Twist Drill EV Ø 4.9, 6–17 mm.....41 |
| 25790 | Hex Driver EV Machine Short, 20 mm.....43, 45 |
| 25792 | Abutment Depth Gauge EV 3.0/3.6.....46 |
| 25793 | Abutment Depth Gauge EV 4.2/4.8.....46 |
| 25794 | Rescue Driver Uni Abutment EV.....72 |
| 25795 | HealDesign™ EV 3.0 Ø 3.5 – 6.5 mm.....4, 18 |
| 25796 | HealDesign™ EV 3.6 Ø 4 – 6.5 mm.....6, 18 |
| 25797 | HealDesign™ EV 4.2 Ø 5 – 6.5 mm.....8, 18, 50 |
| 25798 | HealDesign™ EV 4.8 Ø 6.5 – 6.5 mm.....10, 18, 52 |
| 25799 | HealDesign™ EV 5.4 Ø 6.5 – 6.5 mm.....12, 18 |
| 25826 | Ball Abutment EV Replica.....7, 9, 11, 34, 51, 53 |
| 25827 | Dalbo Plus Duplicating Aid.....6, 8, 10, 34 |
| 25834 | Dalbo Plus Female Part TE Basic, complete.....7, 9, 11, 34, 51, 53 |
| 25835 | Dalbo Plus Screwdriver / Activator.....34, 46 |
| 25843 | Locator™ Insert Orange.....7, 9, 11, 33, 51, 53 |
| 25844 | Dalbo Plus Lamellae retention Insert E.....7, 9, 11, 34 |
| 25846 | Guiding Cylinder EV 3.0.....70 |
| 25847 | Guiding Cylinder EV 3.6.....70 |
| 25848 | Guiding Cylinder EV 4.2, P4.2.....70 |
| 25849 | Guiding Cylinder EV 4.8, P4.8.....70 |
| 25850 | Guiding Cylinder EV 5.4.....70 |
| 25851 | Guiding Cylinder Uni Abutment EV.....70 |
| 25855 | Guiding Cylinder Handle.....70 |
| 25856 | Fragment Fork M1.4/M1.6.....71 |
| 25857 | Fragment Fork M1.8/M2.0.....71 |
| 25858 | Fragment Drill Ø 0.8.....71 |
| 25859 | Fragment Drill Ø 1.0.....71 |
| 25860 | Screw Extractor 0.8.....71 |
| 25861 | Screw Extractor 1.0.....71 |
| 25862 | Thread Cleaner M1.4.....71 |
| 25863 | Thread Cleaner M1.6.....71 |
| 25864 | Thread Cleaner M1.8.....71 |
| 25865 | Thread Cleaner M2.0.....71 |
| 25866 | Trephine Drill 3.0, 6–17 mm.....72 |
| 25867 | Trephine Drill 3.6, 6–17 mm.....72 |
| 25868 | Trephine Drill 4.2, P4.2, 6–17 mm.....72 |
| 25869 | Trephine Drill 4.8, P4.8, 6–17 mm.....72 |
| 25870 | Trephine Drill 5.4, 6–17 mm.....72 |
| 25886 | Trephine Drill 4.2, P4.2, 6–13 mm.....72 |
| 25887 | Trephine Drill 4.8, P4.8, 6–13 mm.....72 |
| 25888 | Trephine Drill 5.4, 6–13 mm.....72 |
| 25890 | Angled Abutment Profile EV 4.2, 20°.....50, 58 |
| 25891 | Angled Abutment Profile EV 4.2, 20°.....50, 58 |
| 25892 | Angled Abutment Profile EV 4.8, 20°.....52, 58 |
| 25893 | Angled Abutment Profile EV 4.8, 20°.....52, 58 |
| 25901 | HealDesign™ EV 3.0, Ø 3.5 – 2.5 mm.....18 |
| 25902 | HealDesign™ EV 3.6, Ø 4 – 2.5 mm.....18 |
| 25903 | HealDesign™ EV 3.6, Ø 4 – 5 mm.....18 |
| 25904 | HealDesign™ EV 3.6, Ø 5 – 4.5 mm.....18 |
| 25905 | HealDesign™ EV 3.6, Ø 5 – 6.5 mm.....18 |
| 25906 | HealDesign™ EV 3.6, Ø 6 – 3.5 mm.....18 |
| 25907 | HealDesign™ EV 3.6, Ø 6 – 4.5 mm.....18 |
| 25908 | HealDesign™ EV 4.2, Ø 5 – 2.5 mm.....18, 50 |
| 25909 | HealDesign™ EV 4.2, Ø 6.5 – 2.5 mm.....18, 50 |
| 25910 | HealDesign™ EV 4.2, Ø 6.5 – 3.5 mm.....18, 50 |
| 25911 | HealDesign™ EV 4.2, Ø 6.5 – 4.5 mm.....18, 50 |
| 25912 | HealDesign™ EV 4.2, Ø 6.5 – 6.5 mm.....18, 50 |
| 25913 | HealDesign™ EV 4.8, Ø 5 – 2.5 mm.....18, 52 |
| 25914 | HealDesign™ EV 4.8, Ø 5 – 4.5 mm.....18, 52 |
| 25915 | HealDesign™ EV 4.8, Ø 5 – 6.5 mm.....18, 52 |
| 25916 | HealDesign™ EV 4.8, Ø 6.5 – 2.5 mm.....18, 52 |
| 25917 | HealDesign™ EV 4.8, Ø 6.5 – 3.5 mm.....18, 52 |
| 25918 | HealDesign™ EV 4.8, Ø 7.5 – 3.5 mm.....18, 52 |
| 25919 | HealDesign™ EV 4.8, Ø 7.5 – 4.5 mm.....18, 52 |
| 25920 | HealDesign™ EV 3.6, Ø 5 – 3.5 mm.....18 |
| 25921 | HealDesign™ EV 5.4, Ø 6.5 – 2.5 mm.....18 |

| REF | page |
|-------|---|
| 25922 | HealDesign™ EV 5.4, Ø 7.5 – 3.5 mm..... 18 |
| 25923 | HealDesign™ EV 5.4, Ø 7.5 – 4.5 mm..... 18 |
| 25924 | TitaniumBase EV 3.0 Ø 4 – 5 mm..... 26 |
| 25925 | TitaniumBase EV 3.0 Ø 4 – 6 mm..... 26 |
| 25926 | TitaniumBase EV 3.6 Ø 4.1 – 5 mm..... 26 |
| 25927 | TitaniumBase EV 3.6 Ø 4.1 – 6 mm..... 26 |
| 25928 | TitaniumBase EV 4.2 Ø 4.7 – 5 mm..... 26 |
| 25929 | TitaniumBase EV 4.2 Ø 4.7 – 6 mm..... 26 |
| 25930 | TitaniumBase EV 4.8 Ø 5 – 5 mm..... 26 |
| 25931 | TitaniumBase EV 4.8 Ø 5 – 6 mm..... 26 |
| 25932 | TitaniumBase EV 4.8 Ø 5.5 – 5 mm..... 26 |
| 25933 | TitaniumBase EV 4.8 Ø 5.5 – 6 mm..... 26 |
| 25952 | Uni Abutment EV Heal Cap Short Ø 4.3 – 3.4 mm..... 30, 50, 52 |
| 25953 | Uni Abutment EV Heal Cap Short Ø 5.5 – 3.4 mm..... 30, 50, 52 |
| 26000 | Conical Drill EV-GS, 4.2C, Ø 3.1/4.2, 9-13..... 64 |
| 26001 | Conical Drill EV-GS, 4.2C, Ø 3.1/4.2, 8-11-15..... 64 |
| 26002 | Conical Drill EV-GS, 4.8C, Ø 3.7/4.8, 9-13..... 64 |
| 26003 | Conical Drill EV-GS, 4.8C, Ø 3.7/4.8, 8-11-15..... 64 |
| 26004 | Cortical Drill EV-GS, 3.6, Ø 3.1/3.3..... 64 |
| 26005 | Cortical Drill EV-GS, 3.6, Ø 3.1/3.6..... 64 |
| 26006 | Cortical Drill EV-GS, 4.2, Ø 3.7/3.9..... 64 |
| 26007 | Cortical Drill EV-GS, 4.2, Ø 3.7/4.2..... 64 |
| 26008 | Cortical Drill EV-GS, 4.8, Ø 4.3/4.5..... 64 |
| 26009 | Cortical Drill EV-GS, 4.8, Ø 4.3/4.8..... 64 |
| 26010 | Punch EV-GS Ø 3.6..... 62 |
| 26011 | Punch EV-GS Ø 4.2..... 62 |
| 26012 | Punch EV-GS Ø 4.8..... 62 |
| 26013 | Initial Drill Ø 3.6..... 62 |
| 26014 | Initial Drill Ø 4.2..... 62 |
| 26015 | Initial Drill Ø 4.8..... 62 |
| 26016 | Implant Driver EV-GS 3.6..... 66 |
| 26017 | Implant Driver EV-GS 4.2..... 66 |
| 26018 | Implant Driver EV-GS 4.8..... 66 |
| 26019 | Implant Driver EV-GS Profile 4.2..... 66 |
| 26020 | Implant Driver EV-GS Profile 4.8..... 66 |
| 26021 | Implant Driver Extender EV-GS..... 66 |
| 26022 | Sleeve-on-Drill™ 1-Sleeve Ø1.9 ND..... 67 |
| 26023 | Sleeve-on-Drill™ 3/V-Sleeve Ø3.1 ND..... 67 |
| 26024 | Sleeve-on-Drill™ 4/V-Sleeve Ø3.7 ND..... 67 |
| 26025 | Sleeve-on-Drill™ X-Sleeve Ø3.45 ND..... 67 |
| 26026 | Sleeve-on-Drill™ X-Sleeve Ø4.05 ND..... 67 |
| 26027 | Sleeve-on-Drill™ 1-Sleeve Ø1.9 WD..... 67 |
| 26028 | Sleeve-on-Drill™ 3-Sleeve Ø3.1 WD..... 67 |
| 26029 | Sleeve-on-Drill™ 4/V-Sleeve Ø3.7 WD..... 67 |
| 26030 | Sleeve-on-Drill™ 5/V-Sleeve Ø4.3 WD..... 67 |
| 26031 | Sleeve-on-Drill™ X-Sleeve Ø4.05 WD..... 67 |
| 26032 | Sleeve-on-Drill™ X-Sleeve Ø4.65 WD..... 67 |
| 26033 | EV-Stabilization Abutment 3.6, 8-11-15 mm..... 67 |
| 26034 | EV-Stabilization Abutment 3.6, 6-9-13 mm..... 67 |
| 26035 | EV-Stabilization Abutment 4.2, 8-11-15 mm..... 67 |
| 26036 | EV-Stabilization Abutment 4.2, 6-9-13 mm..... 67 |
| 26037 | EV-Stabilization Abutment 4.8, 8-11-15 mm..... 67 |
| 26038 | EV-Stabilization Abutment 4.8, 6-9-13 mm..... 67 |
| 26039 | EV-PositionAid 3.6, 8-11-15 mm..... 66 |
| 26040 | EV-PositionAid 3.6, 6-9-13 mm..... 66 |
| 26041 | EV-PositionAid 4.2, 8-11-15 mm..... 66 |
| 26042 | EV-PositionAid 4.2, 6-9-13 mm..... 66 |
| 26043 | EV-PositionAid 4.8, 8-11-15 mm..... 66 |
| 26044 | EV-PositionAid 4.8, 6-9-13 mm..... 66 |
| 26045 | EV-PositionAid Profile 4.2, 8-11-15 mm..... 66 |
| 26046 | EV-PositionAid Profile 4.2, 6-9-13 mm..... 66 |
| 26047 | EV-PositionAid Profile 4.8, 8-11-15 mm..... 66 |
| 26048 | EV-PositionAid Profile 4.8, 6-9-13 mm..... 66 |
| 26049 | Guide fixation screw..... 67 |
| 26050 | Drill for guide fixation screw..... 67 |
| 26051 | Drill EV-GS, narrow diam. Sleeve, Ø1.9 ND 6-8 mm..... 63 |

| REF | page |
|-----------|--|
| 26052 | Drill EV-GS, narrow diam. Sleeve, Ø1.9 ND 9-11 mm..... 63 |
| 26053 | Drill EV-GS, narrow diam. Sleeve, Ø1.9 ND 13-15 mm..... 63 |
| 26054 | Drill EV-GS, narrow diam. Sleeve, Ø2.5/3.1 ND 6-8 mm..... 63 |
| 26055 | Drill EV-GS, narrow diam. Sleeve, Ø2.5/3.1 ND 9-11 mm..... 63 |
| 26056 | Drill EV-GS, narrow diam. Sleeve, Ø2.5/3.1 ND 13-15 mm..... 63 |
| 26057 | Drill EV-GS, narrow diam. Sleeve, Ø3.1/3.7 ND 6-8 mm..... 63 |
| 26058 | Drill EV-GS, narrow diam. Sleeve, Ø3.1/3.7 ND 9-11 mm..... 63 |
| 26059 | Drill EV-GS, narrow diam. Sleeve, Ø3.1/3.7 ND 13-15 mm..... 63 |
| 26060 | Drill EV-GS, wide diam. Sleeve, Ø1.9 WD 6-8 mm..... 63 |
| 26061 | Drill EV-GS, wide diam. Sleeve, Ø1.9 WD 9-11 mm..... 63 |
| 26062 | Drill EV-GS, wide diam. Sleeve, Ø1.9 WD 13-15 mm..... 63 |
| 26063 | Drill EV-GS, wide diam. Sleeve, Ø2.5/3.1 WD 6-8 mm..... 63 |
| 26064 | Drill EV-GS, wide diam. Sleeve, Ø2.5/3.1 WD 9-11 mm..... 63 |
| 26065 | Drill EV-GS, wide diam. Sleeve, Ø2.5/3.1 WD 13-15 mm..... 63 |
| 26066 | Drill EV-GS, wide diam. Sleeve, Ø3.1/3.7 WD 6-8 mm..... 63 |
| 26067 | Drill EV-GS, wide diam. Sleeve, Ø3.1/3.7 WD 9-11 mm..... 63 |
| 26068 | Drill EV-GS, wide diam. Sleeve, Ø3.1/3.7 WD 13-15 mm..... 63 |
| 26069 | Drill EV-GS, wide diam. Sleeve, Ø3.7/4.3 WD 6-8 mm..... 63 |
| 26070 | Drill EV-GS, wide diam. Sleeve, Ø3.7/4.3 WD 9-11 mm..... 63 |
| 26071 | Drill EV-GS, wide diam. Sleeve, Ø3.7/4.3 WD 13-15 mm..... 63 |
| 26072 | X-Drill EV-GS 3.6-4.2C, Ø 3.1/3.45, 6–8 mm..... 65 |
| 26073 | X-Drill EV-GS 3.6-4.2C, Ø 3.1/3.45, 9–11 mm..... 65 |
| 26074 | X-Drill EV-GS 3.6-4.2C, Ø 3.1/3.45, 13–15 mm..... 65 |
| 26075 | X-Drill EV-GS 4.2, Ø 3.7/4.05, 6–8 mm..... 65 |
| 26076 | X-Drill EV-GS 4.2, Ø 3.7/4.05, 9–11 mm..... 65 |
| 26077 | X-Drill EV-GS 4.2, Ø 3.7/4.05, 13–15 mm..... 65 |
| 26078 | X-Drill EV-GS 4.8C, Ø 3.7/4.05, 6–8 mm..... 65 |
| 26079 | X-Drill EV-GS 4.8C, Ø 3.7/4.05, 9–11 mm..... 65 |
| 26080 | X-Drill EV-GS 4.8C, Ø 3.7/4.05, 13–15 mm..... 65 |
| 26081 | X-Drill EV-GS 4.8, Ø 4.3/4.65, 6–8 mm..... 65 |
| 26082 | X-Drill EV-GS 4.8, Ø 4.3/4.65, 9–11 mm..... 65 |
| 26083 | X-Drill EV-GS 4.8, Ø 4.3/4.65, 13–15 mm..... 65 |
| 26084 | V-Drill EV-GS 3.6-4.2C, Ø 3.1, 6–8 mm..... 65 |
| 26085 | V-Drill EV-GS 3.6-4.2C, Ø 3.1, 9–11 mm..... 65 |
| 26086 | V-Drill EV-GS 3.6-4.2C, Ø 3.1, 13–15 mm..... 65 |
| 26087 | V-Drill EV-GS 4.2, Ø 3.7, 6–8 mm..... 65 |
| 26088 | V-Drill EV-GS 4.2, Ø 3.7, 9–11 mm..... 65 |
| 26089 | V-Drill EV-GS 4.2, Ø 3.7, 13–15 mm..... 65 |
| 26090 | V-Drill EV-GS 4.8C, Ø 3.7, 6–8 mm..... 65 |
| 26091 | V-Drill EV-GS 4.8C, Ø 3.7, 9–11 mm..... 65 |
| 26092 | V-Drill EV-GS 4.8C, Ø 3.7, 13–15 mm..... 65 |
| 26093 | V-Drill EV-GS 4.8, Ø 4.3, 6–8 mm..... 65 |
| 26094 | V-Drill EV-GS 4.8, Ø 4.3, 9–11 mm..... 65 |
| 26095 | V-Drill EV-GS 4.8, Ø 4.3, 13–15 mm..... 65 |
| 26098 | Large Tray EV Proline..... 61 |
| 26099 | Large Tray EV Streamline..... 61 |
| 3107 1000 | Washtray Astra Tech Implant System™ EV..... 37 |
| 3107 1002 | Washtray Sterilization Container ATIS EV..... 37 |
| 3107 1020 | Washtray GS Astra Tech Implant System™ EV..... 37, 61 |
| 34593 | ATLANTIS™ FLO 3.0..... 26 |
| 34594 | ATLANTIS™ FLO 3.6..... 26 |
| 34595 | ATLANTIS™ FLO 4.2..... 26 |
| 34596 | ATLANTIS™ FLO 4.8..... 26 |
| 34597 | ATLANTIS™ FLO 5.4..... 26 |
| 34601 | ATLANTIS™ FLO screwdriver..... 26 |
| 35243 | ATLANTIS™ IO FLO 3.0..... 26 |
| 35244 | ATLANTIS™ IO FLO 3.6..... 26 |
| 35245 | ATLANTIS™ IO FLO 4.2..... 26 |
| 35246 | ATLANTIS™ IO FLO 4.8..... 26 |
| 35247 | ATLANTIS™ IO FLO 5.4..... 26 |
| 36030 | ATLANTIS™ Angulated Screw Access Screwdriver, 18 mm..... 45 |
| 36031 | ATLANTIS™ Angulated Screw Access Screwdriver, 24 mm..... 45 |
| 36032 | ATLANTIS™ Angulated Screw Access Screwdriver, 38 mm..... 45 |
| 68108 | Suction tube Medena..... 44 |
| 68118 | Suction tube Medena..... 44 |
| 68130 | Suction tube Medena..... 44 |

Alphabetical order

| | | |
|-------|---|----------------------|
| 25162 | 1 – Twist Drill EV Ø 1.9, 6–17 mm | 38 |
| 25163 | 1 – Twist Drill EV Ø 1.9, 6–13 mm | 38 |
| 25164 | 2 – Step Drill EV Ø 1.9/2.5, 6–17 mm | 38 |
| 25165 | 2 – Step Drill EV Ø 1.9/2.5, 6–13 mm | 38 |
| 25168 | 3 – Step Drill EV Ø 2.5/3.1, 6–17 mm | 38 |
| 25169 | 3 – Step Drill EV Ø 2.5/3.1, 6–13 mm | 38 |
| 25172 | 4 – Step Drill EV Ø 3.1/3.7, 6–17 mm | 38 |
| 25173 | 4 – Step Drill EV Ø 3.1/3.7, 6–13 mm | 38 |
| 25176 | 5 – Step Drill EV Ø 3.7/4.3, 6–17 mm | 38 |
| 25177 | 5 – Step Drill EV Ø 3.7/4.3, 6–13 mm | 38 |
| 25180 | 6 – Step Drill EV Ø 4.3/4.9, 6–17 mm | 38 |
| 25181 | 6 – Step Drill EV Ø 4.3/4.9, 6–13 mm | 38 |
| 25487 | A 6 mm – Cortical Drill EV Ø 3.1/3.3 | 39 |
| 25412 | A 6 mm – Cortical Drill EV Ø 3.7/3.9 | 39 |
| 25420 | A 6 mm – Cortical Drill EV Ø 4.3/4.5 | 39 |
| 25422 | A 6 mm – Cortical Drill EV Ø 4.9/5.1 | 39 |
| 25423 | A – Cortical Drill EV Ø 2.5/2.7 | 39 |
| 25488 | A – Cortical Drill EV Ø 3.1/3.3 | 39 |
| 25490 | A – Cortical Drill EV Ø 3.7/3.9 | 39 |
| 25492 | A – Cortical Drill EV Ø 4.3/4.5 | 39 |
| 25431 | A – Cortical Drill EV Ø 4.9/5.1 | 39 |
| 25188 | A/B – Conical Drill EV Ø 3.1/4.2 | 40 |
| 25190 | A/B – Conical Drill EV Ø 3.7/4.8 | 40 |
| 25792 | Abutment Depth Gauge EV 3.0/3.6 | 46 |
| 25793 | Abutment Depth Gauge EV 4.2/4.8 | 46 |
| 25726 | Abutment Depth Gauge EV 5.4 | 46 |
| 22429 | Abutment Retriever | 72 |
| 25203 | Abutment Screw EV 3.0 | 21 |
| 25204 | Abutment Screw EV 3.6 | 21 |
| 25205 | Abutment Screw EV 4.2 | 21, 57 |
| 25206 | Abutment Screw EV 4.8 | 21, 57 |
| 25207 | Abutment Screw EV 5.4 | 21 |
| 25619 | Angled Abutment EV 3.6 20° – 1 mm | 6, 31 |
| 25620 | Angled Abutment EV 3.6 20° – 2 mm | 6, 31 |
| 25621 | Angled Abutment EV 3.6 20° – 1 mm NI | 6, 31 |
| 25622 | Angled Abutment EV 3.6 20° – 2 mm NI | 6, 31 |
| 25625 | Angled Abutment EV 4.2 20° – 1 mm | 8, 31 |
| 25626 | Angled Abutment EV 4.2 20° – 2 mm | 8, 31 |
| 25627 | Angled Abutment EV 4.2 20° – 1 mm NI | 8, 31 |
| 25628 | Angled Abutment EV 4.2 20° – 2 mm NI | 8, 31 |
| 25631 | Angled Abutment EV 4.8 20° – 1 mm | 10, 31 |
| 25632 | Angled Abutment EV 4.8 20° – 2 mm | 10, 31 |
| 25633 | Angled Abutment EV 4.8 20° – 1 mm NI | 10, 31 |
| 25634 | Angled Abutment EV 4.8 20° – 2 mm NI | 10, 31 |
| 25655 | Angled Abutment EV Burnout Cylinder | 7, 9, 11, 31, 51, 53 |
| 25650 | Angled Abutment EV Heal Cap | 6, 8, 10, 31, 50, 52 |
| 25651 | Angled Abutment EV Pick-Up | 6, 8, 10, 31, 50, 52 |
| 25652 | Angled Abutment EV Replica | 6, 8, 10, 31, 51, 53 |
| 25653 | Angled Abutment EV Semi-Burnout Cylinder | 7, 9, 11, 31, 51, 53 |
| 25654 | Angled Abutment EV Temporary Cylinder | 7, 9, 11, 31, 51, 53 |
| 25890 | Angled Abutment Profile EV 4.2, 20° | 50, 58 |
| 25891 | Angled Abutment Profile EV 4.2, 20° | 50, 58 |
| 25892 | Angled Abutment Profile EV 4.8, 20° | 52, 58 |
| 25893 | Angled Abutment Profile EV 4.8, 20° | 52, 58 |
| 34593 | ATLANTIS™ FLO 3.0 | 26 |
| 34594 | ATLANTIS™ FLO 3.6 | 26 |
| 34595 | ATLANTIS™ FLO 4.2 | 26 |
| 34596 | ATLANTIS™ FLO 4.8 | 26 |
| 34597 | ATLANTIS™ FLO 5.4 | 26 |
| 34601 | ATLANTIS™ FLO screwdriver | 26 |
| 35243 | ATLANTIS™ IO FLO 3.0 | 26 |
| 35244 | ATLANTIS™ IO FLO 3.6 | 26 |
| 35245 | ATLANTIS™ IO FLO 4.2 | 26 |
| 35246 | ATLANTIS™ IO FLO 4.8 | 26 |
| 35247 | ATLANTIS™ IO FLO 5.4 | 26 |
| 36030 | ATLANTIS™ Angulated Screw Access Screwdriver, 18 mm | 45 |
| 36031 | ATLANTIS™ Angulated Screw Access Screwdriver, 24 mm | 45 |

REF

page

| | | |
|-------|---|---------------------------------|
| 36032 | ATLANTIS™ Angulated Screw Access Screwdriver, 38 mm | 45 |
| 25411 | B 6 mm – Cortical Drill EV Ø 3.1/3.6 | 40 |
| 25419 | B 6 mm – Cortical Drill EV Ø 3.7/4.2 | 39 |
| 25421 | B 6 mm – Cortical Drill EV Ø 4.3/4.8 | 40 |
| 25424 | B 6 mm – Cortical Drill EV Ø 4.9/5.4 | 40 |
| 25193 | B – Cortical Drill EV Ø 2.5/3.0 | 39 |
| 25195 | B – Cortical Drill EV Ø 3.1/3.6 | 39 |
| 25197 | B – Cortical Drill EV Ø 3.7/4.2 | 39 |
| 25199 | B – Cortical Drill EV Ø 4.3/4.8 | 39 |
| 25201 | B – Cortical Drill EV Ø 4.9/5.4 | 39 |
| 25768 | Ball Abutment Driver EV | 33, 46 |
| 25684 | Ball Abutment EV 3.6 – 1 mm | 6, 33 |
| 25685 | Ball Abutment EV 3.6 – 2 mm | 6, 33 |
| 25686 | Ball Abutment EV 3.6 – 3 mm | 6, 33 |
| 25687 | Ball Abutment EV 3.6 – 4 mm | 6, 33 |
| 25688 | Ball Abutment EV 3.6 – 5 mm | 6, 33 |
| 25689 | Ball Abutment EV 3.6 – 7 mm | 6, 33 |
| 25690 | Ball Abutment EV 4.2 – 1 mm | 8, 33, 50 |
| 25691 | Ball Abutment EV 4.2 – 2 mm | 8, 33, 50 |
| 25692 | Ball Abutment EV 4.2 – 3 mm | 8, 33, 50 |
| 25693 | Ball Abutment EV 4.2 – 4 mm | 8, 33, 50 |
| 25694 | Ball Abutment EV 4.2 – 5 mm | 8, 33, 50 |
| 25695 | Ball Abutment EV 4.2 – 7 mm | 8, 33, 50 |
| 25696 | Ball Abutment EV 4.8 – 1 mm | 10, 34, 52 |
| 25697 | Ball Abutment EV 4.8 – 2 mm | 10, 34, 52 |
| 25698 | Ball Abutment EV 4.8 – 3 mm | 10, 34, 52 |
| 25699 | Ball Abutment EV 4.8 – 4 mm | 10, 34, 52 |
| 25700 | Ball Abutment EV 4.8 – 5 mm | 10, 34, 52 |
| 25701 | Ball Abutment EV 4.8 – 7 mm | 10, 34, 52 |
| 25826 | Ball Abutment EV Replica | 7, 9, 11, 34, 51, 53 |
| 22179 | BoneTrap | 44 |
| 25481 | Bridge Screw EV – M1.8 | 5, 7, 9, 11, 13, 30, 47, 51, 53 |
| 25326 | CastDesign™ EV 3.6 | 6, 23 |
| 25327 | CastDesign™ EV 4.2 | 8, 23 |
| 25328 | CastDesign™ EV 4.8 | 10, 23 |
| 25329 | CastDesign™ EV 5.4 | 12, 23 |
| 26000 | Conical Drill EV-GS, 4.2C, Ø 3.1/4.2, 9-13 | 64 |
| 26001 | Conical Drill EV-GS, 4.2C, Ø 3.1/4.2, 8-11-15 | 64 |
| 26002 | Conical Drill EV-GS, 4.8C, Ø 3.7/4.8, 9-13 | 64 |
| 26003 | Conical Drill EV-GS, 4.8C, Ø 3.7/4.8, 8-11-15 | 64 |
| 22903 | Contra Angle W&H WS-75 E/KM AE | 44 |
| 24350 | Contra Angle W&H WI-75 E/KM | 44 |
| 26004 | Cortical Drill EV-GS, 3.6, Ø 3.1/3.3 | 64 |
| 26005 | Cortical Drill EV-GS, 3.6, Ø 3.1/3.6 | 64 |
| 26006 | Cortical Drill EV-GS, 4.2, Ø 3.7/3.9 | 64 |
| 26007 | Cortical Drill EV-GS, 4.2, Ø 3.7/4.2 | 64 |
| 26008 | Cortical Drill EV-GS, 4.8, Ø 4.3/4.5 | 64 |
| 26009 | Cortical Drill EV-GS, 4.8, Ø 4.3/4.8 | 64 |
| 25280 | Cover Screw EV 3.0 | 4, 17 |
| 25281 | Cover Screw EV 3.6 – 0 mm | 6, 17 |
| 25282 | Cover Screw EV 4.2 – 0 mm | 8, 17 |
| 25283 | Cover Screw EV 4.8 – 0 mm | 10, 17 |
| 25284 | Cover Screw EV 5.4 – 0 mm | 12, 17 |
| 25582 | Cover Screw Profile EV 4.2 | 50, 55 |
| 25583 | Cover Screw Profile EV 4.8 | 52, 55 |
| 25827 | Dalbo Plus Duplicating Aid | 6, 8, 10, 34 |
| 25834 | Dalbo Plus Female Part TE Basic, complete | 7, 9, 11, 34, 51, 53 |
| 25844 | Dalbo Plus Lamellae retention Insert E | 7, 9, 11, 34 |
| 25835 | Dalbo Plus Screwdriver / Activator | 34, 46 |
| 25361 | Direct Abutment™ EV 3.0 Ø 3.3 – 1 mm | 5, 27 |
| 25362 | Direct Abutment™ EV 3.0 Ø 3.3 – 2 mm | 5, 27 |
| 25363 | Direct Abutment™ EV 3.0 Ø 3.3 – 3 mm | 5, 27 |
| 25364 | Direct Abutment™ EV 3.6 Ø 4 – 1 mm | 7, 27 |
| 25365 | Direct Abutment™ EV 3.6 Ø 4 – 2 mm | 7, 27 |
| 25366 | Direct Abutment™ EV 3.6 Ø 4 – 3 mm | 7, 27 |
| 25367 | Direct Abutment™ EV 4.2 Ø 5 – 1 mm | 9, 27, 51 |
| 25368 | Direct Abutment™ EV 4.2 Ø 5 – 2 mm | 9, 27, 51 |
| 25369 | Direct Abutment™ EV 4.2 Ø 5 – 3 mm | 9, 27, 51 |

| REF | page |
|-------|---|
| 25494 | Direct Abutment™ EV 4.2 Ø 6 – 1 mm.....9, 26, 51 |
| 25495 | Direct Abutment™ EV 4.2 Ø 6 – 2 mm.....9, 26, 51 |
| 25496 | Direct Abutment™ EV 4.2 Ø 6 – 3 mm.....9, 26, 51 |
| 25370 | Direct Abutment™ EV 4.8 Ø 5 – 1 mm.....11, 27, 53 |
| 25371 | Direct Abutment™ EV 4.8 Ø 5 – 2 mm.....11, 27, 53 |
| 25372 | Direct Abutment™ EV 4.8 Ø 5 – 3 mm.....11, 27, 53 |
| 25497 | Direct Abutment™ EV 4.8 Ø 6 – 1 mm.....11, 26, 53 |
| 25498 | Direct Abutment™ EV 4.8 Ø 6 – 2 mm.....11, 26, 53 |
| 25499 | Direct Abutment™ EV 4.8 Ø 6 – 3 mm.....11, 26, 53 |
| 25373 | Direct Abutment™ EV 5.4 Ø 6 – 1 mm.....13, 27 |
| 25374 | Direct Abutment™ EV 5.4 Ø 6 – 2 mm.....13, 27 |
| 25375 | Direct Abutment™ EV 5.4 Ø 6 – 3 mm.....13, 27 |
| 25406 | Direct Abutment™ EV Burnout Cap 3.3.....28 |
| 25407 | Direct Abutment™ EV Burnout Cap 4.....28 |
| 25408 | Direct Abutment™ EV Burnout Cap 5.....28 |
| 25409 | Direct Abutment™ EV Burnout Cap 6.....28 |
| 25310 | Direct Abutment™ EV Heal Cap 3.3.....28 |
| 25311 | Direct Abutment™ EV Heal Cap 4.....28 |
| 25312 | Direct Abutment™ EV Heal Cap 5.....28 |
| 25313 | Direct Abutment™ EV Heal Cap 6.....28 |
| 25396 | Direct Abutment™ EV Pick-Up 3.3.....28 |
| 25397 | Direct Abutment™ EV Pick-Up 4.....28 |
| 25398 | Direct Abutment™ EV Pick-Up 5.....28 |
| 25399 | Direct Abutment™ EV Pick-Up 6.....28 |
| 25401 | Direct Abutment™ EV Replica 3.3.....28 |
| 25402 | Direct Abutment™ EV Replica 4.....28 |
| 25403 | Direct Abutment™ EV Replica 5.....28 |
| 25404 | Direct Abutment™ EV Replica 6.....28 |
| 25764 | Direct Driver EV Ø3.3 Ø4.....27, 45 |
| 25346 | Direct EV API™ Ø 3.3.....5, 28 |
| 25347 | Direct EV API™ Ø 4.....7, 28 |
| 25348 | Direct EV API™ Ø 5.....9, 11, 28, 50, 52 |
| 25349 | Direct EV API™ Ø 6.....9, 11, 28, 50, 52 |
| 25765 | Direction Indicator EV.....42 |
| 22176 | Disposable Irrigation Set.....44 |
| 26051 | Drill EV-GS, narrow diam. Sleeve, Ø1.9 ND 6-8 mm.....63 |
| 26052 | Drill EV-GS, narrow diam. Sleeve, Ø1.9 ND 9-11 mm.....63 |
| 26053 | Drill EV-GS, narrow diam. Sleeve, Ø1.9 ND 13-15 mm.....63 |
| 26054 | Drill EV-GS, narrow diam. Sleeve, Ø2.5/3.1 ND 6-8 mm.....63 |
| 26055 | Drill EV-GS, narrow diam. Sleeve, Ø2.5/3.1 ND 9-11 mm.....63 |
| 26056 | Drill EV-GS, narrow diam. Sleeve, Ø2.5/3.1 ND 13-15 mm.....63 |
| 26057 | Drill EV-GS, narrow diam. Sleeve, Ø3.1/3.7 ND 6-8 mm.....63 |
| 26058 | Drill EV-GS, narrow diam. Sleeve, Ø3.1/3.7 ND 9-11 mm.....63 |
| 26059 | Drill EV-GS, narrow diam. Sleeve, Ø3.1/3.7 ND 13-15 mm.....63 |
| 26060 | Drill EV-GS, wide diam. Sleeve, Ø1.9 WD 6-8 mm.....63 |
| 26061 | Drill EV-GS, wide diam. Sleeve, Ø1.9 WD 9-11 mm.....63 |
| 26062 | Drill EV-GS, wide diam. Sleeve, Ø1.9 WD 13-15 mm.....63 |
| 26063 | Drill EV-GS, wide diam. Sleeve, Ø2.5/3.1 WD 6-8 mm.....63 |
| 26064 | Drill EV-GS, wide diam. Sleeve, Ø2.5/3.1 WD 9-11 mm.....63 |
| 26065 | Drill EV-GS, wide diam. Sleeve, Ø2.5/3.1 WD 13-15 mm.....63 |
| 26066 | Drill EV-GS, wide diam. Sleeve, Ø3.1/3.7 WD 6-8 mm.....63 |
| 26067 | Drill EV-GS, wide diam. Sleeve, Ø3.1/3.7 WD 9-11 mm.....63 |
| 26068 | Drill EV-GS, wide diam. Sleeve, Ø3.1/3.7 WD 13-15 mm.....63 |
| 26069 | Drill EV-GS, wide diam. Sleeve, Ø3.7/4.3 WD 6-8 mm.....63 |
| 26070 | Drill EV-GS, wide diam. Sleeve, Ø3.7/4.3 WD 9-11 mm.....63 |
| 26071 | Drill EV-GS, wide diam. Sleeve, Ø3.7/4.3 WD 13-15 mm.....63 |
| 26050 | Drill for guide fixation screw.....67 |
| 26039 | EV-PositionAid 3.6, 8-11-15 mm.....66 |
| 26040 | EV-PositionAid 3.6, 6-9-13 mm.....66 |
| 26041 | EV-PositionAid 4.2, 8-11-15 mm.....66 |
| 26042 | EV-PositionAid 4.2, 6-9-13 mm.....66 |
| 26043 | EV-PositionAid 4.8, 8-11-15 mm.....66 |
| 26044 | EV-PositionAid 4.8, 6-9-13 mm.....66 |
| 26045 | EV-PositionAid Profile 4.2, 8-11-15 mm.....66 |
| 26046 | EV-PositionAid Profile 4.2, 6-9-13 mm.....66 |
| 26047 | EV-PositionAid Profile 4.8, 8-11-15 mm.....66 |
| 26048 | EV-PositionAid Profile 4.8, 6-9-13 mm.....66 |
| 26033 | EV-Stabilization Abutment 3.6, 8-11-15 mm.....67 |

| REF | page |
|-------|---|
| 26034 | EV-Stabilization Abutment 3.6, 6-9-13 mm.....67 |
| 26035 | EV-Stabilization Abutment 4.2, 8-11-15 mm.....67 |
| 26036 | EV-Stabilization Abutment 4.2, 6-9-13 mm.....67 |
| 26037 | EV-Stabilization Abutment 4.8, 8-11-15 mm.....67 |
| 26038 | EV-Stabilization Abutment 4.8, 6-9-13 mm.....67 |
| 25858 | Fragment Drill Ø 0.8.....71 |
| 25859 | Fragment Drill Ø 1.0.....71 |
| 25856 | Fragment Fork M1.4/M1.6.....71 |
| 25857 | Fragment Fork M1.8/M2.0.....71 |
| 22437 | Forceps – 94 mm.....42 |
| 22740 | Grinding Handle.....47 |
| 25160 | Guide Drill EV.....38 |
| 26049 | Guide fixation screw.....67 |
| 25846 | Guiding Cylinder EV 3.0.....70 |
| 25847 | Guiding Cylinder EV 3.6.....70 |
| 25848 | Guiding Cylinder EV 4.2, P4.2.....70 |
| 25849 | Guiding Cylinder EV 4.8, P4.8.....70 |
| 25850 | Guiding Cylinder EV 5.4.....70 |
| 25855 | Guiding Cylinder Handle.....70 |
| 25851 | Guiding Cylinder Uni Abutment EV.....70 |
| 25901 | HealDesign™ EV 3.0 Ø 3.5 – 2.5 mm.....18 |
| 25298 | HealDesign™ EV 3.0 Ø 3.5 – 3.5 mm.....4, 18 |
| 25297 | HealDesign™ EV 3.0 Ø 3.5 – 4.5 mm.....4, 18 |
| 25795 | HealDesign™ EV 3.0 Ø 3.5 – 6.5 mm.....4, 18 |
| 25902 | HealDesign™ EV 3.6 Ø 4 – 2.5 mm.....18 |
| 25300 | HealDesign™ EV 3.6 Ø 4 – 3.5 mm.....6, 18 |
| 25299 | HealDesign™ EV 3.6 Ø 4 – 4.5 mm.....6, 18 |
| 25903 | HealDesign™ EV 3.6 Ø 4 – 5 mm.....18 |
| 25796 | HealDesign™ EV 3.6 Ø 4 – 6.5 mm.....6, 18 |
| 25920 | HealDesign™ EV 3.6 Ø 5 – 3.5 mm.....18 |
| 25301 | HealDesign™ EV 3.6 Ø 5 – 3.5 mm Triangular.....6, 18 |
| 25904 | HealDesign™ EV 3.6 Ø 5 – 4.5 mm.....18 |
| 25905 | HealDesign™ EV 3.6 Ø 5 – 6.5 mm.....18 |
| 25906 | HealDesign™ EV 3.6 Ø 6 – 3.5 mm.....18 |
| 25907 | HealDesign™ EV 3.6 Ø 6 – 4.5 mm.....18 |
| 25908 | HealDesign™ EV 4.2 Ø 5 – 2.5 mm.....18, 50 |
| 25501 | HealDesign™ EV 4.2 Ø 5 – 3.5 mm.....8, 18, 50 |
| 25303 | HealDesign™ EV 4.2 Ø 5 – 3.5 mm Triangular.....8, 18 |
| 25302 | HealDesign™ EV 4.2 Ø 5 – 4.5 mm.....8, 18, 50 |
| 25797 | HealDesign™ EV 4.2 Ø 5 – 6.5 mm.....8, 18, 50 |
| 25909 | HealDesign™ EV 4.2 Ø 6.5 – 2.5 mm.....18, 50 |
| 25910 | HealDesign™ EV 4.2 Ø 6.5 – 3.5 mm.....18, 50 |
| 25304 | HealDesign™ EV 4.2 Ø 6.5 – 3.5 mm Triangular.....8, 18 |
| 25911 | HealDesign™ EV 4.2 Ø 6.5 – 4.5 mm.....18, 50 |
| 25912 | HealDesign™ EV 4.2 Ø 6.5 – 6.5 mm.....18, 50 |
| 25913 | HealDesign™ EV 4.8 Ø 5 – 2.5 mm.....18, 52 |
| 25502 | HealDesign™ EV 4.8 Ø 5 – 3.5 mm.....10, 18, 52 |
| 25305 | HealDesign™ EV 4.8 Ø 5 – 3.5 mm Triangular.....10, 18 |
| 25914 | HealDesign™ EV 4.8 Ø 5 – 4.5 mm.....18, 52 |
| 25915 | HealDesign™ EV 4.8 Ø 5 – 6.5 mm.....18, 52 |
| 25916 | HealDesign™ EV 4.8 Ø 6.5 – 2.5 mm.....18, 52 |
| 25917 | HealDesign™ EV 4.8 Ø 6.5 – 3.5 mm.....18, 52 |
| 25306 | HealDesign™ EV 4.8 Ø 6.5 – 4.5 mm.....10, 18, 52 |
| 25798 | HealDesign™ EV 4.8 Ø 6.5 – 6.5 mm.....10, 18, 52 |
| 25307 | HealDesign™ EV 4.8 Ø 6.5 – 3.5 mm Triangular.....10, 18 |
| 25918 | HealDesign™ EV 4.8 Ø 7.5 – 3.5 mm.....18, 52 |
| 25919 | HealDesign™ EV 4.8 Ø 7.5 – 4.5 mm.....18, 52 |
| 25921 | HealDesign™ EV 5.4 Ø 6.5 – 2.5 mm.....18 |
| 25308 | HealDesign™ EV 5.4 Ø 6.5 – 4.5 mm.....12, 18 |
| 25309 | HealDesign™ EV 5.4 Ø 6.5 – 3.5 mm.....12, 18 |
| 25799 | HealDesign™ EV 5.4 Ø 6.5 – 6.5 mm.....12, 18 |
| 25922 | HealDesign™ EV 5.4 Ø 7.5 – 3.5 mm.....18 |
| 25923 | HealDesign™ EV 5.4 Ø 7.5 – 4.5 mm.....18 |
| 25584 | HealDesign™ Profile EV 4.2, Ø 5.....50, 56 |
| 25585 | HealDesign™ Profile EV 4.2, Ø 5 Triangular.....50, 56 |
| 25586 | HealDesign™ Profile EV 4.2, Ø 6.5 Triangular.....50, 56 |
| 25587 | HealDesign™ Profile EV 4.2, Ø 5.....50, 56 |
| 25588 | HealDesign™ Profile EV 4.8, Ø 5 Triangular.....52, 56 |

| REF | page |
|-------|--|
| 25589 | HealDesign™ Profile EV 4.8, Ø 6.552, 56 |
| 25590 | HealDesign™ Profile EV 4.8, Ø 6.5 Triangular.....52, 56 |
| 25591 | HealDesign™ Profile EV 4.8, Ø 552, 56 |
| 25574 | Healing Uni EV 3.0 – 2 mm4, 19 |
| 25575 | Healing Uni EV 3.0 – 3 mm4, 19 |
| 25576 | Healing Uni EV 3.0 – 4 mm4, 19 |
| 25577 | Healing Uni EV 3.0 – 6 mm4, 19 |
| 25285 | Healing Uni EV 3.6 – 2 mm/Ø 4.....6, 19 |
| 25578 | Healing Uni EV 3.6 – 3 mm/Ø 4.....6, 19 |
| 25286 | Healing Uni EV 3.6 – 4 mm/Ø 4.....6, 19 |
| 25287 | Healing Uni EV 3.6 – 6 mm/Ø 4.....6, 19 |
| 25288 | Healing Uni EV 4.2 – 2 mm/Ø 4.....8, 19, 50 |
| 25579 | Healing Uni EV 4.2 – 3 mm/Ø 4.....8, 19, 50 |
| 25289 | Healing Uni EV 4.2 – 4 mm/Ø 4.....8, 19, 50 |
| 25290 | Healing Uni EV 4.2 – 6 mm/Ø 4.....8, 19, 50 |
| 25291 | Healing Uni EV 4.8 – 2 mm/Ø 4.3.....10, 19, 50 |
| 25580 | Healing Uni EV 4.8 – 3 mm/Ø 4.3.....10, 19, 52 |
| 25292 | Healing Uni EV 4.8 – 4 mm/Ø 4.3.....10, 19, 50 |
| 25293 | Healing Uni EV 4.8 – 6 mm/Ø 4.3.....10, 19, 50 |
| 25294 | Healing Uni EV 5.4 – 2 mm/Ø 4.8.....12, 19 |
| 25581 | Healing Uni EV 5.4 – 3 mm/Ø 4.8.....12, 19 |
| 25295 | Healing Uni EV 5.4 – 4 mm/Ø 4.8.....12, 19 |
| 25296 | Healing Uni EV 5.4 – 6 mm/Ø 4.8.....12, 19 |
| 25727 | Hex Driver EV Machine Intermediate, 24 mm43, 45 |
| 25728 | Hex Driver EV Machine Long, 35 mm43, 45 |
| 25790 | Hex Driver EV Machine Short, 20 mm.....43, 45 |
| 25772 | Hex Driver EV Manual Intermediate, 31 mm43, 45, 73 |
| 25773 | Hex Driver EV Manual Long, 38 mm.....43, 45, 73 |
| 25771 | Hex Driver EV Manual Short, 20 mm43, 45, 73 |
| 25710 | Implant Depth Gauge EV42 |
| 25377 | Implant Driver EV 3.0 Long42 |
| 25379 | Implant Driver EV 3.6 Long42 |
| 25378 | Implant Driver EV 3.6 Short.....42 |
| 25381 | Implant Driver EV 4.2 Long42 |
| 25380 | Implant Driver EV 4.2 Short.....42 |
| 25383 | Implant Driver EV 4.8 Long42 |
| 25382 | Implant Driver EV 4.8 Short.....42 |
| 25385 | Implant Driver EV 5.4 Long42 |
| 25384 | Implant Driver EV 5.4 Short.....42 |
| 26016 | Implant Driver EV-GS 3.6.....66 |
| 26017 | Implant Driver EV-GS 4.2.....66 |
| 26018 | Implant Driver EV-GS 4.8.....66 |
| 26019 | Implant Driver EV-GS Profile 4.2.....66 |
| 26020 | Implant Driver EV-GS Profile 4.8.....66 |
| 26021 | Implant Driver Extender EV-GS.....66 |
| 25464 | Implant Driver Profile EV 4.2 Short.....55 |
| 25465 | Implant Driver Profile EV 4.2 Long55 |
| 25466 | Implant Driver Profile EV 4.8 Short.....55 |
| 25467 | Implant Driver Profile EV 4.8 Long55 |
| 25513 | Implant Pick-Up EV 3.0 Long5, 24 |
| 25515 | Implant Pick-Up EV 3.6 Long7, 24 |
| 25516 | Implant Pick-Up EV 3.6 Short.....7, 24 |
| 25517 | Implant Pick-Up EV 4.2 Long9, 24 |
| 25518 | Implant Pick-Up EV 4.2 Short.....9, 24 |
| 25519 | Implant Pick-Up EV 4.8 Long11, 24 |
| 25520 | Implant Pick-Up EV 4.8 Short.....11, 24 |
| 25522 | Implant Pick-Up EV 5.4 Short.....13, 24 |
| 25523 | Implant Pick-Up Design EV 3.05, 24 |
| 25524 | Implant Pick-Up Design EV 3.67, 24 |
| 25525 | Implant Pick-Up Design EV 4.29, 24 |
| 25526 | Implant Pick-Up Design EV 4.811, 24 |
| 25527 | Implant Pick-Up Design EV 5.413, 24 |
| 25604 | Implant Pick-Up Design Profile EV 4.251, 59 |
| 25605 | Implant Pick-Up Design Profile EV 4.853, 59 |
| 25600 | Implant Pick-Up Profile EV 4.2, Long50, 59 |
| 25601 | Implant Pick-Up Profile EV 4.2, Short.....50, 59 |
| 25602 | Implant Pick-Up Profile EV 4.8, Long52, 59 |
| 25603 | Implant Pick-Up Profile EV 4.8, Short.....52, 59 |

| REF | page |
|-------|---|
| 25543 | Implant Replica EV 3.05, 25 |
| 25544 | Implant Replica EV 3.67, 25 |
| 25545 | Implant Replica EV 4.29, 25 |
| 25546 | Implant Replica EV 4.811, 25 |
| 25547 | Implant Replica EV 5.413, 25 |
| 25610 | Implant Replica Profile EV 4.251, 59 |
| 25611 | Implant Replica Profile EV 4.853, 59 |
| 22192 | Implant Retriever72 |
| 25534 | Implant Transfer EV 3.0 Long.....5, 25 |
| 25535 | Implant Transfer EV 3.6 Short.....7, 24 |
| 25536 | Implant Transfer EV 3.6 Long.....7, 25 |
| 25537 | Implant Transfer EV 4.2 Short.....9, 24 |
| 25538 | Implant Transfer EV 4.2 Long.....9, 25 |
| 25539 | Implant Transfer EV 4.8 Short.....11, 24 |
| 25540 | Implant Transfer EV 4.8 Long.....11, 25 |
| 25541 | Implant Transfer EV 5.4 Short.....13, 24 |
| 25542 | Implant Transfer EV 5.4 Long.....13, 25 |
| 25606 | Implant Transfer Profile EV 4.2, Short51, 59 |
| 25607 | Implant Transfer Profile EV 4.2, Long.....51, 59 |
| 25608 | Implant Transfer Profile EV 4.8, Short.....53, 59 |
| 25609 | Implant Transfer Profile EV 4.8, Long.....53, 59 |
| 24360 | Implant Unit SI-915, 115 V44 |
| 24412 | Implant Unit SI-923, 230 V.....44 |
| 26013 | Initial Drill Ø 3.6.....62 |
| 26014 | Initial Drill Ø 4.2.....62 |
| 26015 | Initial Drill Ø 4.8.....62 |
| 22177 | Irrigation Tubing 2.2 m Sterile.....44 |
| 25643 | Lab Abutment Pin EV Short.....5, 7, 9, 11, 13, 30, 47, 51, 53 |
| 25644 | Lab Abutment Pin EV Intermediate5, 7, 9, 11, 13, 30, 47, 51, 53 |
| 25645 | Lab Abutment Pin EV Long.....5, 7, 9, 11, 13, 30, 47, 51, 53 |
| 25476 | Lab Abutment Screw EV 3.0.....5, 25, 47 |
| 25477 | Lab Abutment Screw EV 3.6 – M1.67, 25, 47 |
| 25478 | Lab Abutment Screw EV 4.2 – M1.89, 25, 47, 50, 59 |
| 25479 | Lab Abutment Screw EV 4.8 – M211, 25, 47, 52, 59 |
| 25480 | Lab Abutment Screw EV 5.4 – M2.....13, 25, 47 |
| 25656 | Lab Bridge Screw EV – M1.8.....5, 7, 9, 11, 13, 30, 47, 51, 53 |
| 25528 | Lab Pin Design EV 3.0/3.6.....5, 7, 25, 47 |
| 25530 | Lab Pin Design EV 4.2/4.8/5.49, 11, 13, 25, 47, 50, 52 |
| 25769 | Large Tray EV36, 61 |
| 25721 | Large Tray EV, Overlay 136 |
| 25722 | Large Tray EV, Overlay 236 |
| 25723 | Large Tray EV, Overlay 336 |
| 26098 | Large Tray EV Proline.....61 |
| 26099 | Large Tray EV Streamline61 |
| 25657 | Locator™ Abutment EV 3.6 – 1 mm.....6, 32 |
| 25658 | Locator™ Abutment EV 3.6 – 2 mm.....6, 32 |
| 25659 | Locator™ Abutment EV 3.6 – 3 mm.....6, 32 |
| 25660 | Locator™ Abutment EV 3.6 – 4 mm.....6, 32 |
| 25661 | Locator™ Abutment EV 3.6 – 5 mm.....6, 32 |
| 25662 | Locator™ Abutment EV 4.2 – 1 mm.....8, 32, 50 |
| 25663 | Locator™ Abutment EV 4.2 – 2 mm.....8, 32, 50 |
| 25664 | Locator™ Abutment EV 4.2 – 3 mm.....8, 32, 50 |
| 25665 | Locator™ Abutment EV 4.2 – 4 mm.....8, 32, 50 |
| 25666 | Locator™ Abutment EV 4.2 – 5 mm.....8, 32, 50 |
| 25667 | Locator™ Abutment EV 4.8 – 1 mm.....10, 32, 52 |
| 25668 | Locator™ Abutment EV 4.8 – 2 mm.....10, 32, 52 |
| 25669 | Locator™ Abutment EV 4.8 – 3 mm.....10, 32, 52 |
| 25670 | Locator™ Abutment EV 4.8 – 4 mm.....10, 32, 52 |
| 25671 | Locator™ Abutment EV 4.8 – 5 mm.....10, 32, 52 |
| 24484 | Locator Abutment Pick-up.....6, 8, 10, 32, 50, 52 |
| 24485 | Locator Abutment Replica.....7, 9, 11, 32, 51, 53 |
| 24482 | Locator Core Tool.....32, 46 |
| 25766 | Locator™ Driver EV.....32, 45 |
| 24488 | Locator Insert Blue.....7, 9, 11, 33, 51, 53 |
| 24486 | Locator Insert Clear.....7, 9, 11, 33, 51, 53 |
| 24489 | Locator Insert Green.....7, 9, 11, 33, 51, 53 |
| 25679 | Locator™ Insert Grey7, 9, 11, 33, 51, 53 |
| 25843 | Locator™ Insert Orange7, 9, 11, 33, 51, 53 |

| REF | page |
|-------|--|
| 24487 | Locator Insert Pink 7, 9, 11, 33, 51, 53 |
| 24492 | Locator Insert Red 7, 9, 11, 33, 51, 53 |
| 24483 | Locator Process Kit 7, 9, 11, 33, 51, 53 |
| 25711 | Mucosal Punch EV Ø 3.5 43 |
| 25712 | Mucosal Punch EV Ø 4 43 |
| 25713 | Mucosal Punch EV Ø 4.5 43 |
| 25714 | Mucosal Punch EV Ø 5 43 |
| 25715 | Mucosal Punch EV Ø 5.5 43 |
| 25731 | Mucosal Punch EV Ø 6.5 43 |
| 25638 | OD Cylinder EV 7, 9, 11, 34, 51, 53 |
| 25212 | OsseoSpeed™ EV 3.0 S – 8 mm 4, 16 |
| 25213 | OsseoSpeed™ EV 3.0 S – 9 mm 4, 16 |
| 25214 | OsseoSpeed™ EV 3.0 S – 11 mm 4, 16 |
| 25215 | OsseoSpeed™ EV 3.0 S – 13 mm 4, 16 |
| 25216 | OsseoSpeed™ EV 3.0 S – 15 mm 4, 16 |
| 25221 | OsseoSpeed™ EV 3.6 S – 6 mm 6, 16 |
| 25222 | OsseoSpeed™ EV 3.6 S – 8 mm 6, 16 |
| 25223 | OsseoSpeed™ EV 3.6 S – 9 mm 6, 16 |
| 25224 | OsseoSpeed™ EV 3.6 S – 11 mm 6, 16 |
| 25225 | OsseoSpeed™ EV 3.6 S – 13 mm 6, 16 |
| 25226 | OsseoSpeed™ EV 3.6 S – 15 mm 6, 16 |
| 25227 | OsseoSpeed™ EV 3.6 S – 17 mm 6, 16 |
| 25231 | OsseoSpeed™ EV 4.2 S – 6 mm 8, 16 |
| 25232 | OsseoSpeed™ EV 4.2 S – 8 mm 8, 16 |
| 25233 | OsseoSpeed™ EV 4.2 S – 9 mm 8, 16 |
| 25234 | OsseoSpeed™ EV 4.2 S – 11 mm 8, 16 |
| 25235 | OsseoSpeed™ EV 4.2 S – 13 mm 8, 16 |
| 25236 | OsseoSpeed™ EV 4.2 S – 15 mm 8, 16 |
| 25237 | OsseoSpeed™ EV 4.2 S – 17 mm 8, 16 |
| 25241 | OsseoSpeed™ EV 4.8 S – 6 mm 10, 17 |
| 25242 | OsseoSpeed™ EV 4.8 S – 8 mm 10, 17 |
| 25243 | OsseoSpeed™ EV 4.8 S – 9 mm 10, 17 |
| 25244 | OsseoSpeed™ EV 4.8 S – 11 mm 10, 17 |
| 25245 | OsseoSpeed™ EV 4.8 S – 13 mm 10, 17 |
| 25246 | OsseoSpeed™ EV 4.8 S – 15 mm 10, 17 |
| 25247 | OsseoSpeed™ EV 4.8 S – 17 mm 10, 17 |
| 25251 | OsseoSpeed™ EV 5.4 S – 6 mm 12, 17 |
| 25252 | OsseoSpeed™ EV 5.4 S – 8 mm 12, 17 |
| 25253 | OsseoSpeed™ EV 5.4 S – 9 mm 12, 17 |
| 25254 | OsseoSpeed™ EV 5.4 S – 11 mm 12, 17 |
| 25255 | OsseoSpeed™ EV 5.4 S – 13 mm 12, 17 |
| 25256 | OsseoSpeed™ EV 5.4 S – 15 mm 12, 17 |
| 25262 | OsseoSpeed™ EV 4.2 C – 8 mm 8, 16 |
| 25263 | OsseoSpeed™ EV 4.2 C – 9 mm 8, 16 |
| 25264 | OsseoSpeed™ EV 4.2 C – 11 mm 8, 16 |
| 25265 | OsseoSpeed™ EV 4.2 C – 13 mm 8, 16 |
| 25266 | OsseoSpeed™ EV 4.2 C – 15 mm 8, 16 |
| 25267 | OsseoSpeed™ EV 4.2 C – 17 mm 8, 16 |
| 25272 | OsseoSpeed™ EV 4.8 C – 8 mm 10, 17 |
| 25273 | OsseoSpeed™ EV 4.8 C – 9 mm 10, 17 |
| 25274 | OsseoSpeed™ EV 4.8 C – 11 mm 10, 17 |
| 25275 | OsseoSpeed™ EV 4.8 C – 13 mm 10, 17 |
| 25276 | OsseoSpeed™ EV 4.8 C – 15 mm 10, 17 |
| 25277 | OsseoSpeed™ EV 4.8 C – 17 mm 10, 17 |
| 25440 | OsseoSpeed™ Profile EV 4.2 PS – 8 mm 50, 54 |
| 25441 | OsseoSpeed™ Profile EV 4.2 PS – 9 mm 50, 54 |
| 25442 | OsseoSpeed™ Profile EV 4.2 PS – 11 mm 50, 54 |
| 25443 | OsseoSpeed™ Profile EV 4.2 PS – 13 mm 50, 54 |
| 25444 | OsseoSpeed™ Profile EV 4.2 PS – 15 mm 50, 54 |
| 25445 | OsseoSpeed™ Profile EV 4.2 PS – 17 mm 50, 54 |
| 25446 | OsseoSpeed™ Profile EV 4.8 PS – 8 mm 52, 54 |
| 25447 | OsseoSpeed™ Profile EV 4.8 PS – 9 mm 52, 54 |
| 25448 | OsseoSpeed™ Profile EV 4.8 PS – 11 mm 52, 54 |
| 25449 | OsseoSpeed™ Profile EV 4.8 PS – 13 mm 52, 54 |
| 25450 | OsseoSpeed™ Profile EV 4.8 PS – 15 mm 52, 54 |
| 25451 | OsseoSpeed™ Profile EV 4.8 PS – 17 mm 52, 54 |
| 25452 | OsseoSpeed™ Profile EV 4.2 PC – 8 mm 50, 54 |
| 25453 | OsseoSpeed™ Profile EV 4.2 PC – 9 mm 50, 54 |

| REF | page |
|-------|---|
| 25454 | OsseoSpeed™ Profile EV 4.2 PC – 11 mm 50, 54 |
| 25455 | OsseoSpeed™ Profile EV 4.2 PC – 13 mm 50, 54 |
| 25456 | OsseoSpeed™ Profile EV 4.2 PC – 15 mm 50, 54 |
| 25457 | OsseoSpeed™ Profile EV 4.2 PC – 17 mm 50, 54 |
| 25458 | OsseoSpeed™ Profile EV 4.8 PC – 8 mm 52, 54 |
| 25459 | OsseoSpeed™ Profile EV 4.8 PC – 9 mm 52, 54 |
| 25460 | OsseoSpeed™ Profile EV 4.8 PC – 11 mm 52, 54 |
| 25461 | OsseoSpeed™ Profile EV 4.8 PC – 13 mm 52, 54 |
| 25462 | OsseoSpeed™ Profile EV 4.8 PC – 15 mm 52, 54 |
| 25463 | OsseoSpeed™ Profile EV 4.8 PC – 17 mm 52, 54 |
| 25778 | Polishing Protector Uni EV 47 |
| 25161 | Precision Drill EV 38 |
| 26010 | Punch EV-GS Ø 3.6 62 |
| 26011 | Punch EV-GS Ø 4.2 62 |
| 26012 | Punch EV-GS Ø 4.8 62 |
| 25500 | Radiographic Implant Guides EV 44 |
| 25637 | Radiographic Implant Guides Profile EV 55 |
| 25794 | Rescue Driver Uni Abutment EV 72 |
| 25860 | Screw Extractor 0.8 71 |
| 25861 | Screw Extractor 1.0 71 |
| 26022 | Sleeve-on-Drill™ 1-Sleeve Ø1.9 ND 67 |
| 26023 | Sleeve-on-Drill™ 3/V-Sleeve Ø3.1 ND 67 |
| 26024 | Sleeve-on-Drill™ 4/V-Sleeve Ø3.7 ND 67 |
| 26025 | Sleeve-on-Drill™ X-Sleeve Ø3.45 ND 67 |
| 26026 | Sleeve-on-Drill™ X-Sleeve Ø4.05 ND 67 |
| 26027 | Sleeve-on-Drill™ 1-Sleeve Ø1.9 WD 67 |
| 26028 | Sleeve-on-Drill™ 3-Sleeve Ø3.1 WD 67 |
| 26029 | Sleeve-on-Drill™ 4/V-Sleeve Ø3.7 WD 67 |
| 26030 | Sleeve-on-Drill™ 5/V-Sleeve Ø4.3 WD 67 |
| 26031 | Sleeve-on-Drill™ X-Sleeve Ø4.05 WD 67 |
| 26032 | Sleeve-on-Drill™ X-Sleeve Ø4.65 WD 67 |
| 68108 | Suction tube Medena 44 |
| 68118 | Suction tube Medena 44 |
| 68130 | Suction tube Medena 44 |
| 25508 | Temp Abutment EV 3.0 4, 21 |
| 25509 | Temp Abutment EV 3.6 6, 21 |
| 25510 | Temp Abutment EV 4.2 8, 21 |
| 25511 | Temp Abutment EV 4.8 10, 21 |
| 25512 | Temp Abutment EV 5.4 12, 21 |
| 25758 | Temp Abutment Profile EV 4.2 50, 57 |
| 25759 | Temp Abutment Profile EV 4.8 52, 57 |
| 25503 | TempDesign EV 3.0 4, 21 |
| 25504 | TempDesign EV 3.6 6, 21 |
| 25505 | TempDesign EV 4.2 8, 21 |
| 25506 | TempDesign EV 4.8 10, 21 |
| 25507 | TempDesign EV 5.4 12, 21 |
| 25756 | TempDesign™ Profile EV 4.2 50, 57 |
| 25757 | TempDesign™ Profile EV 4.8 52, 57 |
| 25862 | Thread Cleaner M1.4 71 |
| 25863 | Thread Cleaner M1.6 71 |
| 25864 | Thread Cleaner M1.8 71 |
| 25865 | Thread Cleaner M2.0 71 |
| 25330 | TiDesign™ EV 3.0 Ø 4 – 2.5 mm 4, 22 |
| 25331 | TiDesign™ EV 3.0 Ø 4 – 1.5 mm 4, 22 |
| 25332 | TiDesign™ EV 3.0 15° Ø 4 – 1.5 mm 4, 22 |
| 25333 | TiDesign™ EV 3.6 Ø 5.5 – 1.5/2.5 mm Triangular 6, 22 |
| 25334 | TiDesign™ EV 3.6 Ø 4.5 – 2.5/3.5 mm 6, 22 |
| 25335 | TiDesign™ EV 3.6 20° Ø 4.5 – 1.5/2.5 mm 6, 22 |
| 25336 | TiDesign™ EV 4.2 Ø 5.5 – 1.5/2.5 mm Triangular 8, 22 |
| 25337 | TiDesign™ EV 4.2 Ø 7 – 1.5/2.5 mm Triangular 8, 22 |
| 25338 | TiDesign™ EV 4.2 Ø 5.5 – 2.5/3.5 mm 8, 22 |
| 25339 | TiDesign™ EV 4.2 20° Ø 5.5 – 1.5/2.5 mm 8, 22 |
| 25340 | TiDesign™ EV 4.8 Ø 5.5 – 1.5/2.5 mm Triangular 10, 22 |
| 25341 | TiDesign™ EV 4.8 Ø 7 – 1.5/2.5 mm Triangular 10, 22 |
| 25342 | TiDesign™ EV 4.8 Ø 7 – 2.5/3.5 mm 10, 22 |
| 25343 | TiDesign™ EV 4.8 20° Ø 5.5 – 1.5/2.5 mm 10, 22 |
| 25344 | TiDesign™ EV 5.4 Ø 7 – 2.5/3.5 mm 12, 22 |
| 25345 | TiDesign™ EV 5.4 Ø 7 – 1.5/2.5 mm 12, 22 |

| REF | page |
|-------|---|
| 25592 | TiDesign™ Profile EV 4.2, Ø 5.5 Triangular50, 58 |
| 25593 | TiDesign™ Profile EV 4.2, Ø 7.0 Triangular.....50, 58 |
| 25594 | TiDesign™ Profile EV 4.2, Ø 5.550, 58 |
| 25595 | TiDesign™ Profile EV 4.2, Ø 5.5 15°50, 58 |
| 25596 | TiDesign™ Profile EV 4.8, Ø 5.5 Triangular52, 58 |
| 25597 | TiDesign™ Profile EV 4.8, Ø 7.0 Triangular.....52, 58 |
| 25598 | TiDesign™ Profile EV 4.8, Ø 7.052, 58 |
| 25599 | TiDesign™ Profile EV 4.8, Ø 5.5 15°52, 58 |
| 25924 | TitaniumBase EV 3.0 Ø 4 – 5 mm.....26 |
| 25925 | TitaniumBase EV 3.0 Ø 4 – 6 mm.....26 |
| 25926 | TitaniumBase EV 3.6 Ø 4.1 – 5 mm.....26 |
| 25927 | TitaniumBase EV 3.6 Ø 4.1 – 6 mm.....26 |
| 25928 | TitaniumBase EV 4.2 Ø 4.7 – 5 mm26 |
| 25929 | TitaniumBase EV 4.2 Ø 4.7 – 6 mm26 |
| 25930 | TitaniumBase EV 4.8 Ø 5 – 5 mm.....26 |
| 25931 | TitaniumBase EV 4.8 Ø 5 – 6 mm.....26 |
| 25932 | TitaniumBase EV 4.8 Ø 5.5 – 5 mm.....26 |
| 25933 | TitaniumBase EV 4.8 Ø 5.5 – 6 mm.....26 |
| 22137 | Titanium Bowl42 |
| 25774 | Torque Wrench EV 43, 46, 73 |
| 25776 | Torque Wrench EV Restorative Driver Handle 46, 73 |
| 25777 | Torque Wrench EV Restorative Driver Handle Low 46, 73 |
| 25730 | Torque Wrench EV Restorative Driver Handle 4x4 Low 46 |
| 25775 | Torque Wrench EV Surgical Driver Handle43, 73 |
| 25866 | Trephine Drill 3.0, 6–17 mm 72 |
| 25867 | Trephine Drill 3.6, 6–17 mm 72 |
| 25868 | Trephine Drill 4.2, P4.2, 6–17 mm 72 |
| 25869 | Trephine Drill 4.8, P4.8, 6–17 mm 72 |
| 25870 | Trephine Drill 5.4, 6–17 mm 72 |
| 25886 | Trephine Drill 4.2, P4.2, 6–13 mm 72 |
| 25887 | Trephine Drill 4.8, P4.8, 6–13 mm 72 |
| 25888 | Trephine Drill 5.4, 6–13 mm 72 |
| 25555 | Uni Abutment EV 3.0 – 2 mm 4, 29 |
| 25556 | Uni Abutment EV 3.0 – 3 mm 4, 29 |
| 25557 | Uni Abutment EV 3.0 – 5 mm 4, 29 |
| 25558 | Uni Abutment EV 3.6 – 1 mm 6, 29 |
| 25559 | Uni Abutment EV 3.6 – 2 mm 6, 29 |
| 25560 | Uni Abutment EV 3.6 – 3 mm 6, 29 |
| 25561 | Uni Abutment EV 3.6 – 5 mm 6, 29 |
| 25562 | Uni Abutment EV 4.2 – 1 mm8, 29, 50 |
| 25563 | Uni Abutment EV 4.2 – 2 mm8, 29, 50 |
| 25564 | Uni Abutment EV 4.2 – 3 mm8, 29, 50 |
| 25565 | Uni Abutment EV 4.2 – 5 mm8, 29, 50 |
| 25566 | Uni Abutment EV 4.8 – 1 mm10, 29, 52 |
| 25567 | Uni Abutment EV 4.8 – 2 mm10, 29, 52 |
| 25568 | Uni Abutment EV 4.8 – 3 mm10, 29, 52 |
| 25569 | Uni Abutment EV 4.8 – 5 mm10, 29, 52 |
| 25570 | Uni Abutment EV 5.4 – 1 mm12, 29 |
| 25571 | Uni Abutment EV 5.4 – 2 mm12, 29 |
| 25572 | Uni Abutment EV 5.4 – 3 mm12, 29 |
| 25573 | Uni Abutment EV 5.4 – 5 mm12, 29 |
| 25649 | Uni Abutment EV Burnout Cylinder 5, 7, 9, 11, 13, 30, 51, 53 |
| 25616 | Uni Abutment EV Heal Cap Ø 4.3 – 4.5 mm4, 6, 8, 10, 12, 30, 50, 52 |
| 25617 | Uni Abutment EV Heal Cap Ø 5.5 – 4.5 mm4, 6, 8, 10, 12, 30, 50, 52 |
| 25952 | Uni Abutment EV Heal Cap Short Ø 4.3 – 3.4 mm 30, 50, 52 |

| REF | page |
|-----------|---|
| 25953 | Uni Abutment EV Heal Cap Short Ø 5.5 – 3.4 mm 30, 50, 52 |
| 25641 | Uni Abutment EV Pick-Up Ø 4.34, 6, 8, 10, 12, 30, 50, 52 |
| 25642 | Uni Abutment EV Pick-Up Ø 5.54, 6, 8, 10, 12, 30, 50, 52 |
| 25615 | Uni Abutment EV Replica 5, 7, 9, 11, 13, 30, 51, 53 |
| 25647 | Uni Abutment EV Semi-Burnout Cylinder . 5, 7, 9, 11, 13, 30, 51, 53 |
| 25648 | Uni Abutment EV Temporary Cylinder..... 5, 7, 9, 11, 13, 30, 51, 53 |
| 25646 | Uni Abutment EV Transfer 5, 7, 9, 11, 13, 30, 51, 53 |
| 25708 | Uni Driver EV 30, 45 |
| 3107 1000 | Washtray Astra Tech Implant System™ EV37 |
| 3107 1020 | Washtray GS Astra Tech Implant System™ EV 37, 61 |
| 3107 1002 | Washtray Sterilization Container ATIS EV37 |
| 26084 | V-Drill EV-GS 3.6-4.2C, Ø 3.1, 6–8 mm..... 65 |
| 26085 | V-Drill EV-GS 3.6-4.2C, Ø 3.1, 9–11 mm 65 |
| 26086 | V-Drill EV-GS 3.6-4.2C, Ø 3.1, 13–15 mm 65 |
| 26087 | V-Drill EV-GS 4.2, Ø 3.7, 6–8 mm 65 |
| 26088 | V-Drill EV-GS 4.2, Ø 3.7, 9–11 mm..... 65 |
| 26089 | V-Drill EV-GS 4.2, Ø 3.7, 13–15 mm 65 |
| 26090 | V-Drill EV-GS 4.8C, Ø 3.7, 6–8 mm 65 |
| 26091 | V-Drill EV-GS 4.8C, Ø 3.7, 9–11 mm 65 |
| 26092 | V-Drill EV-GS 4.8C, Ø 3.7, 13–15 mm 65 |
| 26093 | V-Drill EV-GS 4.8, Ø 4.3, 6–8 mm 65 |
| 26094 | V-Drill EV-GS 4.8, Ø 4.3, 9–11 mm 65 |
| 26095 | V-Drill EV-GS 4.8, Ø 4.3, 13–15 mm 65 |
| 25780 | V – Twist Drill EV Ø 2.5, 6–17 mm41 |
| 25781 | V – Twist Drill EV Ø 3.1, 6–17 mm41 |
| 25782 | V – Twist Drill EV Ø 3.7, 6–17 mm41 |
| 25783 | V – Twist Drill EV Ø 4.3, 6–17 mm41 |
| 25784 | V – Twist Drill EV Ø 4.9, 6–17 mm41 |
| 26072 | X-Drill EV-GS 3.6-4.2C, Ø 3.1/3.45, 6–8 mm 65 |
| 26073 | X-Drill EV-GS 3.6-4.2C, Ø 3.1/3.45, 9–11 mm 65 |
| 26074 | X-Drill EV-GS 3.6-4.2C, Ø 3.1/3.45, 13–15 mm 65 |
| 26075 | X-Drill EV-GS 4.2, Ø 3.7/4.05, 6–8 mm..... 65 |
| 26076 | X-Drill EV-GS 4.2, Ø 3.7/4.05, 9–11 mm 65 |
| 26077 | X-Drill EV-GS 4.2, Ø 3.7/4.05, 13–15 mm 65 |
| 26078 | X-Drill EV-GS 4.8C, Ø 3.7/4.05, 6–8 mm 65 |
| 26079 | X-Drill EV-GS 4.8C, Ø 3.7/4.05, 9–11 mm 65 |
| 26080 | X-Drill EV-GS 4.8C, Ø 3.7/4.05, 13–15 mm 65 |
| 26081 | X-Drill EV-GS 4.8, Ø 4.3/4.65, 6–8 mm 65 |
| 26082 | X-Drill EV-GS 4.8, Ø 4.3/4.65, 9–11 mm 65 |
| 26083 | X-Drill EV-GS 4.8, Ø 4.3/4.65, 13–15 mm 65 |
| 25482 | X – Step Drill EV Ø 2.5/2.85, 6–13 mm.....41 |
| 25483 | X – Step Drill EV Ø 3.1/3.45, 6–13 mm41 |
| 25484 | X – Step Drill EV Ø 3.7/4.05, 6–13 mm41 |
| 25485 | X – Step Drill EV Ø 4.3/4.65, 6–13 mm41 |
| 25486 | X – Step Drill EV Ø 4.9/5.25, 6–13 mm41 |
| 25315 | ZirDesign™ EV 3.6 Ø 5.5 – 1.5 mm Triangular 6, 23 |
| 25316 | ZirDesign™ EV 3.6 Ø 4.5 – 2.5 mm 6, 23 |
| 25317 | ZirDesign™ EV 3.6 20° Ø 4.5 – 1.5 mm 6, 23 |
| 25318 | ZirDesign™ EV 4.2 Ø 5.5 – 1.5 mm Triangular 8, 23 |
| 25319 | ZirDesign™ EV 4.2 Ø 7 – 1.5 mm Triangular8, 23 |
| 25320 | ZirDesign™ EV 4.2 Ø 5.5 – 2.5 mm8, 23 |
| 25321 | ZirDesign™ EV 4.2 20° Ø 5.5 – 1.5 mm8, 23 |
| 25322 | ZirDesign™ EV 4.8 Ø 5.5 – 1.5 mm Triangular10, 23 |
| 25323 | ZirDesign™ EV 4.8 Ø 7 – 1.5 mm Triangular10, 23 |
| 25324 | ZirDesign™ EV 4.8 Ø 7 – 2.5 mm10, 23 |
| 25325 | ZirDesign™ EV 4.8 20° Ø 5.5 – 1.5 mm10, 23 |

Torque guide for ASTRA TECH Implant System™ EV

| Installation procedures | Recommended torque |
|-------------------------------------|--------------------------------------|
| Implant installation | ≤45 Ncm |
| Healing components | Manual/light finger force (5–10 Ncm) |
| Temporary restoration on all levels | 15 Ncm |
| Final restoration on implant level | 25 Ncm |
| Final restoration on abutment level | 15 Ncm |

Explanation of the symbols on labels and instructions for use

| Symbol | Text |
|--------|------|
|--------|------|



Date of manufacture.



Expire date.



Sterilized using irradiation.



Caution: Federal (USA) law restrict this product to sale by or on a order of a dentist.



Do not re-use,
Single use only.



Do not re-sterilize.



GOST is the valid quality certification system in Russian Federation.

| Symbol | Text |
|--------|------|
|--------|------|



ASTRA TECH Implant System™ products carry the CE mark and fulfill the requirements of the medical devices directive.



Do not use if package is damaged

Do not use if package is damaged.



Consult instructions for use

Consult instructions for use.



LOT/BATCH number.



Article number.



Contains article number (GTIN number), lot number and quantity.



About DENTSPLY Implants

DENTSPLY Implants offers comprehensive solutions for all phases of implant therapy, including ANKYLOS®, ASTRA TECH Implant System™ and XiVE® implant lines, digital technologies, such as ATLANTIS™ patient-specific CAD/CAM solutions and SIMPLANT® guided surgery, SYMBIOS® regenerative solutions, and professional and business development programs, such as STEPPS™. DENTSPLY Implants creates value for dental professionals and allows for predictable and lasting implant treatment outcomes, resulting in enhanced quality of life for patients.

About DENTSPLY International

DENTSPLY International Inc. is a leading manufacturer and distributor of dental and other healthcare products. For over 115 years, DENTSPLY's commitment to innovation and professional collaboration has enhanced its portfolio of branded consumables and small equipment. Headquartered in the United States, the Company has global operations with sales in more than 120 countries.

Follow DENTSPLY Implants



www.dentsplyimplants.com

