

**ASTRA TECH
IMPLANT SYSTEM**

Product catalog

ASTRA TECH Implant System™ for OsseoSpeed TX



 **DENTSPLY**
IMPLANTS

ASTRA TECH IMPLANT SYSTEM

CONTENTS

This catalog contains components and instruments for ASTRA TECH Implant System™.

ASTRA TECH Implant System™	4	Surgical instruments	31
Product overview 3.0	5	Getting started	31
Product overview 3.5/4.0	6	Drills	37
Product overview 4.5/5.0	8	Single Patient drills	37
Surgical components	10	Multiple-use drills	39
Implants	10	Drilling equipment & accessories	41
Cover screws	12	Restorative instruments	43
Healing abutments	12	Getting started	43
Temporary abutments	14	General	44
Cement-retained restorations	15	Repair and retrieval instruments	47
ZirDesign™	16	Compatibility table	48
TiDesign™	16	Remove/retrieve screw fragments	49
CastDesign™	17	Clean internal threads	50
Impression & laboratory components, implant level	18	Remove UniAbutments/implants	51
Direct Abutment API™	19	Remove/retrieve implants	51
Screw-retained restorations	21	General instruments	52
UniAbutment	22	Removal/retrieval instruments	52
Angled abutments	23	Index	53
Impression & laboratory components, abutment level	24	Torque guide	61
Attachment-retained restorations	26	Explanation of the symbols on labels and instructions for use	62
Locator™ abutments	27		
Ball Abutment	28		

All products are subject to change without notice. All products may not be regulatory cleared/released/licensed in all markets. Please contact your local DENTSPLY Implants representative for current product assortment and availability.

To improve readability for our customers, DENTSPLY Implants does not use ® or ™ in body copy.

However, DENTSPLY Implants does not waive any right to the trademark and nothing herein shall be interpreted to the contrary.

All trademarks and company names are the property of their respective owners.

Product illustrations are not to scale.

Easy to choose and easy to use

The ASTRA TECH Implant System is simple and reliable: a minimum of components with maximum flexibility. You can use it for all indications and all positions in the mouth. It is ideal for both one-stage and two-stage surgery and it is also suitable for immediate and early loading. The restorative options cover cement-, screw- and attachment-retained solutions.

Easy implant installation – simply pick up and install

The color coded Implant Driver makes implant installation quick, easy and efficient.

Minimum of components with maximum flexibility – one connection, three sizes

To minimize the number of components for simplified treatment planning and inventory management, the Conical Seal Design implant-abutment connection comes in three sizes – x-small, small and large that are color coded for easy identification.



Implant level impression – color coded components

Yellow, aqua and lilac. It has never been easier to select the right implant pick-ups, transfers, guide pins, and replicas. With the color coding system, each component is marked with the same color as the chosen implant connection.



Single Patient Drills

Optimal sharpness, easy handling and no cleaning or sterilization. The benefits of Single Patient Drills are available for all drilling protocols.



OsseoSpeed™ TX
with tapered apex –
for easier installation

Product overview 3.0

Yellow



Indexed abutments and components.



Non-indexed abutments and components (NI).

Implants

OsseoSpeed™ TX 3.0 S



11 mm 24982
13 mm 24983
15 mm 24984

Cover screws

3.0



0 mm 24198

Healing abutments

3.0



Ø 4.0 2 mm 24777
Ø 4.0 4 mm 24778
Ø 4.0 6 mm 25017

Cement-retained

Temporary abutments

Temporary Abutment 3.0



Ø 3.4 1 mm 25018

Abutments

TiDesign™ 3.0



Ø 4.0 1 mm 24788
Ø 4.0 2 mm 24789
Ø 4.0 15° 2.4 mm 24790

ATLANTIS™ abutment



Patient-specific abutment
www.atlantisabutment.com

Implant impressions

Implant Pick-up 3.0



Short 24950
Long 24949

Implant Transfer 3.0



Long 24958

Guide pins

Implant Guide Pin 3.0



Short 24970
Long 24976

Replicas

Implant Replica 3.0



24977

Lab abutment screws

Lab Abutment Screw Design 3.0



24802



Product overview 3.5/4.0

Aqua

SMALL

Indexed abutments and components.

SMALL

Non-indexed abutments and components (NI).

Implants

OsseoSpeed™ TX 3.5 S



- 8 mm 24930
- 9 mm 24931
- 11 mm 24932
- 13 mm 24933
- 15 mm 24934
- 17 mm 24935

OsseoSpeed™ TX 4.0 S



- 6 mm 24939
- 8 mm 24940
- 9 mm 24941
- 11 mm 24942
- 13 mm 24943
- 15 mm 24944
- 17 mm 24945

Cover screws

3.5/4.0



- 0 mm 24328
- 1 mm 24329

Healing abutments

3.5/4.0



- Ø 4.0 2 mm 24574
- Ø 4.5 4 mm 24575
- Ø 4.5 6 mm 24576
- Ø 5.5 2 mm 24577
- Ø 5.5 4 mm 24578
- Ø 5.5 6 mm 24579
- Ø 6.5 4 mm 24580
- Ø 6.5 6 mm 24581

Uni 3.5/4.0



- 2 mm 24374
- 4 mm 24375
- 6 mm 24376
- 8 mm 24377
- 10 mm 24378

Cement-retained

Temporary abutments

TempDesign™ 3.5/4.0



- Ø 4.1 1 mm 22851
- NI Ø 4.1 1 mm 22853

Temporary Abutment 3.5/4.0



- Ø 4.1 1 mm 24281
- NI Ø 4.1 1 mm 24280

Abutments

ZirDesign™ 3.5/4.0



- Ø 4.5 1.5 mm 24702
- Ø 4.5 3 mm 24703
- Ø 5.5 1.5 mm 24704
- Ø 5.5 3 mm 24705
- Ø 5.5 20° 3.5 mm 24706

TiDesign™ 3.5/4.0



- Ø 4.5 1.5 mm 24285
- Ø 4.5 3 mm 24286
- Ø 5.5 1.5 mm 24287
- Ø 5.5 3 mm 24288
- Ø 6.5 1.5 mm 24289
- Ø 6.5 3 mm 24290
- Ø 4.5 20° 3.5 mm 24291
- Ø 5.5 20° 3.5 mm 24292

CastDesign™ 3.5/4.0



- Ø 4 1 mm 22843

ATLANTIS™ abutments



Patient-specific abutments

Screw-retained

Abutments

20° UniAbutment 3.5/4.0



- 0.5 mm 24893
- 1 mm 24894
- 2 mm 24895
- 4 mm 24896
- 6 mm 24897
- 8 mm 24898

45° UniAbutment 3.5/4.0



- 0.5 mm 24899
- 1 mm 24900
- 2 mm 24901
- 4 mm 24902
- 6 mm 24903
- 8 mm 24904

Angled Abutment 3.5/4.0



- Ø 4 0.8 mm 24245
- Ø 4 2 mm 24246
- NI Ø 4 0.8 mm 24347
- NI Ø 4 2 mm 24348

ATLANTIS™ suprastructures



Healing caps

20° ProHeal Cap



- Ø 4.3 24162
- Ø 5.5 Short 24158
- Ø 5.5 Long 24159

45° ProHeal Cap



- Ø 4.3 24163
- Ø 5.5 Short 24160
- Ø 5.5 Long 24161

Healing Cap, Angled



24092

Attachment-retained

Abutments

Ball Abutment 3.5/4.0



- 1 mm 24905
- 2 mm 24906
- 4 mm 24907
- 6 mm 24908
- 8 mm 24909

Locator™ Abutment 3.5/4.0



- 1 mm 24268
- 2 mm 24269
- 3 mm 24270
- 4 mm 24271
- 5 mm 24272

Abutment impressions

Ball Abutment Pick-up



22439

Locator™ Abutment Pick-up



24484

**Direct Abutment API™
3.5/4.0**



- Ø 4 0.5 mm 24917
- Ø 4 1 mm 24918
- Ø 4 2.5 mm 24919
- Ø 4 4 mm 24920
- Ø 5 1 mm 24921
- Ø 5 2.5 mm 24922
- Ø 5 4 mm 24923

Implant impressions

**Implant Pick-up
3.5/4.0**



- Short 24947
- Long 24948
- NI Short 24936
- NI Long 24937

**Implant Transfer
3.5/4.0**



- Short 24959
- Long 24960

Lab abutment screws

**Lab Abutment Screw
Design 3.5/4.0**



24857

Replicas

**Implant Replica
3.5/4.0**



24978

Guide pins

**Implant Guide Pin
3.5/4.0**



- Short 24968
- Long 24969

Abutment impressions

**20° UniAbutment
Pick-up**



- Ø 4.3 22882
- Ø 5.5 22876

**20°/45° UniAbutment
Transfer**



22068

**45° UniAbutment
Pick-up**



- Ø 4.3 22883
- Ø 5.5 22878

**Angled Abutment
Pick-up**



24254

Replicas

**20° UniAbutment
Replica**



22069

**45° UniAbutment
Replica**



22070

**Angled Abutment
Replica**



24227

**Lab abutment
screws angled**

**Lab Abutment Screw Angled
M1.6**



24860

Guide pins

Abutment Guide Pin



- 13 mm 22190
- 16 mm 22197
- 19 mm 22198
- 22 mm 22199

Bridge screws

Bridge Screw



- Hex 22435
- Slot 22167

**Lab bridge
screws**

Hex and Slot



24859

**Temporary
cylinders**

**Temporary
Cylinder Uni
20°**



22060

**Temporary
Cylinder Uni
45°**



22061

**Temporary
Cylinder Uni
Angled**



22447

**Semi-Burnout
Cylinder Uni
20°**



22184

**Semi-Burnout
Cylinder Uni
45°**



22185

**Semi-Burnout
Cylinder Uni
Angled**



24243

**Burnout
Cylinder Uni
20°**



22186

**Burnout
Cylinder Uni
45°**



22187

**Burnout
Cylinder Uni
Angled**



22448

**Titanium
Cylinder Uni
20°**



22798

**Titanium
Cylinder Uni
45°**



22799

**Titanium
Cylinder Uni
Angled**



24244

Replicas

**Ball Abutment
Replica**



22505

**Locator™ Abutment
Replica**



24485

Attachment components

Dalbo Plus Female Part TE Basic, complete



25834

Locator™ Process Kit



24483

Locator™ Insert



Blue
24488

Pink
24487

Clear
24486

Grey
25679

Red
24492

Orange
25843

Green
24489

Product overview 4.5/5.0

Lilac

LARGE

Indexed abutments and components.

LARGE

Non-indexed abutments and components (NI).

Implants

OsseoSpeed™ TX 4.5



- 9 mm 24951
- 11 mm 24952
- 13 mm 24953
- 15 mm 24954
- 17 mm 24955

OsseoSpeed™ TX 5.0



- 9 mm 24961
- 11 mm 24962
- 13 mm 24963
- 15 mm 24964
- 17 mm 24965

OsseoSpeed™ TX 5.0 S



- 9 mm 24971
- 11 mm 24972
- 13 mm 24973
- 15 mm 24974
- 17 mm 24975

Cover screws

4.5/5.0



- 0 mm 24447
- 1 mm 24448

Healing abutments

4.5/5.0



- Ø 5.5 2 mm 24582
- Ø 5.5 4 mm 24583
- Ø 5.5 6 mm 24584
- Ø 6.5 2 mm 24585
- Ø 6.5 4 mm 24586
- Ø 6.5 6 mm 24587

Uni 4.5/5.0



- 2 mm 24379
- 4 mm 24380
- 6 mm 24381
- 8 mm 24382
- 10 mm 24383

Cement-retained

Temporary abutments

TempDesign™ 4.5/5.0



- Ø 4.5 1 mm 22852
- Ø NI 4.5 1 mm 22854

Temporary Abutment 4.5/5.0



- Ø 4.5 1 mm 25015
- Ø NI 4.5 1 mm 25016

Abutments

ZirDesign™ 4.5/5.0



- Ø 5.5 1.5 mm 24707
- Ø 5.5 3 mm 24708
- Ø 6.5 1.5 mm 24709
- Ø 6.5 3 mm 24710
- Ø 5.5 20° 3.5 mm 24711

TiDesign™ 4.5/5.0




- Ø 5.5 1.5 mm 24235
- Ø 5.5 3 mm 24236
- Ø 6.5 1.5 mm 24237
- Ø 6.5 3 mm 24238
- Ø 5.5 20° 3.5 mm 24239

CastDesign™ 4.5/5.0



- Ø 4.5 1 mm 22844

ATLANTIS™ abutments



Patient-specific abutments

Screw-retained

Abutments

20° UniAbutment 4.5/5.0



- 0.5 mm 24398
- 1 mm 24399
- 2 mm 24400
- 4 mm 24401
- 6 mm 24402
- 8 mm 24403

45° UniAbutment 4.5/5.0



- 0.5 mm 24406
- 1 mm 24407
- 2 mm 24408
- 4 mm 24409
- 6 mm 24410
- 8 mm 24411

Angled Abutment 4.5/5.0



- Ø 4 0.5 mm 24247
- Ø 4 2 mm 24248
- Ø NI 4 0.5 mm 24606
- Ø NI 4 2 mm 24607

ATLANTIS™ suprastructures



Healing caps



- Ø 4.3 24162
- Ø 5.5 Short 24158
- Ø 5.5 Long 24159



- Ø 4.3 24163
- Ø 5.5 Short 24160
- Ø 5.5 Long 24161

Healing Cap, Angled



24092

Attachment-retained

Abutments

Ball Abutment 4.5/5.0



- 0.5 mm 24418
- 1 mm 24419
- 2 mm 24420
- 4 mm 24421
- 6 mm 24422
- 8 mm 24423

Locator™ Abutment 4.5/5.0



- 0.5 mm 24477
- 2 mm 24478
- 3 mm 24479
- 4 mm 24480
- 5 mm 24481

Abutment impressions

Ball Abutment Pick-up
































22439












Locator™ Abutment Pick-up



24484


<p>Direct Abutment API™ 4.5/5.0</p>  <ul style="list-style-type: none"> ∅ 5 0.5 mm 24558 ∅ 5 1 mm 24559 ∅ 5 2.5 mm 24560 ∅ 5 4 mm 24561 ∅ 6 1 mm 24562 ∅ 6 2.5 mm 24563 ∅ 6 4 mm 24564 	<p>Implant impressions</p> <div style="display: flex; justify-content: space-around;"> <div data-bbox="414 266 542 563"> <p>Implant Pick-up 4.5/5.0</p>  <ul style="list-style-type: none"> Short 24938 Long 24946 NI Short 24928 NI Long 24929 </div> <div data-bbox="622 266 742 521"> <p>Implant Transfer 4.5/5.0</p>  <ul style="list-style-type: none"> Short 24956 Long 24957 </div> </div>	<p>Lab abutment screws</p> <p>Lab Abutment Screw Design 4.5/5.0</p>  <p>24858</p> <p>Replicas</p> <p>Implant Replica 4.5/5.0</p>  <p>24979</p>	<p>Guide pins</p> <p>Implant Guide Pin 4.5/5.0</p>  <ul style="list-style-type: none"> Short 24966 Long 24967
---	--	--	--

<p>Abutment impressions</p> <div style="display: flex; justify-content: space-around;"> <div data-bbox="55 946 183 1181"> <p>20° UniAbutment Pick-up</p>  <ul style="list-style-type: none"> ∅ 4.3 22882 ∅ 5.5 22876 </div> <div data-bbox="231 946 391 1117"> <p>20°/45° UniAbutment Transfer</p>  <p>22068</p> </div> </div> <div style="display: flex; justify-content: space-around; margin-top: 20px;"> <div data-bbox="55 1212 183 1436"> <p>45° UniAbutment Pick-up</p>  <ul style="list-style-type: none"> ∅ 4.3 22883 ∅ 5.5 22878 </div> <div data-bbox="231 1212 391 1425"> <p>Angled Abutment Pick-up</p>  <p>24254</p> </div> </div>	<p>Replicas</p> <div style="display: flex; justify-content: space-around;"> <div data-bbox="430 946 550 1138"> <p>20° UniAbutment Replica</p>  <p>22069</p> </div> <div data-bbox="582 946 686 1138"> <p>45° UniAbutment Replica</p>  <p>22070</p> </div> </div> <p>Angled Abutment Replica</p>  <p>24227</p> <p>Lab abutment screws angled</p> <p>Lab Abutment Screw Angled M2</p>  <p>24860</p>	<p>Guide pins</p> <p>Abutment Guide Pin</p>  <ul style="list-style-type: none"> 13 mm 22190 16 mm 22197 19 mm 22198 22 mm 22199 <p>Bridge screws</p> <p>Bridge Screw</p>  <ul style="list-style-type: none"> Hex 22435 Slot 22167 <p>Lab bridge screws</p> <p>Hex and Slot</p>  <p>24859</p>	<p>Temporary cylinders</p> <p>Temporary Cylinder Uni 20°</p>  <p>22060</p> <p>Temporary Cylinder Uni 45°</p>  <p>22061</p> <p>Temporary Cylinder Uni Angled</p>  <p>22447</p>	<p>Cylinders</p> <div style="display: flex; justify-content: space-around;"> <div data-bbox="1061 957 1173 1138"> <p>Semi-Burnout Cylinder Uni 20°</p>  <p>22184</p> </div> <div data-bbox="1204 957 1300 1138"> <p>Burnout Cylinder Uni 20°</p>  <p>22186</p> </div> <div data-bbox="1332 957 1420 1159"> <p>Titanium Cylinder Uni 20°</p>  <p>22798</p> </div> </div> <div style="display: flex; justify-content: space-around; margin-top: 20px;"> <div data-bbox="1061 1159 1173 1330"> <p>Semi-Burnout Cylinder Uni 45°</p>  <p>22185</p> </div> <div data-bbox="1204 1159 1300 1330"> <p>Burnout Cylinder Uni 45°</p>  <p>22187</p> </div> <div data-bbox="1332 1159 1420 1351"> <p>Titanium Cylinder Uni 45°</p>  <p>22799</p> </div> </div> <div style="display: flex; justify-content: space-around; margin-top: 20px;"> <div data-bbox="1061 1351 1173 1542"> <p>Semi-Burnout Cylinder Uni Angled</p>  <p>24243</p> </div> <div data-bbox="1204 1351 1300 1542"> <p>Burnout Cylinder Uni Angled</p>  <p>22448</p> </div> <div data-bbox="1332 1351 1420 1542"> <p>Titanium Cylinder Uni Angled</p>  <p>24244</p> </div> </div>
---	---	--	--	---

<p>Replicas</p> <div style="display: flex; justify-content: space-around;"> <div data-bbox="119 1744 231 1947"> <p>Ball Abutment Replica</p>  <p>22505</p> </div> <div data-bbox="303 1744 446 1925"> <p>Locator™ Abutment Replica</p>  <p>24485</p> </div> </div>	<p>Attachment components</p> <p>Dalbo Plus Female Part TE Basic, complete</p>  <p>25834</p> <p>Locator™ Process Kit</p>  <p>24483</p> <p>Locator™ Insert</p> <div style="display: flex; justify-content: space-around; text-align: center;"> <div data-bbox="734 1904 790 1989">  <p>Blue 24488</p> </div> <div data-bbox="805 1904 861 1989">  <p>Pink 24487</p> </div> <div data-bbox="885 1904 941 1989">  <p>Clear 24486</p> </div> <div data-bbox="965 1904 1021 1989">  <p>Grey 25679</p> </div> <div data-bbox="1045 1904 1101 1989">  <p>Red 24492</p> </div> <div data-bbox="1125 1904 1181 1989">  <p>Orange 25843</p> </div> <div data-bbox="1204 1904 1260 1989">  <p>Green 24489</p> </div> </div>
---	---

Surgical Components
Implants – OsseoSpeed™ TX

MEASUREMENTS



SHORT FACTS

- X-Small connection – Yellow: Implant diameter 3.0
- Small connection – Aqua: Implant diameters 3.5 and 4.0.
- Large connection – Lilac: Implant diameters 4.5 and 5.0.

Implants for all indications in both the anterior and posterior region.
 For indication details – see Instructions for use or Surgical procedures manual.
 All our implants are made of commercially pure titanium, grade 4.
 OsseoSpeed surface treatment over the entire implant to the top of the first MicroThread.
 S = Straight implant design



OsseoSpeed™ TX 3.0 S

Titanium, Sterile

OsseoSpeed, with a TiO₂-blasted fluoride-modified surface.
 MicroThread neck.
 Conical Seal Design connection.
 Internal double hexagon.
 Ø 3.0 mm
 Internal thread M1.4

■
 Length mm
 REF



OsseoSpeed™ TX 3.5 S

Titanium, Sterile

OsseoSpeed, with a TiO₂-blasted fluoride-modified surface.
 MicroThread neck.
 Conical Seal Design connection.
 Internal double hexagon.
 Ø 3.5 mm
 Internal thread M1.6

■
 Length mm
 REF



OsseoSpeed™ TX 4.0 S

Titanium, Sterile

OsseoSpeed, with a TiO₂-blasted fluoride-modified surface.
 MicroThread neck.
 Conical Seal Design connection.
 Internal double hexagon.
 Ø 4.0 mm
 Internal thread M1.6

■
 Length mm
 REF



OsseoSpeed™ TX 4.5

Titanium, Sterile

OsseoSpeed, with a TiO₂-blasted fluoride-modified surface.

MicroThread neck.

Conical Seal Design connection.

Internal double hexagon.

Ø 4.5/3.5 mm

Internal thread M2



Length mm

REF



9	11	13	15	17
24951	24952	24953	24954	24955

OsseoSpeed™ TX 5.0

Titanium, Sterile

OsseoSpeed, with a TiO₂-blasted fluoride-modified surface.

MicroThread neck.

Conical Seal Design connection.

Internal double hexagon.

Ø 5.0/4.0 mm

Internal thread M2



Length mm

REF



9	11	13	15	17
24961	24962	24963	24964	24965

OsseoSpeed™ TX 5.0 S

Titanium, Sterile

OsseoSpeed, with a TiO₂-blasted fluoride-modified surface.

MicroThread neck.

Conical Seal Design connection.

Internal double hexagon.

Ø 5.0 mm

Internal thread M2



Length mm

REF



9	11	13	15	17
24971	24972	24973	24974	24975

Radiographic Implant Guides


REF 24892




Cover Screw 3.0

Titanium, Sterile

Used to cover the implant connection during healing.

	
Ø mm	2.3
Height mm	0
REF	24198




MEASUREMENTS



Cover Screw 3.5/4.0

Titanium, Sterile

Used to cover the implant connection during healing.

		
Ø mm	2.9	3.1
Height mm	0	1
REF	24328	24329



SHORT FACTS

Recommended torque – Manual.
 Only light fingerforce (5–10 Ncm) using a manual hex screwdriver.
 Do not use a Ratchet or Torque Wrench.


Cover Screw 4.5/5.0

Titanium, Sterile

Used to cover the implant connection during healing.

		
Ø mm	3.9	4.6
Height mm	0	1
REF	24447	24448

MEASUREMENTS



SHORT FACTS

Recommended torque – Manual.
 Only light fingerforce (5–10 Ncm) using a manual hex screwdriver.
 Do not use a Ratchet or Torque Wrench.









Marked with lines to identify connection size.
 3.5/4.0 – marked with 2 lines.
 4.5/5.0 – marked with 3 lines.
 Marked with digit to identify height.

Healing Abutment Uni 3.5/4.0

Titanium, Sterile

Laser etched bands for measuring mucosal height over the implant.

					
Ø mm	4	4	4	4	4
Height mm	2	4	6	8	10
REF	24374	24375	24376	24377	24378

Healing Abutment Uni 4.5/5.0





Titanium, Sterile

Laser etched bands for measuring mucosal height over the implant.

					
Ø mm	4	4	4	4	4
Height mm	2	4	6	8	10
REF	24379	24380	24381	24382	24383

Healing Abutment 3.0





Titanium, Sterile




			
Ø mm	4	4	4
Height mm	2	4	6
REF	24777	24778	25017

Healing Abutment 3.5/4.0

Titanium, Sterile





			
Ø mm	4	4.5	4.5
Height mm	2	4	6
REF	24574	24575	24576





			
Ø mm	5.5	5.5	5.5
Height mm	2	4	6
REF	24577	24578	24579

		
Ø mm	6.5	6.5
Height mm	4	6
REF	24580	24581


Healing Abutment 4.5/5.0

Titanium, Sterile

			
Ø mm	5.5	5.5	5.5
Height mm	2	4	6
REF	24582	24583	24584

			
Ø mm	6.5	6.5	6.5
Height mm	2	4	6
REF	24585	24586	24587

MEASUREMENTS



SHORT FACTS

Recommended torque – Manual.
Only light fingerforce (5–10 Ncm) using a manual hex screwdriver.
Do not use a Ratchet or Torque Wrench.



Marked with lines to identify connection size.
3.0 – marked with 1 line.
3.5/4.0 – marked with 2 lines.
4.5/5.0 – marked with 3 lines.
Marked with digits to identify diameter (Ø) and height.



Temporary abutments


TempDesign™ 3.5/4.0

Base: Titanium
Cylinder: Plastic

Includes Abutment Screw Design
3.5/4.0 – M1.6, REF 24449
(Titanium)
NI = Non Indexed



		
Ø mm	4.1	4.1
Height (margin) mm	1	1
Vert. height mm	10	10
REF	22851	22853





SHORT FACTS
Recommended torque for
temporization – 15 Ncm.

TempDesign™ 4.5/5.0

Base: Titanium
Cylinder: Plastic

Includes Abutment Screw Design
4.5/5.0 – M2, REF 24209
(Titanium)




		
Ø mm	4.5	4.5
Height (margin) mm	1	1
Vert. height mm	10	10
REF	22852	22854


Temporary Abutment 3.0

Titanium

Includes Abutment Screw 3.0
– M1.4, REF 24189
(Titanium)



	
Ø mm	3.4
Height (margin) mm	1
Vert. height mm	9
REF	25018





SHORT FACTS
Recommended torque for
temporization – 15 Ncm.


Temporary Abutment 3.5/4.0

Titanium

Includes Abutment Screw Design
3.5/4.0 – M1.6, REF 24449
(Titanium)
NI = Non Indexed



		
Ø mm	4.1	4.1
Height (margin) mm	1	1
Vert. height mm	9	9
REF	24281	24280





Temporary Abutment 4.5/5.0

Titanium

Includes Abutment Screw Design
4.5/5.0 – M2, REF 24209
(Titanium)



		
Ø mm	4.5	4.5
Height (margin) mm	1	1
Vert. height mm	9	9
REF	25015	25016



Components for cement-retained restorations



Optimal function and long-lasting esthetics


The restorative assortment for cement-retained solutions covers everything you need in order to create optimal function and natural long-lasting esthetics.

The assortment includes a wide range of abutments in order to successfully meet every clinical indication. The components are designed to give optimal treatment results for single, partial and full jaw bridge restorations.

The absolute top-of-the-line when it comes to cement-retained restorations is ATLANTIS patient-specific abutments for all major implant systems. The ATLANTIS abutment is available in different materials, such as titanium, gold-shaded titanium, white and shaded zirconia. For more information about ATLANTIS abutment, please contact your local sales representative or visit www.dentsplyimplants.com.

Cement-retained Restorations
Cement-retained abutments

MEASUREMENTS



SHORT FACTS

Pre-designed for quick and easy adjustment.
 Recommended torque – ● 20 Ncm
 ● 25 Ncm

ZirDesign™ 3.5/4.0

Zirconia

Includes Abutment Screw Design 3.5/4.0 – M1.6, REF 24449 (Titanium)



Angulation					20°
Ø mm	4.5	4.5	5.5	5.5	5.5
Height bucc A mm	1.5	3	1.5	3	3.5
ling B mm	2.5	4	2.5	4	3.5
Vert. height mm	9	10	9	10	9.5
REF	24702	24703	24704	24705	24706



ZirDesign™ 4.5/5.0

Zirconia


Includes Abutment Screw Design 4.5/5.0 – M2, REF 24209 (Titanium)



Angulation					20°
Ø mm	5.5	5.5	6.5	6.5	5.5
Height bucc A mm	1.5	3	1.5	3	3.5
ling B mm	2.5	4	2.5	4	3.5
Vert. height mm	9	10	9	10	9.5
REF	24707	24708	24709	24710	24711




MEASUREMENTS



SHORT FACTS

Pre-designed for quick and easy adjustment.
 Recommended torque – ● 15 Ncm
 ● 20 Ncm
 ● 25 Ncm



Marked with lines to identify connection size
 3.0 – marked with one line.
 3.5/4.0 – marked with two lines.
 Marked with digits to identify diameter (Ø) and height.

TiDesign™ 3.0

Titanium

Includes Abutment Screw Design 3.0 – M1.4, REF 24189 (Titanium)



Angulation			15°
Ø mm	4.0	4.0	4.0
Height bucc A mm	1	2	2.4
ling B mm	1.5	2.5	2.4
Vert. height mm	7	8	7
REF	24788	24789	24790



TiDesign™ 3.5/4.0

Titanium

Includes Abutment Screw Design
3.5/4.0 – M1.6, REF 24449
(Titanium)



Angulation								20°	20°
Ø mm	4.5	4.5	5.5	5.5	6.5	6.5		4.5	5.5
Height bucc A mm	1.5	3	1.5	3	1.5	3		3.5	3.5
ling B mm	2.5	4	2.5	4	2.5	4		3.5	3.5
Vert. height mm	9	10	9	10	9	10		9.5	9.5
REF	24285	24286	24287	24288	24289	24290		24291	24292



TiDesign™ 4.5/5.0

Titanium

Includes Abutment Screw Design
4.5/5.0 – M2, REF 24209
(Titanium)



Angulation								20°
Ø mm	5.5	5.5	6.5	6.5	5.5			
Height bucc A mm	1.5	3	1.5	3	3.5			
ling B mm	2.5	4	2.5	4	3.5			
Vert. height mm	9	10	9	10	9.5			
REF	24235	24236	24237	24238	24239			




CastDesign™ 3.5/4.0

Base: Non-oxidizing gold alloy
Cylinder: Burnout plastic

Includes Abutment Screw Design
3.5/4.0 – M1.6, REF 24449
(Titanium)



Ø mm	4.1
Height (margin) mm	1
Vert. height mm	10
REF	22843



SHORT FACTS

Recommended torque – ● 20 Ncm
● 25 Ncm

CastDesign™ 4.5/5.0

Base: Non-oxidizing gold alloy
Cylinder: Burnout plastic

Includes Abutment Screw Design
4.5/5.0 – M2, REF 24209
(Titanium)




Ø mm	4.5
Height (margin) mm	1
Vert. height mm	10
REF	22844



Implant Pick-up
3.0, 3.5/4.0, 4.5/5.0

Titanium
 NI = Non Indexed

Two piece component:
 includes pick-up and guide pin.




	Short	Long	Short	Long	Short	Long	NI-Short	NI-Long	NI-Short	NI-Long
Length mm	21	26	21	26	22	27	21	26	22	27
REF	24950	24949	24947	24948	24938	24946	24936	24937	24928	24929

Implant Transfer
3.0, 3.5/4.0, 4.5/5.0

Titanium


Internal thread.
 Two piece component:
 includes sleeve and pin.



Product	Long	Short	Long	Short	Long
Length mm	19	16	19	18	21
REF	24958	24959	24960	24956	24957

Implant Replica
3.0, 3.5/4.0, 4.5/5.0

Titanium




Length mm	15	15	15.5
REF	24977	24978	24979

Implant Guide Pin
3.0, 3.5/4.0, 4.5/5.0

Titanium


Used when working with abutments
 tightened with

- Abutment screw – M1.4 ●
- Abutment screw – M1.6 ●
- Abutment screw – M2 ●



	Short	Long	Short	Long	Short	Long
Length mm	21	26	21	26	22	27
REF	24970	24976	24968	24969	24966	24967

MEASUREMENTS



SHORT FACTS

6 degree tapered top cone.
 Laser marked line for simplified occlusal reduction at 1 mm line.
 Recommended torque – ● 25 Ncm
 ● 25 Ncm
 Marked with digit to identify diameter (Ø).



Direct Abutment API™ 3.5/4.0



API = All parts included

Ø mm	Height (margin) mm	REF
4	0.5	24917
4	1	24918
4	2.5	24919
4	4	24920




DA 4 Metal Carrier for seating and retrieval of Direct Abutment Ø 4, see pages 20 and 49.

Ø mm	Height (margin) mm	REF
5	1	24921
5	2.5	24922
5	4	24923



Direct Abutment API™ 4.5/5.0



Ø mm	Height (margin) mm	REF
5	0.5	24558
5	1	24559
5	2.5	24560
5	4	24561



Ø mm	Height (margin) mm	REF
6	1	24562
6	2.5	24563
6	4	24564



Direct Abutment™ 3.5/4.0

Titanium

Ø mm	4	4	4	4	5	5	5
Height (margin) mm	0.5	1	2.5	4	1	2.5	4
Vert. height mm	6	6	8	9	6	8	9
REF	24910	24911	24912	24913	24914	24915	24916

Direct Abutment™ 4.5/5.0

Titanium

Ø mm	5	5	5	5	6	6	6
Height (margin) mm	0.5	1	2.5	4	1	2.5	4
Vert. height mm	6	6	8	9	6	8	9
REF	24527	24528	24529	24530	24537	24538	24539

Direct Abutment™ Healing Cap

Plastic

Ø mm	4	5	6
REF	22720	22721	22722

Direct Abutment™ Impression Pick-up

Plastic

Ø mm	4	5	6
REF	22710	22711	22712

Direct Abutment™ Replica

Stainless steel

Ø mm	4	5	6
REF	22054	22064	22065

Direct Abutment™ Burnout Cylinder

Plastic

Ø mm	4	5	6
REF	22372	22373	22379


Direct Abutment™ Carrier

Plastic/Stainless steel

DA 4 Metal Carrier for seating and retrieval of Direct Abutment Ø 4, 17 mm


Ø mm	4	5	6	4
REF	24137	24138	24139	22850

Components for screw-retained restorations



Well documented solutions for predictable clinical success

For screw-retained restorations, the ASTRA TECH Implant System provides abutments for all treatment indications. The components are designed for full flexibility and optimal results for partial as well as full jaw restorations. The UniAbutment, with its conical abutment top supporting the restoration, provide mechanical, clinical and biological support. The flexibility for implants placed in non-parallel positions with limited vertical space available, provides freedom and satisfaction for each clinician.




ATLANTIS suprastructures are the benchmark for fixed and removable dental prostheses. The suprastructures are produced using the latest developments in CAD/CAM technology, and milled from solid blocks of titanium or cobalt-chrome.

ATLANTIS suprastructures offers an expansive range of flexibility in therapy and design options, with CAD/CAM precision that provides a tension-free fit. Available for the major implant systems, ATLANTIS suprastructures offers bars, bridges, hybrids and unique 2in1 solutions.

For more information, please contact your local sales representative, or visit www.dentsplyimplants.com

UniAbutment

MEASUREMENTS



SHORT FACTS

Height of 20° tapered top cone – 2.15 mm.
 Height of 45° tapered top cone – 0.8 mm.
 Removal grooves.
 Pre-mounted with carrier.
 Recommended torque – 15 Ncm.



20° UniAbutment 3.5/4.0

Titanium, Sterile

20° tapered top



Ø mm	3.5	3.5	3.5	3.5	3.5	3.5
Height (margin) mm	0.5	1	2	4	6	8
Vert. height mm	2.5	3	4	6	8	10
REF	24893	24894	24895	24896	24897	24898

45° UniAbutment 3.5/4.0

Titanium, Sterile

45° tapered top



Ø mm	3.5	3.5	3.5	3.5	3.5	3.5
Height (margin) mm	0.5	1	2	4	6	8
Vert. height mm	1	2	3	5	7	9
REF	24899	24900	24901	24902	24903	24904

20° UniAbutment 4.5/5.0

Titanium, Sterile

20° tapered top



Ø mm	3.5	3.5	3.5	3.5	3.5	3.5
Height (margin) mm	0.5	1	2	4	6	8
Vert. height mm	2.5	3	4	6	8	10
REF	24398	24399	24400	24401	24402	24403

45° UniAbutment 4.5/5.0

Titanium, Sterile

45° tapered top



Ø mm	3.5	3.5	3.5	3.5	3.5	3.5
Height (margin) mm	0.5	1	2	4	6	8
Vert. height mm	1	2	3	5	7	9
REF	24406	24407	24408	24409	24410	24411



Easy to remove the UniAbutment with Removal Tool M1.4, see page 49.


Angled Abutment 3.5/4.0

Titanium, Sterile

Angulation 20°
 Includes Abutment Screw Angled
 3.5/4.0 – M1.6, REF 24439
 (Titanium)



Ø mm	4	4	4	4
Height (margin) mm	0.8	2	0.8	2
Vert. height mm	6	7	6	7
REF	24245	24246	24347	24348



SHORT FACTS
 Recommended torque – 20 Ncm
 25 Ncm


Angled Abutment 4.5/5.0

Titanium, Sterile

Angulation 20°
 Includes Abutment Screw Angled
 4.5/5.0 – M2, REF 22487
 (Titanium)



Ø mm	4	4	4	4
Height (margin) mm	0.5	2	0.5	2
Vert. height mm	6	7	6	7
REF	24247	24248	24606	24607




20° ProHeal Cap

Titanium, Sterile

Healing cap
 for 20° UniAbutments.

Ø mm	4.3	5.5	5.5
Height mm	4	3.8	5.8
REF	24162	24158	24159



SHORT FACTS
 Recommended torque – Manual.
 Only light fingerforce (5–10 Ncm)
 using a manual hex screwdriver.
 Do not use a Ratchet or Torque
 Wrench.

45° ProHeal Cap

Titanium, Sterile

Healing cap for 45° UniAbutments.

Ø mm	4.3	5.5	5.5
Height mm	2.7	3.8	5.8
REF	24163	24160	24161




Healing Cap Angled

Titanium, Sterile

Includes Bridge Screw, Slot, REF 22167



Ø mm		5
Height mm		7.5
REF		24092



SHORT FACTS
 Recommended torque – Manual.

20° UniAbutment Pick-up

Stainless steel

Two piece component: pick-up and guide pin.

Ø mm	4.3	5.5
REF	22882	22876



45° UniAbutment Pick-up

Stainless steel

Two piece component: pick-up and guide pin.

Ø mm	4.3	5.5
REF	22883	22878



20°/45° UniAbutment Transfer

Stainless steel

Used for 20° and 45° UniAbutment.
 When using transfer, information on which abutment used must be communicated to the lab.

REF 22068



Angled Abutment Pick-up

Stainless steel

Two piece component: pick-up and guide pin.

REF 24254



Abutment Replica

Stainless steel

Product	Uni 20°	Uni 45°	Angled
REF	22069	22070	24227



Abutment Guide Pin, M1.4

Stainless steel



Length mm	13	16	19	22
REF	22190	22197	22198	22199



Bridge Screw, M1.4

Titanium

Recommended torque is 1.5 Ncm.

		
	Hex	Slot
Screw head Ø mm	2.3	2.3
Head depth mm	1.8	1
REF	22435	22167

Temporary Cylinder

Titanium

			
	Uni 20°	Uni 45°	Angled
REF	22060	22061	22447

Semi-Burnout Cylinder

Base: Non-oxidizing gold alloy
 Cylinder: Plastic

			
	Uni 20°	Uni 45°	Angled
REF	22184	22185	24243

Burnout Cylinder

Plastic

			
	Uni 20°	Uni 45°	Angled
REF	22186	22187	22448

Titanium Cylinder

Base: Titanium
 Cylinder: Plastic


			
	Uni 20°	Uni 45°	Angled
REF	22798	22799	24244

Components for Attachment-retained restorations

Attached to implants

There are several indications for overdenture treatment in connection with implant therapy. Functional, esthetic, phonetic and hygienic requirements in certain clinical situations support the use of the overdenture as a treatment option. The presence of at least one implant in each quadrant of the jaw, combined with a suitable attachment system, makes overdenture treatment a viable alternative when treating totally edentulous jaws.





SHORT FACTS
 Diameter of Locator retention top – 3.85 mm.
 1.5 mm of the top should be supragingival to be able to retain the overdenture.
 Recommended torque – ● 25 Ncm
 ● 25 Ncm

Locator™ Abutment 3.5/4.0

Titanium
 TiN-coating

●					
Ø mm	3.7	3.7	3.7	3.7	3.7
Height mm	1	2	3	4	5
REF	24268	24269	24270	24271	24272

Locator™ Abutment 4.5/5.0

Titanium
 TiN-coating

●					
Ø mm	3.7	3.7	3.7	3.7	3.7
Height mm	0.5	2	3	4	5
REF	24477	24478	24479	24480	24481

Locator™ Abutment Pick-up Locator™ Abutment Replica

Aluminum
 QTY 4

REF 24484		REF 24485	
-----------	--	-----------	--

Locator™ Process Kit

QTY 2 sets

REF 24483					
-----------	--	--	--	--	--

Locator™ Insert – Male

Nylon non-sterile
 The clear, pink and blue insert retention parts allow for a divergence of up to 10° for a single implant and 20° between implants.
 QTY 4

	Blue	Pink	Clear
REF	24488	24487	24486
Grams	680	1361	2268
Retention force, kg	0.7	1.4	2.3

Locator™ Insert – Extended Range Male

Nylon non-sterile
 The grey, red, orange and green inserts permit a divergence of 10–20° for a single implant and up to 40° between implants.
 The grey insert is used temporary during long-term treatment for protecting the abutments.
 QTY 4

	Grey	Red	Orange	Green
REF	25679	24492*	25843	24489*
Grams	0	226–680	907	1361–1814
Retention force, kg	0	0.5	0.9	1.8

Locator™ Core Tool

Stainless steel

REF 24482



Locator™ Torque Wrench Bit

Stainless steel



15 mm

21 mm

23 mm

Locator™ Driver

Stainless steel


REF

24490

24491

25766


MEASUREMENTS



SHORT FACTS

Height of the ball from the margin – 2.85 mm.
 Installed using Ball Wrench, REF 24367.

Recommended torque – ● 25 Ncm
 ● 25 Ncm



Diameter of the ball – 2.25 mm.

Ball Abutment 3.5/4.0

Titanium, Sterile

Ball Ø 2.25 mm



Ø mm

Height (margin) mm

Vert. height mm

REF

3.5	3.5	3.5	3.5	3.5
1	2	4	6	8
4	5	7	9	11
24905	24906	24907	24908	24909

Ball Abutment 4.5/5.0

Titanium, Sterile

Ball Ø 2.25 mm



Ø mm

Height (margin) mm

Vert. height mm

REF

3.5	3.5	3.5	3.5	3.5	3.5
0.5	1	2	4	6	8
3.5	4	5	7	9	11
24418	24419	24420	24421	24422	24423



Restorative abutment options
 for overdenture treatment.

Ball Abutment Pick-up

Plastic

REF 22439



Ball Abutment Replica

Stainless steel

REF 22505



Ball Wrench

Stainless steel

REF 24367



Wrench for seating and retrieval of Ball Abutment. Used together with Ratchet Wrench, Torque Wrench or Surgical Wrench.

Ball Driver EV

Stainless steel






REF 25768 *



Dalbo Plus Female Part Basic

- **Dalbo Plus attachment**
Titanium, non-sterile
- **Lamellae retention Insert E**
Gold alloy, non-sterile
- **Dalbo Plus Duplicating Aid**
Plastic, non-sterile

Dalbo Plus Screwdriver/Activator
Stainless steel, non-sterile

Dalbo Plus	Female Part TE Basic, complete	Lamellae retention Insert E	Duplicating Aid	Screwdriver/Activator
				
REF	25834	25844	25827	25835

OD Cylinder

Gold Alloy

Used with UniAbutment and bridge screw slot for bar solution.

- Compatible with most bar system on the market

REF



Uni 20°
22182



Uni 45°
22183

SHORT FACTS

The following components should be utilized with UniAbutments (see page 22).



* Some products in this catalog are marked "EV".
 These particular products are compatible with OsseoSpeed TX.

Surgical instruments

Getting started

If you are new to the ASTRA TECH Implant System, we recommend the following instruments to get started:

Surgical Instrument Kit, REF 24980 – see page 31

Surgical Tray, REF 24349 – see page 31

Ratchet Wrench, REF 24357 – see page 32

and your choice of:

Single Patient drills – see page 36

Multiple-use drills – see pages 38–39

ALTERNATIVE – for use with Single Patient Drills only:

Surgical Instrument Kit, REF 24980 – see page 31

Restorative Tray, REF 22495 – see page 43

Ratchet Wrench, REF 24357 – see page 32

Your choice of Single Patient drills, see page 37.



Surgical Instrument Kit

Surgical Instrument Kit Includes:

Direction Indicator 2.0/3.2	(4)	22434
Implant Depth Gauge 6–19 mm	(1)	24801
Implant Driver 3.5/4.0, Short	(1)	25009
Implant Driver 3.5/4.0, Long	(1)	25010
Implant Driver 4.5/5.0, Short	(1)	25011
Implant Driver 4.5/5.0, Long	(1)	25012
Hex CA Driver, Short	(1)	22548
Hex CA Driver, Long	(1)	22549
Drill Extension	(1)	22520
Driver Handle	(1)	24358

REF 24980




Note: Does not include implant drivers for 3.0 implant.

Surgical Tray

No instruments included.

REF 24349




Implant Driver 3.0



Short, 19 mm
REF 25007

Long, 28 mm
REF 25008



Implant Driver 3.5/4.0



Short, 19 mm
REF 25009

Long, 28 mm
REF 25010



Implant Driver 4.5/5.0



Short, 20 mm
REF 25011

Long, 28 mm
REF 25012



Used to engage and place implants.

Short drivers are ideal for the posterior region.

Ratchet Wrench

Stainless steel

Wrench without torque function.

REF 24357



Driver Handle

Stainless steel

Used in combination with Ratchet Wrench and/or machine/contra angle (CA) instruments.

REF 24358



Wrench Adapter

Stainless steel

For handling of Implant Drivers. Only needed for customers who already have Surgical Wrench (REF 24178) or Torque Wrench (REF 24075).

REF 24572



Direction Indicator 2.0/3.2

Titanium

For use after 2.0 mm and/or 3.2 mm Twist Drill.

REF 22434



Titanium Bowl

Titanium

REF 22137



Implant Depth Gauge, 6–19 mm

Titanium

Laser etched bands for measuring of implant and soft tissue heights. Waist at 13–15 mm indication.

REF 24801



Wrench

Titanium

Use together with any adapter and/or retriever.

REF 22124



Forceps

Titanium

94 mm
REF 22437



Hex Screwdriver

Stainless steel

Hexagonal screwdriver.

Short, 20 mm
REF 22514



Intermediate, 31 mm
REF 22515



Long, 43 mm
REF 22516



Hex CA Driver

Stainless steel

Hexagonal screwdriver for Contra Angle and/or Driver Handle.

Short, 22 mm
REF 25790*



Short, 24 mm
REF 22548



Long, 35 mm
REF 22549



* Some products in this catalog are marked "EV".
These particular products are compatible with OsseoSpeed TX.

Osteotome Kit


Stainless steel

REF 22956

Astra Tech Osteotome Kit includes:

Osteotome Tray, Large	(1)	22953
Osteotome Set, Round	(1)	22937
Osteotome Set, Concave	(1)	22947
Osteotome Mallet, Small	(1)	22955

Note: Does not include Osteotomes for 5.0 S implants.



Osteotome Set, Round, Straight

Stainless steel

REF 22937

Seven straight instruments with round tips.
Also available as separate items.

Osteotome 2.0/2.5, Round, Straight	(1)	22930
Osteotome 2.5/3.2, Round, Straight	(1)	22931
Osteotome 3.2, Round, Straight	(1)	22932
Osteotome 3.2/3.7, Round, Straight	(1)	22933
Osteotome 3.7, Round, Straight	(1)	22934
Osteotome 3.2/4.3, Round, Straight	(1)	22935
Osteotome 3.7/4.8, Round, Straight	(1)	22936

Note: Does not include Osteotomes for 5.0 S implants.



Osteotome Set, Concave, Bayonet

Stainless steel

REF 22947

Seven bayonet shaped instruments with concave tips. Also available as separate items.

Osteotome 2.0/2.5, Concave, Bayonet	(1)	22940
Osteotome 2.5/3.2, Concave, Bayonet	(1)	22941
Osteotome 3.2, Concave, Bayonet	(1)	22942
Osteotome 3.2/3.7, Concave, Bayonet	(1)	22943
Osteotome 3.7, Concave, Bayonet	(1)	22944
Osteotome 3.2/4.3, Concave, Bayonet	(1)	22945
Osteotome 3.7/4.8, Concave, Bayonet	(1)	22946

Note: Does not include Osteotomes for 5.0 S implants.



Osteotome Mallet, Small

Stainless steel

REF 22955



Osteotome Set 5.0 S, Round, Straight

Stainless steel

Four straight instruments with round tips.
Also available as separate items.

Osteotome 3.7/4.2, Round, Straight	24339
Osteotome 4.2, Round, Straight	24684
Osteotome 4.2/4.7, Round, Straight	24685
Osteotome 4.7, Round, Straight	24686

REF 24687



Osteotome Set 5.0 S, Concave, Bayonet

Stainless steel

Four bayonet shaped instruments with
concave tips. Also available as separate items.

Osteotome 3.7/4.2, Concave, Bayonet	24688
Osteotome 4.2, Concave, Bayonet	24689
Osteotome 4.2/4.7, Concave, Bayonet	24690
Osteotome 4.7, Concave, Bayonet	24691

REF 24692



Osteotome Tray, Large

Stainless steel

No instruments included.
Room for 14 osteotomes.

REF 22953



Osteotome Tray, Small

Stainless steel

No instruments included.
Room for 7 osteotomes.

REF 24693



Single Patient drills

Single Patient Drill Kits

Stainless steel
Sterile
Laser etched depth indication.

Includes:
Guide Drill
SP Twist Drill Ø 2.0
SP Twist Drill Ø 3.2



Short, 8–13 mm
REF 22898




Long, 8–19 mm
REF 22899

Single Patient Drill Kit 6–13 mm

Stainless steel
Sterile
Laser etched depth indication.

Includes:
SP Twist Drill Ø 2.0, 6–13 mm
SP Twist Drill Ø 3.2, 6–13 mm



REF 24737*

Note: SP Drills included in kits are not available as separate items.

*For OsseoSpeed TX 4.0 S – 6 mm












































Single Patient Drills

Stainless steel

Sterile

Laser etched depth indication.

	REF			REF	
SP Twist Drill Ø 3.7, 6–13 mm	24199*				
SP Twist Drill Ø 3.85, 6–13 mm	24734*				
	REF	Short 8–13 mm		REF	Long 8–19 mm
SP Twist Drill Ø 2.0	24992			24991	
SP Twist Drill Ø 2.7	24994			24993	
SP Twist Drill Ø 2.85	24996			24995	
SP Twist Drill Ø 3.35	22908			22909	
SP Twist Drill Ø 3.7	22910			22911	
SP Twist Drill Ø 3.85	22912			22913	
SP Twist Drill Ø 4.2	22957			22958	
SP Twist Drill Ø 4.7	22959			22960	
SP Twist Drill Ø 4.85	22961			22962	
	REF	Short shaft		REF	Long shaft
SP Pilot Drill Ø 2.0/3.2, 6–13 mm	24735*				
SP Pilot Drill Ø 2.0/2.7	24997				
SP Pilot Drill Ø 2.0/3.2	22904			22905	
SP Pilot Drill Ø 3.2/3.7	22906			22907	
SP Pilot Drill Ø 3.7/4.2	22963				
SP Cortical Drill Ø 2.7/3.0	24998				
SP Cortical Drill Ø 3.2/3.5	22914			22915	
SP Cortical Drill Ø 3.7/4.0	22916			22917	
SP Cortical Drill Ø 4.7/5.0	22964				
SP Conical Drill Ø 2.7/4.5	24999			25000	
SP Conical Drill Ø 3.2/4.5	22921			22922	
SP Conical Drill Ø 3.2/5.0	25001			25002	
SP Conical Drill Ø 3.7/5.0	22923			22924	

*For OsseoSpeed TX 4.0 S – 6 mm

Drills

Multiple-use drills


Drill Set

Stainless steel, TiN-coated
Laser etched depth indication.

Starter set of drills.

*Does not include drills for 3.0 S,
4.0 S – 6 mm or 5.0 S.

REF 24264



Guide Drill

Stainless steel

Guide Drill Ø 1.8

REF 22800



Twist Drill

Stainless steel, TiN-coated
Laser etched depth indication.






Note: *Not included in Drill Set, REF 24264

	REF	Short, 8–13 mm	REF	Long, 8–19 mm
Twist Drill Ø 2.0, (no color)	22887		22886	
Twist Drill Ø 2.5, (red)	22802		22801	
Twist Drill Ø 2.7, (light blue)	24797*		24796*	
Twist Drill Ø 2.85, (silver)	24799*		24798*	
Twist Drill Ø 3.2, (green)	22811		22807	
Twist Drill Ø 3.35, (lilac)	22812		22808	
Twist Drill Ø 3.7, (black)	22813		22809	
Twist Drill Ø 3.85, (brown)	22814		22810	
Twist Drill Ø 4.2, (yellow)	22463*		22462*	
Twist Drill Ø 4.7, (blue)	22465*		22464*	
Twist Drill Ø 4.85, (pink)	22467*		22466*	

Pilot Drill

Stainless steel, TiN-coated
Laser etched depth indication.





Note: *Not included in Drill Set, REF 24264

	REF	
Pilot Drill Ø 2.0/2.7 (light blue)	24795*	
Pilot Drill Ø 2.0/3.2 (green)	24207	
Pilot Drill Ø 2.5/3.2 (green)	22803	
Pilot Drill Ø 3.2/3.7 (black)	22805	
Pilot Drill Ø 3.7/4.2 (yellow)	22468*	

Cortical Drill

Stainless steel, TiN-coated
Laser etched depth indication.









Note: *Not included in Drill Set, REF 24264

	REF	
Cortical Drill Ø 2.7/3.0 (light blue)	24800*	
Cortical Drill Ø 3.2/3.5 (green)	22815	
Cortical Drill Ø 3.7/4.0 (black)	22816	
Cortical Drill Ø 4.7/5.0 (blue)	22469*	

Conical Drill

Stainless steel, TiN-coated
Laser etched depth indication.

Note: *Not included in Drill Set, REF 24264

	REF	Short shaft	REF	Long shaft
Conical Drill Ø 2.7/4.5 (light blue)	24924*		24925*	
Conical Drill Ø 3.2/4.5 (green)	22894		22895	
Conical Drill Ø 3.2/5.0 (no color)	24926*		24927*	
Conical Drill Ø 3.7/5.0 (black)	22896		22897	

Drill Extension

Stainless steel

REF
22520



Implant Unit

Implant unit includes:

- Control unit
- Foot Control
- Motor with 1.8 m cable including 5 clips
- Main Cable
- Motor Support
- Stand
- Locking Pins
- Protection cap for motor
- Irrigation tubing (QTY 3), disposable for single patient use.

Note: Contra Angle must be purchased separately.



Implant Unit SI 915, 115 V REF 24360
Implant Unit SI 923, 230 V REF 24412

Contra Angles

20:1 Contra Angle for Implant Unit and for ImplantMED Drill Unit.
Can be dismantled.

Note: Be sure to pay attention to the correct contra angle adjustment of your drive unit.



W&H WS-75 E/KM REF 22903

20:1 Contra Angle for Implant Unit and for ImplantMED Drill Unit.
Can not be dismantled.

Note: Be sure to pay attention to the correct contra angle adjustment of your drive unit.



W&H WI-75 E/KM REF 24350

Irrigation Set

Disposable Irrigation Set, W&H
Includes pump segment. 2.2 m,
sterile for ImplantMED
and recommended for
Implant Unit.
QTY 6



REF 22176

Irrigation Tube

Irrigation Tube, W&H, disposable 2.2 m, sterile for ElcoMED 100 and ImplantMED. QTY 10

REF 22177



Suction Tube

Medena
Ø 5.5 mm/8 mm, 2.0 m, QTY 1
Single-use, sterile.

REF 68108



Medena
Ø 5.5 mm/8 mm, 3.5 m, QTY 1
Single-use, sterile.

REF 68130

Medena
Ø 5.5 mm/8 mm, 2.0 m, QTY 1
Including double bent suction tip.
Single-use, sterile.

REF 68118



Mucosal Punch EV*

Sterile
Single use only
QTY 5

Ø	3.5	4	4.5	5	5.5	6.5
Order no.	25711	25712	25713	25714	25715	25731



BoneTrap™

BoneTrap is the ideal collector for harvesting bone particles during surgery. The unique design of the filter allows for efficient collection of bone particles without clogging. BoneTrap is disposable and provided sterile. QTY 1

REF 22179



* Some products in this catalog are marked "EV".
These particular products are compatible with OsseoSpeed TX.

Restorative instruments

Getting started

If you are new to the ASTRA TECH Implant System, we recommend the following prosthetic instruments to get started:

Restorative Instrument Kit, REF 24879 – see page 43

Restorative Tray, REF 22495 – see page 43

Torque Wrench Kit, REF 24100 – see page 43



Restorative Instrument Kit

Restorative Instrument Kit Includes:

		REF	
Driver Handle	(1)	24358	
Abutment Depth Gauge	(1)	24573	
Hex CA Driver, short	(1)	22548	
Hex CA Driver, long	(1)	22549	REF 24879



Restorative Tray

Tray with room to host all restorative instruments. No instruments included.


REF 22495



Torque Wrench Kit

Wrench with adjustable torque function.
Range 10, 15, 20 and 25 Ncm.

		REF	
Torque Wrench	(1)	24075	
T.W. Bit Hex, Short	(1)	24093	
T.W. Bit Hex, Long	(1)	24094	
T.W. Bit Slot, Short	(1)	24095	
T.W. Bit Slot, Long	(1)	24096	
T.W. Conn., Adapter	(1)	24097	
T.W. Instrument Lubricant	(1)	24098	REF 24100
T.W. Dismantle Tool	(1)	24099	O-ring T.W. Bit (QTY 10) REF 22416



General

Try-in TiDesign™/ZirDesign™

Plastic

REF

Includes


Try-in Case Ti/ZirDesign

Ti/ZirDesign™ 3.5/4.0 Try-in

24847

Ti/ZirDesign™ 4.5/5.0 Try-in

24849



Torque Wrench

Stainless steel

REF

24075



Hex Screwdriver

Stainless steel

Hexagonal screwdriver.

REF

Short, 20 mm


22514

Intermediate, 31 mm

22515

Long, 43 mm

22516



Hex CA Driver

Stainless steel

Hexagonal screwdriver
for Contra Angle.

REF

Short, 22 mm

25790*

Short, 24 mm

22548

Long, 35 mm

22549



* Some products in this catalog are marked "EV".
These particular products are compatible with OsseoSpeed TX.

Slot Screwdriver


Stainless steel

Short, 20 mm

Intermediate, 30 mm

Long, 43 mm

REF
22506
22507
22508



Slot CA Driver

Stainless steel

Slot screwdriver for Contra Angle.

Short, 24 mm

Long, 35 mm

REF
22688
22689




Abutment Depth Gauge

Stainless steel

Laser etched bands for measuring mucosal height over the implant in millimeters.

Waist at 4–5 mm indication, section for better visual orientation.

REF 24573



Handpiece Connector Carrier

Stainless steel

For connection between Contra Angle and pre-mounted Abutment Carrier on UniAbutments.

REF 24133



Carrier Extension

Stainless steel

For extended connection between pre-mounted Abutment Carrier and Torque Wrench.

Short
REF 24134



Long
REF 24135



O-ring (QTY 10) REF 22416

General


Lab Abutment Screw Design

Titanium

For all DesignLine abutments.

Separate sets, each set includes:

- 2 pcs Yellow
- 6 pcs Aqua
- 6 pcs Lilac



Lab Abutment Screw, Angled

Titanium

For Angled Abutment.

Set includes 4 pieces:

- 2 pcs Aqua
- 2 pcs Lilac



Lab Bridge Screw, hex and slot

Titanium

Set includes 6 pieces:

- 3 slot screws
- 3 hex screws



Grinding Handle

Use with implant replicas for grinding of abutments.



Grinding Device

For Cylinder 20° and Bridge Screw entrance hole.



Polishing Protector

Stainless steel

QTY 10

For the internal cone and the margin of 20° and 45° cylinders. Works together with Bridge Screw or Abutment Guide Pin.



Repair procedures

The ASTRA TECH Implant System provides a selection of unique products for safe and easy handling when meeting specific failures and other errors in the clinical situation. For different reasons abutments, implants or screws occasionally need to be removed and/or replaced. The specific repair and retrieval products are used together with the ordinary instruments within ASTRA TECH Implant System.









Compatibility table

Identify the implant/abutment size for OsseoSpeed TX assortment.

Select the corresponding instruments; see the order number in the table below.

ASTRA TECH Implant System™

	OsseoSpeed TX				OsseoSpeed TX Profile	20°/45° Uni Abutment
						
Fragment Fork	25856	25856	25856	25857	25857	25856
Fragment Drill	25858	25858	25858	25859	25859	25858
Thread Cleaner	25862	25863	25863	25865	25865	25862
Trephine Drill	25866	22884	22885	22890	22890	N/A
Retriever	22429	22192	22192	22192	22192	22429


Instruments to remove/retrieve screw fragments

Guiding Cylinder TX

Stainless steel, non-sterile, single-use only

- Guides the instruments into the center of the fragment
- Protects the internal threads in the implant
- Marked with diameter
- Use together with Guiding Cylinder Handle and Fragment Drill or Fragment Fork for OsseoSpeed TX implants

Guiding Cylinder TX




Guiding Cylinder UniAbutment 20°/45°

Stainless steel, non-sterile, single-use only

- Guides the instruments into the center of the fragment
- Protects the internal threads in the abutment
- Marked with diameter and TX
- Use together with Guiding Cylinder Handle and Guiding Fragment Drill or Fragment Fork for UniAbutment 20°/45° in ASTRA TECH Implant System

Guiding Cylinder UniAbutment 20°/45°



Guiding Cylinder Handle

Stainless steel, non-sterile

- Adjustable handle for Guiding Cylinders

Guiding Cylinder Handle



Fragment Fork

Tungsten-Carbide, non-sterile, single-use only

- Used for retrieval of fractured abutment- and bridge screws fragment
- For manual use only
- Rotate the Fragment Fork counter-clockwise
- Marked with thread size
- Use together with Restorative Driver Handle EV

Note: Manual use only.

Fragment Fork



Fragment Drill


Shank: Stainless steel

Cutting portion: Tungsten-Carbide

Non-sterile, single-use only

- Used for creating an indentation in the abutment- or bridge screw fragment
- Drill counter-clockwise
- Marked with diameter

Fragment Drill



Screw Extractor

Stainless steel, non-sterile, single-use only

- Used for retrieval of abutment screw fragments
- Rotate the screw extractor counter-clockwise
- Marked with diameter
- Use together with Surgical Driver Handle EV

Note: Manual use only.

Screw Extractor



Instruments to clean internal threads

Thread Cleaner



	M1.4	M1.6	M1.8	M2.0
Order no.	25862	25863	25864	25865

Thread Cleaner

Stainless steel, non-sterile, single-use only.

- Used for cleaning of threads internally in an implant/abutment
- Marked with thread size
- Use together with Restorative Driver Handle EV

Note: Manual use only.

Thread Taps



	M1.4	M1.6	M2.0
Order no.	22871	22873	22875

Thread Taps

To create new threads internally in a damaged implant/abutment.

- Used for cleaning of threads internally in an implant/abutment
- Used together with Driver Handle

Note: Manual use only.

Some products in this catalog are marked "EV".
These particular products are compatible with OsseoSpeed TX.

Remove UniAbutments/implants

Removal Tool M1.4

Stainless steel, non-sterile

- For removal of UniAbutment 20° and 45° with grooves and Cresco Insert 20° and 45°
- Use together with Ratchet Wrench/ Torque Wrench/Surgical Wrench or Wrench (22124)

Removal Tool M1.4



	Short	Long
Length	18	30
Order no.	24021	24037

Instruments to remove/retrieve implants

Trephine Drill



3.0*



3.5



4.0



4.5 5.0 4.5/5.0

Inner Ø mm	6-17 mm	3.5	4.0	5.0
Outer Ø mm	3.2	3.65	4.2	5.15
Order no.	25866	22884	22885	22890

*Note: Same drill for all 3.0 implants and single-use only.

Trephine Drill

Stainless steel, non-sterile

- Used for the retrieval of partly or fully integrated implants.
- Marked with diameter and length.



17 mm
15 mm
13 mm
11 mm
9 mm
8 mm
6 mm

19 mm
15 mm
13 mm
9 mm
7 mm
3 mm

Abutment Retriever



Order no.	22429
-----------	-------

Abutment Retriever

Stainless steel, non-sterile, single-use only

- Use together with a Wrench.

Implant Retriever



Order no.	22192
-----------	-------

Implant Retriever

Stainless steel, non-sterile, single-use only

- Use together with a Wrench.

General instruments

Torque Wrench EV

Stainless steel, non-sterile

- Use together with a Driver Handle.

Torque Wrench EV



Order no.	25774
-----------	-------

Torque Wrench EV, Surgical Driver Handle

Stainless steel, non-sterile

Torque Wrench EV, Surgical Driver Handle



Ø mm	8.9
Length mm	15.3
Order no.	25775

Torque Wrench EV, Restorative Driver Handle



Ø mm	8.9	8.9
Length mm	15.5	11.5
Order no.	25776	25777

Torque Wrench EV, Restorative Driver Handle 4x4 low



Ø mm	8.9
Length mm	9.7
Order no.	25730

Torque Wrench EV, Restorative Driver Handle 4x4 low

Stainless steel, non-sterile

Hex Driver EV Manual

Stainless steel, non-sterile

Hex Driver Manual

Hex Driver Manual

Stainless steel, non-sterile



Total length mm	Short 20	Short 20	Intermediate 31	Intermediate 31	Long 38	Long 43
Order no.	25771	22514	25772	22515	25773	22516

Wrench

Titanium, non-sterile

- Use together with an adapter and/or retriever.

Wrench



Order no.	22124
-----------	-------

Removal/retrieval instruments

Abutment Adapter


Titanium and Stainless steel

For removal of 20° and 45° UniAbutment **without** grooves.

Used together with Ratchet Wrench/Torque Wrench/Surgical Wrench or Wrench 22124.

O-ring, Abutment Adapter, Plastic (QTY 10) REF 22376

Abutment Adapter



Length mm	Short 25	Long 35
Order no.	24424	24370

Patient information material

It is important to inform your patients about the option of dental implant treatment and the many benefits that it can provide. To support you, we offer a selection of patient information material. For further information please ask your local representative or visit www.dentsplyimplants.com.

Order by reference number

REF		page	REF		page
22054	Direct Abutment™ 4 Replica	20	22507	Slot Screwdriver – Intermediate	45
22060	Temporary Cylinder Uni 20°	25	22508	Slot Screwdriver – Long	45
22061	Temporary Cylinder Uni 45°	25	22514	Hex Screwdriver – Short	33, 44, 52
22064	Direct Abutment™ 5 Replica	20	22515	Hex Screwdriver – Intermediate	33, 44, 52
22065	Direct Abutment™ 6 Replica	20	22516	Hex Screwdriver – Long	33, 44, 52
22068	20°/45° UniAbutment Transfer	24	22520	Drill Extension	39
22069	Abutment Replica Uni 20°	24	22548	Hex CA Driver – Short	33, 44
22070	Abutment Replica Uni 45°	24	22549	Hex CA Driver – Long	33, 44
22124	Wrench	33, 52	22688	Slot CA Driver – Short	45
22137	Titanium Bowl	33	22689	Slot CA Driver – Long	45
22167	Bridge Screw Slot	25	22710	Direct Abutment™ 4 Impression Pick-up	20
22170	Grinding Device Uni 20°	46	22711	Direct Abutment™ 5 Impression Pick-up	20
22176	Irrigation Set	40	22712	Direct Abutment™ 6 Impression Pick-up	20
22177	Irrigation Tube	41	22720	Direct Abutment™ 4 Healing Cap	20
22179	BoneTrap™	41	22721	Direct Abutment™ 5 Healing Cap	20
22182	OD Cylinder Uni 20°	29	22722	Direct Abutment™ 6 Healing Cap	20
22183	OD Cylinder Uni 45°	29	22740	Grinding Handle	46
22184	Semi-Burnout Cylinder Uni 20°	25	22798	Titanium Cylinder Uni 20°	25
22185	Semi-Burnout Cylinder Uni 45°	25	22799	Titanium Cylinder Uni 45°	25
22186	Burnout Cylinder Uni 20°	25	22800	Guide Drill Ø 1.8	38
22187	Burnout Cylinder Uni 45°	25	22801	Twist Drill Ø 2.5, 8–19 mm (red) Long	38
22190	Abutment Guide Pin – 13 mm	24	22802	Twist Drill Ø 2.5, 8–13 mm (red) Short	38
22192	Implant Retriever	51	22803	Pilot Drill Ø 2.5/3.2 (green) Short	39
22197	Abutment Guide Pin – 16 mm	24	22805	Pilot Drill Ø 3.2/3.7 (black) Short	39
22198	Abutment Guide Pin – 19 mm	24	22807	Twist Drill Ø 3.2, 8–19 mm (green) Long	38
22199	Abutment Guide Pin – 22 mm	24	22808	Twist Drill Ø 3.35, 8–19 mm (lilac) Long	38
22372	Direct Abutment™ 4 Burnout Cylinder	20	22809	Twist Drill Ø 3.7, 8–19 mm (black) Long	38
22373	Direct Abutment™ 5 Burnout Cylinder	20	22810	Twist Drill Ø 3.85, 8–19 mm (brown) Long	38
22375	O-ring, Implant Adapter, Plastic	47	22811	Twist Drill Ø 3.2, 8–13 mm (green) Short	38
22376	O-ring, Abutment Adapter, Plastic	47	22812	Twist Drill Ø 3.35, 8–13 mm (lilac) Short	38
22379	Direct Abutment™ 6 Burnout Cylinder	20	22813	Twist Drill Ø 3.7, 8–13 mm (black) Short	38
22416	O-ring, Carrier Extension	44	22814	Twist Drill Ø 3.85, 8–13 mm (brown) Short	38
22429	Abutment Retriever	51	22815	Cortical Drill Ø 3.2/3.5 (green) Short	39
22434	Direction Indicator 2.0/3.2	32	22816	Cortical Drill Ø 3.7/4.0 (black) Short	39
22435	Bridge Screw Hex	25	22820	Grinding Device Cylinder, Bridge Hole	46
22437	Forceps – 94 mm	33	22843	CastDesign™ 3.5/4.0	17
22439	Ball Abutment Pick-up	29	22844	CastDesign™ 4.5/5.0	17
22447	Temporary Cylinder Angled	25	22850	DA 4 Metal Carrier	20, 48
22448	Burnout Cylinder Angled	25	22851	TempDesign™ 3.5/4.0	14
22462	Twist Drill Ø 4.2, 8–19 mm (yellow) Long	38	22852	TempDesign™ 4.5/5.0	14
22463	Twist Drill Ø 4.2, 8–13 mm (yellow) Short	38	22853	TempDesign™ 3.5/4.0 NI	14
22464	Twist Drill Ø 4.7, 8–19 mm (blue) Long	38	22854	TempDesign™ 4.5/5.0 NI	14
22465	Twist Drill Ø 4.7, 8–13 mm (blue) Short	38	22871	Thread Tap, 1.4 mm	50
22466	Twist Drill Ø 4.85, 8–19 mm (pink) Long	38	22873	Thread Tap, 1.6 mm	50
22467	Twist Drill Ø 4.85, 8–13 mm (pink) Short	38	22875	Thread Tap, 2.0 mm	50
22468	Pilot Drill Ø 3.7/4.2 (yellow) Short	38	22876	20° UniAbutment Pick-up Ø 5.5	24
22469	Cortical Drill Ø 4.7/5.0 (blue) Short	38	22878	45° UniAbutment Pick-up Ø 5.5	24
22471	Polishing Protector Uni 20°	46	22882	20° UniAbutment Pick-up Ø 4.3	24
22474	Polishing Protector Uni 45°	46	22883	45° UniAbutment Pick-up Ø 4.3	24
22487	Abutment Screw Angled 4.5/5.0 – M2	23	22884	Trephine Drill, Ø 3.5	51
22495	Restorative Tray	43	22885	Trephine Drill, Ø 4.0	51
22505	Ball Abutment Replica	29	22886	Twist Drill Ø 2.0, 8–19 mm (no color) Long	38
22506	Slot Screwdriver – Short	45	22887	Twist Drill Ø 2.0, 8–13 mm (no color) Short	38

REF	page	REF	page
22890	Trephine Drill, Ø 5.0.....	51	
22894	Conical Drill Ø 4.5 (green) Short.....	39	
22895	Conical Drill Ø 4.5 (green) Long.....	39	
22896	Conical Drill Ø 5.0 (black) Short.....	39	
22897	Conical Drill Ø 5.0 (black) Long.....	39	
22898	SP Drill Kit, Short.....	36	
22899	SP Drill Kit, Long.....	36	
22903	Contra Angle.....	39	
22904	SP Pilot Drill Ø 2.0/3.2 Short.....	36	
22905	SP Pilot Drill Ø 2.0/3.2 Long.....	36	
22906	SP Pilot Drill Ø 3.2/3.7 Short.....	36	
22907	SP Pilot Drill Ø 3.2/3.7 Long.....	36	
22908	SP Twist Drill Ø 3.35, 8–13 mm Short.....	36	
22909	SP Twist Drill Ø 3.35, 8–19 mm Long.....	36	
22910	SP Twist Drill Ø 3.7, 8–13 mm Short.....	36	
22911	SP Twist Drill Ø 3.7, 8–19 mm Long.....	36	
22912	SP Twist Drill Ø 3.85, 8–13 mm Short.....	36	
22913	SP Twist Drill Ø 3.85, 8–19 mm Long.....	36	
22914	SP Cortical Drill Ø 3.2/3.5 Short.....	36	
22915	SP Cortical Drill Ø 3.5 Long.....	36	
22916	SP Cortical Drill Ø 3.7/4.0 Short.....	36	
22917	SP Cortical Drill Ø 4.0 Long.....	36	
22921	SP Conical Drill Ø 3.2/4.5 Short.....	36	
22922	SP Conical Drill Ø 4.5 Long.....	36	
22923	SP Conical Drill Ø 3.7/5.0 Short.....	36	
22924	SP Conical Drill Ø 5.0 Long.....	36	
22930	Osteotome 2.0/2.5, Round, Straight.....	34	
22931	Osteotome 2.5/3.2, Round, Straight.....	34	
22932	Osteotome 3.2, Round, Straight.....	34	
22933	Osteotome 3.2/3.7, Round, Straight.....	34	
22934	Osteotome 3.7, Round, Straight.....	34	
22935	Osteotome 3.2/4.3, Round, Conical, Straight.....	34	
22936	Osteotome 3.7/4.8, Round, Conical, Straight.....	34	
22937	Osteotome Set, Round.....	34	
22940	Osteotome 2.0/2.5, Concave, Bayonet.....	34	
22941	Osteotome 2.5/3.2, Concave, Bayonet.....	34	
22942	Osteotome 3.2, Concave, Bayonet.....	34	
22943	Osteotome 3.2/3.7, Concave, Bayonet.....	34	
22944	Osteotome 3.7, Concave, Bayonet.....	34	
22945	Osteotome 3.2/4.3, Concave, Conical, Bayonet.....	34	
22946	Osteotome 3.7/4.8, Concave, Conical, Bayonet.....	34	
22947	Osteotome Set, Concave.....	34	
22953	Osteotome Tray, Large.....	35	
22955	Osteotome Mallet, Small.....	34	
22956	Osteotome Kit.....	34	
22957	SP Twist Drill Ø 4.2, 8–13 mm Short.....	36	
22958	SP Twist Drill Ø 4.2, 8–19 mm Long.....	36	
22959	SP Twist Drill Ø 4.7, 8–13 mm Short.....	36	
22960	SP Twist Drill Ø 4.7, 8–19 mm Long.....	36	
22961	SP Twist Drill Ø 4.85, 8–13 mm Short.....	36	
22962	SP Twist Drill Ø 4.85, 8–19 mm Long.....	36	
22963	SP Pilot Drill Ø 3.7/4.2 Short.....	36	
22964	SP Cortical Drill Ø 4.7/5.0 Short.....	36	
24021	Removal Tool M1.4 – Short.....	48, 51	
24037	Removal Tool M1.4 – Long.....	48, 51	
24075	Torque Wrench.....	44	
24092	Healing Cap, Angled Ø 5 – 7.5 mm.....	23	
24093	Torque Wrench Bit Hex, Short.....	43	
24094	Torque Wrench Bit Hex, Long.....	43	
24095	Torque Wrench Bit Slot, Short.....	43	
24096	Torque Wrench Bit Slot, Long.....	43	
24097	Torque Wrench Connector, Adapter.....	41	
24098	Torque Wrench Instrument Lubricant.....	43	
24099	Torque Wrench Dismantle Tool.....	43	
24100	Torque Wrench Kit.....	43	
24133	Handpiece Connector Carrier.....	45	
24134	Carrier Extension – Short.....	45	
24135	Carrier Extension – Long.....	45	
24137	Direct Abutment™ 4 Carrier.....	20	
24138	Direct Abutment™ 5 Carrier.....	20	
24139	Direct Abutment™ 6 Carrier.....	20	
24158	20° ProHeal Cap Short Ø 5.5 – 3.8 mm.....	23	
24159	20° ProHeal Cap Long Ø 5.5 – 5.8 mm.....	23	
24160	45° ProHeal Cap Short Ø 5.5 – 3.8 mm.....	23	
24161	45° ProHeal Cap Long Ø 5.5 – 5.8 mm.....	23	
24162	20° ProHeal Cap Short Ø 4.3 – 4 mm.....	23	
24163	45° ProHeal Cap Short Ø 4.3 – 2.7 mm.....	23	
24189	Abutment Screw 3.0 – M1.4.....	16	
24198	Cover Screw 3.0 – 0 mm.....	12	
24199	SP Twist Drill Ø 3.7, 6–13 mm.....	39	
24207	Pilot Drill Ø 2.0/3.2 mm, Green.....	39	
24209	Abutment Screw Design 4.5/5.0 – M2.....	14	
24227	Abutment Replica Angled.....	24	
24235	TiDesign™ 4.5/5.0 – Ø 5.5, 1.5 mm.....	17	
24236	TiDesign™ 4.5/5.0 – Ø 5.5, 3 mm.....	17	
24237	TiDesign™ 4.5/5.0 – Ø 6.5, 1.5 mm.....	17	
24238	TiDesign™ 4.5/5.0 – Ø 6.5, 3 mm.....	17	
24239	TiDesign™ 4.5/5.0 – Ø 5.5, 20°.....	17	
24243	Semi-Burnout Cylinder Angled.....	25	
24244	Titanium Cylinder Angled.....	25	
24245	Angled Abutment 3.5/4.0 – 0.8 mm.....	23	
24246	Angled Abutment 3.5/4.0 – 2 mm.....	23	
24247	Angled Abutment 4.5/5.0 – 0.8 mm.....	23	
24248	Angled Abutment 4.5/5.0 – 2 mm.....	23	
24254	Angled Abutment Pick-up.....	24	
24264	Drill Set, TiN-coated.....	38	
24268	Locator™ Abutment 3.5/4.0 – Ø 3.7, 1 mm.....	27	
24269	Locator™ Abutment 3.5/4.0 – Ø 3.7, 2 mm.....	27	
24270	Locator™ Abutment 3.5/4.0 – Ø 3.7, 3 mm.....	27	
24271	Locator™ Abutment 3.5/4.0 – Ø 3.7, 4 mm.....	27	
24272	Locator™ Abutment 3.5/4.0 – Ø 3.7, 5 mm.....	27	
24280	Temporary Abutment 3.5/4.0 NI.....	14	
24281	Temporary Abutment 3.5/4.0.....	14	
24285	TiDesign™ 3.5/4.0 – Ø 4.5, 1.5 mm.....	17	
24286	TiDesign™ 3.5/4.0 – Ø 4.5, 3 mm.....	17	
24287	TiDesign™ 3.5/4.0 – Ø 5.5, 1.5 mm.....	17	
24288	TiDesign™ 3.5/4.0 – Ø 5.5, 3 mm.....	17	
24289	TiDesign™ 3.5/4.0 – Ø 6.5, 1.5 mm.....	17	
24290	TiDesign™ 3.5/4.0 – Ø 6.5, 3 mm.....	17	
24291	TiDesign™ 3.5/4.0 – Ø 4.5, 20°.....	17	
24292	TiDesign™ 3.5/4.0 – Ø 5.5, 20°.....	19	
24328	Cover Screw 3.5/4.0 – 0 mm.....	12	
24329	Cover Screw 3.5/4.0 – 1 mm.....	12	
24339	Osteotome 3.7/4.2, Round, Straight.....	35	
24347	Angled Abutment 3.5/4.0 NI – 0.8 mm.....	23	
24348	Angled Abutment 3.5/4.0 NI – 2 mm.....	23	
24349	Surgical Tray.....	32	
24350	Contra Angle.....	40	
24357	Ratchet Wrench.....	32	
24358	Driver Handle.....	32	
24360	Implant Unit SI 915, 115 V.....	40	
24367	Ball Wrench.....	29, 48	
24370	Abutment Adapter – Long.....	52	
24374	Healing Abutment Uni 3.5./4.0 – 2 mm.....	12	
24375	Healing Abutment Uni 3.5./4.0 – 4 mm.....	12	
24376	Healing Abutment Uni 3.5./4.0 – 6 mm.....	12	
24377	Healing Abutment Uni 3.5./4.0 – 8 mm.....	12	
24378	Healing Abutment Uni 3.5./4.0 – 10 mm.....	12	
24379	Healing Abutment Uni 4.5./5.0 – 2 mm.....	12	
24380	Healing Abutment Uni 4.5./5.0 – 4 mm.....	12	
24381	Healing Abutment Uni 4.5./5.0 – 6 mm.....	12	
24382	Healing Abutment Uni 4.5./5.0 – 8 mm.....	12	
24383	Healing Abutment Uni 4.5./5.0 – 10 mm.....	12	
24398	20° UniAbutment 4.5/5.0 – 0.5 mm.....	22	
24399	20° UniAbutment 4.5/5.0 – 1 mm.....	22	
24400	20° UniAbutment 4.5/5.0 – 2 mm.....	22	
24401	20° UniAbutment 4.5/5.0 – 4 mm.....	22	
24402	20° UniAbutment 4.5/5.0 – 6 mm.....	22	
24403	20° UniAbutment 4.5/5.0 – 8 mm.....	22	
24406	45° UniAbutment 4.5/5.0 – 0.5 mm.....	22	
24407	45° UniAbutment 4.5/5.0 – 1 mm.....	22	
24408	45° UniAbutment 4.5/5.0 – 2 mm.....	22	
24409	45° UniAbutment 4.5/5.0 – 4 mm.....	22	
24410	45° UniAbutment 4.5/5.0 – 6 mm.....	22	
24411	45° UniAbutment 4.5/5.0 – 8 mm.....	22	
24412	Implant Unit SI 923, 230 V.....	40	

REF	page	REF	page
24418	Ball Abutment 4.5/5.0 – 0.5 mm	24706	ZirDesign™ 3.5/4.0 – Ø 5.5, 3.5 mm, 20°
24419	Ball Abutment 4.5/5.0 – 1 mm	24707	ZirDesign™ 4.5/5.0 – Ø 5.5, 1.5 mm
24420	Ball Abutment 4.5/5.0 – 2 mm	24708	ZirDesign™ 4.5/5.0 – Ø 5.5, 3 mm
24421	Ball Abutment 4.5/5.0 – 4 mm	24709	ZirDesign™ 4.5/5.0 – Ø 6.5, 1.5 mm
24422	Ball Abutment 4.5/5.0 – 6 mm	24710	ZirDesign™ 4.5/5.0 – Ø 6.5, 3 mm
24423	Ball Abutment 4.5/5.0 – 8 mm	24711	ZirDesign™ 4.5/5.0 – Ø 5.5, 3.5 mm, 20°
24424	Abutment Adapter – Short	24734	SP Twist Drill Ø 3.85, 6–13 mm
24439	Abutment Screw Angled 3.5/4.0 – M1.6	24735	SP Pilot Drill Ø 2.0/3.2, 6–13 mm
24447	Cover Screw 4.5/5.0 – 0 mm	24737	SP Drill Kit 6–13 mm
24448	Cover Screw 4.5/5.0 – 1 mm	24777	Healing Abutment 3.0 – Ø 4, 2 mm
24449	Abutment Screw Design 3.5/4.0 – M1.6	24778	Healing Abutment 3.0 – Ø 4, 4 mm
24477	Locator™ Abutment 4.5/5.0 – Ø 3.7, 0.5 mm	24788	TiDesign 3.0 – Ø 4.0, 1 mm
24478	Locator™ Abutment 4.5/5.0 – Ø 3.7, 2 mm	24789	TiDesign 3.0 – Ø 4.0, 2 mm
24479	Locator™ Abutment 4.5/5.0 – Ø 3.7, 3 mm	24790	TiDesign 3.0 – Ø 4.0, 15° mm
24480	Locator™ Abutment 4.5/5.0 – Ø 3.7, 4 mm	24795	Pilot Drill Ø 2.0/2.7 (light blue)
24481	Locator™ Abutment 4.5/5.0 – Ø 3.7, 5 mm	24796	Twist Drill Ø 2.7, 8–19 mm (light blue) Long
24482	Locator™ Core Tool	24797	Twist Drill Ø 2.7, 8–13 mm (light blue) Short
24483	Locator™ Process Kit	24798	Twist Drill Ø 2.85, 8–19 mm (silver) Long
24484	Locator™ Abutment Pick-up	24799	Twist Drill Ø 2.85, 8–13 mm (silver) Short
24485	Locator™ Abutment Replica	24800	Cortical Drill Ø 2.7/3.0 (light blue) Short
24486	Locator™ Insert Male Clear	24801	Implant Depth Gauge, 6–19 mm
24487	Locator™ Insert Male Pink	24802	Lab Abutment Screw Design 3.0
24488	Locator™ Insert Male Blue	24847	Ti-ZirDesign™ 3.5/4.0 Try-in
24489	Locator™ Insert Extended Range Male Green	24849	Ti-ZirDesign™ 4.5/5.0 Try-in
24490	Locator™ Torque Wrench Bit – 15 mm	24857	Lab Abutment Screw Design 3.5/4.0
24491	Locator™ Torque Wrench Bit – 21 mm	24858	Lab Abutment Screw Design 4.5/5.0
24492	Locator™ Insert Extended Range Male Red	24859	Lab bridge screw, hex and slot
24527	Direct Abutment™ 4.5/5.0 – Ø 5, 0.5 mm	24860	Lab Abutment Screw, Angled
24528	Direct Abutment™ 4.5/5.0 – Ø 5, 1 mm	24879	Restorative Instrument Kit
24529	Direct Abutment™ 4.5/5.0 – Ø 5, 2.5 mm	24892	Radiographic Implant Guides
24530	Direct Abutment™ 4.5/5.0 – Ø 5, 4 mm	24893	20° UniAbutment 3.5/4.0 – 0.5 mm
24537	Direct Abutment™ 4.5/5.0 – Ø 6, 1 mm	24894	20° UniAbutment 3.5/4.0 – 1 mm
24538	Direct Abutment™ 4.5/5.0 – Ø 6, 2.5 mm	24895	20° UniAbutment 3.5/4.0 – 2 mm
24539	Direct Abutment™ 4.5/5.0 – Ø 6, 4 mm	24896	20° UniAbutment 3.5/4.0 – 4 mm
24558	Direct Abutment API™ 4.5/5.0 – Ø 5, 0.5 mm	24897	20° UniAbutment 3.5/4.0 – 6 mm
24559	Direct Abutment API™ 4.5/5.0 – Ø 5, 1 mm	24898	20° UniAbutment 3.5/4.0 – 8 mm
24560	Direct Abutment API™ 4.5/5.0 – Ø 5, 2.5 mm	24899	45° UniAbutment 3.5/4.0 – 0.5 mm
24561	Direct Abutment API™ 4.5/5.0 – Ø 5, 4 mm	24900	45° UniAbutment 3.5/4.0 – 1 mm
24562	Direct Abutment API™ 4.5/5.0 – Ø 6, 1 mm	24901	45° UniAbutment 3.5/4.0 – 2 mm
24563	Direct Abutment API™ 4.5/5.0 – Ø 6, 2.5 mm	24902	45° UniAbutment 3.5/4.0 – 4 mm
24564	Direct Abutment API™ 4.5/5.0 – Ø 6, 4 mm	24903	45° UniAbutment 3.5/4.0 – 6 mm
24572	Wrench Adapter	24904	45° UniAbutment 3.5/4.0 – 8 mm
24573	Abutment Depth Gauge	24905	Ball Abutment 3.5/4.0 – 1 mm
24574	Healing Abutment 3.5/4.0 – Ø 4, 2 mm	24906	Ball Abutment 3.5/4.0 – 2 mm
24575	Healing Abutment 3.5/4.0 – Ø 4.5, 4 mm	24907	Ball Abutment 3.5/4.0 – 4 mm
24576	Healing Abutment 3.5/4.0 – Ø 4.5, 6 mm	24908	Ball Abutment 3.5/4.0 – 6 mm
24577	Healing Abutment 3.5/4.0 – Ø 5.5, 2 mm	24909	Ball Abutment 3.5/4.0 – 8 mm
24578	Healing Abutment 3.5/4.0 – Ø 5.5, 4 mm	24910	Direct Abutment™ 3.5/4.0 – Ø 4, 0.5 mm
24579	Healing Abutment 3.5/4.0 – Ø 5.5, 6 mm	24911	Direct Abutment™ 3.5/4.0 – Ø 4, 1 mm
24580	Healing Abutment 3.5/4.0 – Ø 6.5, 4 mm	24912	Direct Abutment™ 3.5/4.0 – Ø 4, 2.5 mm
24581	Healing Abutment 3.5/4.0 – Ø 6.5, 6 mm	24913	Direct Abutment™ 3.5/4.0 – Ø 4, 4 mm
24582	Healing Abutment 4.5/5.0 – Ø 5.5, 2 mm	24914	Direct Abutment™ 3.5/4.0 – Ø 5, 1 mm
24583	Healing Abutment 4.5/5.0 – Ø 5.5, 4 mm	24915	Direct Abutment™ 3.5/4.0 – Ø 5, 2.5 mm
24584	Healing Abutment 4.5/5.0 – Ø 5.5, 6 mm	24916	Direct Abutment™ 3.5/4.0 – Ø 5, 4 mm
24585	Healing Abutment 4.5/5.0 – Ø 6.5, 2 mm	24917	Direct Abutment API™ 3.5/4.0 – Ø 4, 0.5 mm
24586	Healing Abutment 4.5/5.0 – Ø 6.5, 4 mm	24918	Direct Abutment API™ 3.5/4.0 – Ø 4, 1 mm
24587	Healing Abutment 4.5/5.0 – Ø 6.5, 6 mm	24919	Direct Abutment API™ 3.5/4.0 – Ø 4, 2.5 mm
24606	Angled Abutment 4.5/5.0 NI – 0.5 mm	24920	Direct Abutment API™ 3.5/4.0 – Ø 4, 4 mm
24607	Angled Abutment 4.5/5.0 NI – 2 mm	24921	Direct Abutment API™ 3.5/4.0 – Ø 5, 1 mm
24684	Osteotome 4.2, Round, Straight	24922	Direct Abutment API™ 3.5/4.0 – Ø 5, 2.5 mm
24685	Osteotome 4.2/4.7, Round, Straight	24923	Direct Abutment API™ 3.5/4.0 – Ø 5, 4 mm
24686	Osteotome 4.7, Round, Straight	24924	Conical Drill Ø 2.7/4.5 (light blue) Short
24687	Osteotome Set 5.0 S, Round	24925	Conical Drill Ø 2.7/4.5 (light blue) Long
24688	Osteotome 3.7/4.2, Concave, Bayonet	24926	Conical Drill Ø 3.2/5.0 (no color) Short
24689	Osteotome 4.2, Concave, Bayonet	24927	Conical Drill Ø 3.2/5.0 (no color) Long
24690	Osteotome 4.2/4.7, Concave, Bayonet	24928	Implant Pick-up 4.5/5.0 NI – Short
24691	Osteotome 4.7, Concave, Bayonet	24929	Implant Pick-up 4.5/5.0 NI – Long
24692	Osteotome Set 5.0 S, Concave	24930	OsseoSpeed™ TX 3.5 S – 8 mm
24693	Osteotome Tray, Small	24931	OsseoSpeed™ TX 3.5 S – 9 mm
24702	ZirDesign™ 3.5/4.0 – Ø 4.4, 1.5 mm	24932	OsseoSpeed™ TX 3.5 S – 11 mm
24703	ZirDesign™ 3.5/4.0 – Ø 4.5, 3 mm	24933	OsseoSpeed™ TX 3.5 S – 13 mm
24704	ZirDesign™ 3.5/4.0 – Ø 5.5, 1.5 mm	24934	OsseoSpeed™ TX 3.5 S – 15 mm
24705	ZirDesign™ 3.5/4.0 – Ø 5.5, 3 mm	24935	OsseoSpeed™ TX 3.5 S – 17 mm

REF	page	REF	page		
24936	Implant Pick-up 3.5/4.0 NI – Short	18	24999	SP Conical Drill Ø 2.7/4.5 mm Short	37
24937	Implant Pick-up 3.5/4.0 NI – Long	18	25000	SP Conical Drill Ø 2.7/4.5 mm Long	37
24938	Implant Pick-up 4.5/5.0 – Short	18	25001	SP Conical Drill Ø 3.2/5.0 mm Short	37
24939	OsseoSpeed™ TX 4.0 S – 6 mm	10	25002	SP Conical Drill Ø 3.2/5.0 mm Long	37
24940	OsseoSpeed™ TX 4.0 S – 8 mm	10	25007	Implant Driver 3.0 – Short	31
24941	OsseoSpeed™ TX 4.0 S – 9 mm	10	25008	Implant Driver 3.0 – Long	31
24942	OsseoSpeed™ TX 4.0 S – 11 mm	10	25009	Implant Driver 3.5/4.0 – Short	31
24943	OsseoSpeed™ TX 4.0 S – 13 mm	10	25010	Implant Driver 3.5/4.0 – Long	31
24944	OsseoSpeed™ TX 4.0 S – 15 mm	10	25011	Implant Driver 4.5/5.0 – Short	31
24945	OsseoSpeed™ TX 4.0 S – 17 mm	10	25012	Implant Driver 4.5/5.0 – Long	31
24946	Implant Pick-up 4.5/5.0 – Long	18	25015	Temporary Abutment 4.5/5.0	14
24947	Implant Pick-up 3.5/4.0 – Short	18	25016	Temporary Abutment 4.5/5.0 NI	14
24948	Implant Pick-up 3.5/4.0 – Long	18	25017	Healing Abutment 3.0 – Ø 4, 6 mm	13
24949	Implant Pick-up 3.0 – Long	18	25018	Temporary Abutment 3.0	14
24950	Implant Pick-up 3.0 – Short	18	25679	Locator™ Insert Extended Range Male Grey	27
24951	OsseoSpeed™ TX 4.5 – 9 mm	11	25711	Mucosal Punch Ø 3.5	41
24952	OsseoSpeed™ TX 4.5 – 11 mm	11	25712	Mucosal Punch Ø 4.0	41
24953	OsseoSpeed™ TX 4.5 – 13 mm	11	25713	Mucosal Punch Ø 4.5	41
24954	OsseoSpeed™ TX 4.5 – 15 mm	11	25714	Mucosal Punch Ø 5.0	41
24955	OsseoSpeed™ TX 4.5 – 17 mm	11	25715	Mucosal Punch Ø 5.5	41
24956	Implant Transfer 4.5/5.0 – Short	18	25730	Torque Wrench EV, Restorative Driver Handle, 4x4 Low	52
24957	Implant Transfer 4.5/5.0 – Long	18	25731	Mucosal Punch Ø 6.5	41
24958	Implant Transfer 3.0 – Long	18	25766	Locator™ Driver	28
24959	Implant Transfer 3.5/4.0 – Short	18	25771	Hex Driver EV Manual – Short, 20 mm.....	52
24960	Implant Transfer 3.5/4.0 – Long	18	25772	Hex Driver EV Manual – Intermediate, 31 mm.....	52
24961	OsseoSpeed™ TX 5.0 – 9 mm	11	25773	Hex Driver EV Manual – Long, 38 mm	52
24962	OsseoSpeed™ TX 5.0 – 11 mm	11	25774	Torque Wrench EV	52
24963	OsseoSpeed™ TX 5.0 – 13 mm	11	25775	Torque Wrench EV, Surgical Driver Handle, 15.3 mm.....	52
24964	OsseoSpeed™ TX 5.0 – 15 mm	11	25776	Torque Wrench EV, Restorative Driver Handle, 15.5 mm ...	52
24965	OsseoSpeed™ TX 5.0 – 17 mm	11	25777	Torque Wrench EV, Restorative Driver Handle, 11.5 mm ...	52
24966	Implant Guide Pin Design 4.5/5.0 – Short	18	25790	Hex CA Driver – Short, 22 mm	33, 44
24967	Implant Guide Pin Design 4.5/5.0 – Long	18	25827	Dalbo Plus Duplicating Aid.....	29
24968	Implant Guide Pin Design 3.5/4.0 – Short	18	25834	Dalbo Plus Female Part TE Basic, complete.....	29
24969	Implant Guide Pin Design 3.5/4.0 – Long	18	25835	Dalbo Plus Screwdriver/Activator.....	29
24970	Implant Guide Pin Design 3.0 – Short	18	25843	Locator™ Insert Extended Range Male Orange	27
24971	OsseoSpeed™ TX 5.0 S – 9 mm	11	25844	Lamellae retention Insert E.....	29
24972	OsseoSpeed™ TX 5.0 S – 11 mm	11	25852	Guiding Cylinder TX 3.0.....	49
24973	OsseoSpeed™ TX 5.0 S – 13 mm	11	25853	Guiding Cylinder TX 3.5, 4.0.....	49
24974	OsseoSpeed™ TX 5.0 S – 15 mm	11	25854	Guiding Cylinder TX 4.5, 5.0.....	49
24975	OsseoSpeed™ TX 5.0 S – 17 mm	11	25855	Guiding Cylinder Handle.....	49
24976	Implant Guide Pin Design 3.0 – Long	18	25856	Fragment Fork, M1.4/M1.6.....	49
24977	Implant Replica 3.0	18	25857	Fragment Fork, M1.8/M2.0.....	49
24978	Implant Replica 3.5/4.0	18	25858	Fragment Drill Ø 0.8.....	49
24979	Implant Replica 4.5/5.0	18	25859	Fragment Drill Ø 1.0.....	49
24980	Surgical Instrument Kit.....	31	25860	Screw Extractor Ø 0.8.....	49
24982	OsseoSpeed™ TX 3.0 S – 11 mm	10	25861	Screw Extractor Ø 1.0.....	49
24983	OsseoSpeed™ TX 3.0 S – 13 mm	10	25862	Thread Cleaner M1.4	50
24984	OsseoSpeed™ TX 3.0 S – 15 mm	10	25863	Thread Cleaner M1.6	50
24991	SP Twist Drill Ø 2.0 mm Long	37	25864	Thread Cleaner M1.8	50
24992	SP Twist Drill Ø 2.0 mm Short	37	25865	Thread Cleaner M2.0	50
24993	SP Twist Drill Ø 2.7 mm Long	37	25866	Trephine Drill, Ø 3.0	51
24994	SP Twist Drill Ø 2.7 mm Short	37	25884	Guiding Cylinder UniAbutment 20°.....	49
24995	SP Twist Drill Ø 2.85 mm Long	37	25885	Guiding Cylinder UniAbutment 45°.....	49
24996	SP Twist Drill Ø 2.85 mm Short	37	68108	Suction Tube	41
24997	SP Pilot Drill Ø 2.0/2.7 mm Short	37	68118	Suction Tube	41
24998	SP Cortical Drill Ø 2.7/3.0 mm Short	37	68130	Suction Tube	41

Alphabetical order

	REF	page		REF	page
20° ProHeal Cap Long Ø 5.5 – 5.8 mm	24159	24	Ball Abutment Pick-up	22439	29
20° ProHeal Cap Short Ø 4.3 – 4 mm	24162	24	Ball Abutment Replica	22505	29
20° ProHeal Cap Short Ø 5.5 – 3.8 mm	24158	24	Ball Wrench	24367	29, 48
20° UniAbutment 3.5/4.0 – 0.5 mm	24893	22	BoneTrap™	22179	41
20° UniAbutment 3.5/4.0 – 1 mm	24894	22	Bridge Screw Hex	22435	25
20° UniAbutment 3.5/4.0 – 2 mm	24895	22	Bridge Screw Slot	22167	25
20° UniAbutment 3.5/4.0 – 4 mm	24896	22	Burnout Cylinder Angled	22448	25
20° UniAbutment 3.5/4.0 – 6 mm	24897	22	Burnout Cylinder Uni 20°	22186	25
20° UniAbutment 3.5/4.0 – 8 mm	24898	22	Burnout Cylinder Uni 45°	22187	25
20° UniAbutment 4.5/5.0 – 0.5 mm	24398	22	Carrier Extension – Long	24135	45
20° UniAbutment 4.5/5.0 – 1 mm	24399	22	Carrier Extension – Short	24134	45
20° UniAbutment 4.5/5.0 – 2 mm	24400	22	CastDesign™ 3.5/4.0	22843	17
20° UniAbutment 4.5/5.0 – 4 mm	24401	22	CastDesign™ 4.5/5.0	22844	17
20° UniAbutment 4.5/5.0 – 6 mm	24402	22	Conical Drill Ø 2.7/4.5 (light blue) Short	24924	39
20° UniAbutment 4.5/5.0 – 8 mm	24403	22	Conical Drill Ø 2.7/4.5 (light blue) Long	24925	39
20° UniAbutment Pick-up Ø 4.3	22882	24	Conical Drill Ø 3.2/5.0 (no color) Short	24926	39
20° UniAbutment Pick-up Ø 5.5	22876	24	Conical Drill Ø 3.2/5.0 (no color) Long	24927	39
20°/45° UniAbutment Transfer	22068	24	Conical Drill Ø 4.5 (green) Long	22895	39
45° ProHeal Cap Long Ø 5.5 – 5.8 mm	24161	23	Conical Drill Ø 4.5 (green) Short	22894	39
45° ProHeal Cap Short Ø 4.3 – 2.7 mm	24163	23	Conical Drill Ø 5.0 (black) Long	22897	39
45° ProHeal Cap Short Ø 5.5 – 3.8 mm	24160	23	Conical Drill Ø 5.0 (black) Short	22896	39
45° UniAbutment 3.5/4.0 – 0.5 mm	24899	22	Contra Angle	22903	40
45° UniAbutment 3.5/4.0 – 1 mm	24900	22	Contra Angle	24350	40
45° UniAbutment 3.5/4.0 – 2 mm	24901	22	Cortical Drill Ø 2.7/3.0 (light blue) Short	24800	39
45° UniAbutment 3.5/4.0 – 4 mm	24902	22	Cortical Drill Ø 3.2/3.5 (green) Short	22815	39
45° UniAbutment 3.5/4.0 – 6 mm	24903	22	Cortical Drill Ø 3.7/4.0 (black) Short	22816	39
45° UniAbutment 3.5/4.0 – 8 mm	24904	22	Cortical Drill Ø 4.7/5.0 (blue) Short	22469	39
45° UniAbutment 4.5/5.0 – 0.5 mm	24406	22	Cover Screw 3.0 – 0 mm	24198	12
45° UniAbutment 4.5/5.0 – 1 mm	24407	22	Cover Screw 3.5/4.0 – 0 mm	24328	12
45° UniAbutment 4.5/5.0 – 2 mm	24408	22	Cover Screw 3.5/4.0 – 1 mm	24329	12
45° UniAbutment 4.5/5.0 – 4 mm	24409	22	Cover Screw 4.5/5.0 – 0 mm	24447	12
45° UniAbutment 4.5/5.0 – 6 mm	24410	22	Cover Screw 4.5/5.0 – 1 mm	24448	12
45° UniAbutment 4.5/5.0 – 8 mm	24411	22	DA 4 Metal Carrier	22850	20, 48
45° UniAbutment Pick-up Ø 4.3	22883	24	Dalbo Plus Duplicating Aid	25827	29
45° UniAbutment Pick-up Ø 5.5	22878	24	Dalbo Plus Female Part TE Basic, complete	25834	29
Abutment Adapter – Long	24370	52	Dalbo Plus Screwdriver/Activator	25835	29
Abutment Adapter – Short	24424	52	Direct Abutment 3.5/4.0 – Ø 4, 0.5 mm	24910	20
Abutment Depth Gauge	24573	45	Direct Abutment™ 3.5/4.0 – Ø 4, 1 mm	24911	20
Abutment Guide Pin – 13 mm	22190	24	Direct Abutment™ 3.5/4.0 – Ø 4, 2.5 mm	24912	20
Abutment Guide Pin – 16 mm	22197	24	Direct Abutment™ 3.5/4.0 – Ø 4, 4 mm	24913	20
Abutment Guide Pin – 19 mm	22198	24	Direct Abutment™ 3.5/4.0 – Ø 5, 1 mm	24914	20
Abutment Guide Pin – 22 mm	22199	24	Direct Abutment™ 3.5/4.0 – Ø 5, 2.5 mm	24915	20
Abutment Replica Angled	24227	24	Direct Abutment™ 3.5/4.0 – Ø 5, 4 mm	24916	20
Abutment Replica Uni 20°	22069	24	Direct Abutment™ 4.5/5.0 – Ø 5, 0.5 mm	24527	20
Abutment Replica Uni 45°	22070	24	Direct Abutment™ 4.5/5.0 – Ø 5, 1 mm	24528	20
Abutment Retriever	22429	51	Direct Abutment™ 4.5/5.0 – Ø 5, 2.5 mm	24529	20
Abutment Screw 3.0 – M1.4	24189	14	Direct Abutment™ 4.5/5.0 – Ø 5, 4 mm	24530	20
Abutment Screw Angled 4.5/5.0 – M2	22487	23	Direct Abutment™ 4.5/5.0 – Ø 6, 1 mm	24537	20
Abutment Screw Angled 3.5/4.0 – M1.6	24439	23	Direct Abutment™ 4.5/5.0 – Ø 6, 2.5 mm	24538	20
Abutment Screw Design 3.5/4.0 – M1.6	24449	14	Direct Abutment™ 4.5/5.0 – Ø 6, 4 mm	24539	20
Abutment Screw Design 4.5/5.0 – M2	24209	14	Direct Abutment™ 4 Healing Cap	22720	20
Angled Abutment 3.5/4.0 – 0.8 mm	24245	23	Direct Abutment™ 5 Healing Cap	22721	20
Angled Abutment 3.5/4.0 – 2 mm	24246	23	Direct Abutment™ 6 Healing Cap	22722	20
Angled Abutment 3.5/4.0 NI – 0.8 mm	24347	23	Direct Abutment™ 4 Burnout Cylinder	22372	20
Angled Abutment 3.5/4.0 NI – 2 mm	24348	23	Direct Abutment™ 5 Burnout Cylinder	22373	20
Angled Abutment 4.5/5.0 – 0.5 mm	24247	23	Direct Abutment™ 6 Burnout Cylinder	22379	20
Angled Abutment 4.5/5.0 – 2 mm	24248	23	Direct Abutment™ 4 Impression Pick-up	22710	20
Angled Abutment 4.5/5.0 NI – 0.5 mm	24606	23	Direct Abutment™ 5 Impression Pick-up	22711	20
Angled Abutment 4.5/5.0 NI – 2 mm	24607	23	Direct Abutment™ 6 Impression Pick-up	22712	20
Angled Abutment Pick-up	24254	24	Direct Abutment™ 4 Replica	22054	20
Ball Abutment 3.5/4.0 – 1 mm	24905	28	Direct Abutment™ 5 Replica	22064	20
Ball Abutment 3.5/4.0 – 2 mm	24906	28	Direct Abutment™ 6 Replica	22065	20
Ball Abutment 3.5/4.0 – 4 mm	24907	28	Direct Abutment™ 4 Carrier	24137	20
Ball Abutment 3.5/4.0 – 6 mm	24908	28	Direct Abutment™ 5 Carrier	24138	20
Ball Abutment 3.5/4.0 – 8 mm	24909	28	Direct Abutment™ 6 Carrier	24139	20
Ball Abutment 4.5/5.0 – 0.5 mm	24418	28	Direct Abutment API™ 3.5/4.0 – Ø 4, 0.5 mm	24917	19
Ball Abutment 4.5/5.0 – 1 mm	24419	28	Direct Abutment API™ 3.5/4.0 – Ø 4, 1 mm	24918	19
Ball Abutment 4.5/5.0 – 2 mm	24420	28	Direct Abutment API™ 3.5/4.0 – Ø 4, 2.5 mm	24919	19
Ball Abutment 4.5/5.0 – 4 mm	24421	28	Direct Abutment API™ 3.5/4.0 – Ø 4, 4 mm	24920	19
Ball Abutment 4.5/5.0 – 6 mm	24422	28	Direct Abutment API™ 3.5/4.0 – Ø 5, 1 mm	24921	19
Ball Abutment 4.5/5.0 – 8 mm	24423	28	Direct Abutment API™ 3.5/4.0 – Ø 5, 2.5 mm	24922	19

	REF	page		REF	page
Direct Abutment API™ 3.5/4.0 – Ø 5, 4 mm	24923	19	Implant Guide Pin 3.0 – Short	24970	18
Direct Abutment API™ 4.5/5.0 – Ø 5, 0.5 mm	24558	19	Implant Guide Pin 3.5/4.0 – Long	24969	18
Direct Abutment API™ 4.5/5.0 – Ø 5, 1 mm	24559	19	Implant Guide Pin 3.5/4.0 – Short	24968	18
Direct Abutment API™ 4.5/5.0 – Ø 5, 2.5 mm	24560	19	Implant Guide Pin 4.5/5.0 – Long	24967	18
Direct Abutment API™ 4.5/5.0 – Ø 5, 4 mm	24561	19	Implant Guide Pin 4.5/5.0 – Short	24966	18
Direct Abutment API™ 4.5/5.0 – Ø 6, 1 mm	24562	19	Implant Pick-up 3.0 – Long	24949	18
Direct Abutment API™ 4.5/5.0 – Ø 6, 2.5 mm	24563	19	Implant Pick-up 3.0 – Short	24950	18
Direct Abutment API™ 4.5/5.0 – Ø 6, 4 mm	24564	19	Implant Pick-up 3.5/4.0 – Long	24948	18
Direction Indicator 2.0/3.2	22434	32	Implant Pick-up 3.5/4.0 – Short	24947	18
Drill Extension	22520	39	Implant Pick-up 3.5/4.0 NI – Long	24937	18
Drill Set, TiN-coated	24264	38	Implant Pick-up 3.5/4.0 NI – Short	24936	18
Driver Handle	24358	32	Implant Pick-up 4.5/5.0 – Long	24946	18
Forceps – 94 mm	22437	33	Implant Pick-up 4.5/5.0 NI – Long	24929	18
Fragment Drill Ø 0.8	25858	49	Implant Pick-up 4.5/5.0 – Short	24938	18
Fragment Drill Ø 1.0	25859	49	Implant Pick-up 4.5/5.0 NI – Short	24928	18
Fragment Fork, M1.4/M1.6	25856	49	Implant Replica 3.0	24977	18
Fragment Fork, M1.8/M2.0	25857	49	Implant Replica 3.5/4.0	24978	18
Grinding Device Cylinder, Bridge Hole	22820	46	Implant Replica 4.5/5.0	24979	8
Grinding Device Uni 20°	22170	46	Implant Retriever	22192	51
Grinding Handle	22740	46	Implant Transfer 3.0 – Long	24958	18
Guide Drill Ø 1.8	22800	38	Implant Transfer 3.5/4.0 – Long	24960	18
Guiding Cylinder TX 3.0	25852	49	Implant Transfer 3.5/4.0 – Short	24959	18
Guiding Cylinder TX 3.5, 4.0	25853	49	Implant Transfer 4.5/5.0 – Long	24957	18
Guiding Cylinder TX 4.5, 5.0	25854	49	Implant Transfer 4.5/5.0 – Short	24956	18
Guiding Cylinder UniAbutment 20°	25884	49	Implant Unit SI 915, 115 V	24360	40
Guiding Cylinder UniAbutment 45°	25885	49	Implant Unit SI 923, 230 V	24412	40
Guiding Cylinder Handle	25855	49	Irrigation Set	22176	40
Handpiece Connector Carrier	24133	45	Irrigation Tube	22177	41
Healing Abutment 3.0 – Ø 4, 2 mm	24777	13	Lab Abutment Screw, Angled	24860	46
Healing Abutment 3.0 – Ø 4, 4 mm	24778	13	Lab Abutment Screw 3.0	24802	46
Healing Abutment 3.0 – Ø 4, 6 mm	25017	13	Lab Abutment Screw Design 3.5/4.0	24857	46
Healing Abutment 3.5/4.0 – Ø 4, 2 mm	24574	13	Lab Abutment Screw Design 4.5/5.0	24858	46
Healing Abutment 3.5/4.0 – Ø 4.5, 4 mm	24575	13	Lab bridge screw, hex and slot	24859	46
Healing Abutment 3.5/4.0 – Ø 4.5, 6 mm	24576	13	Lamellae retention Insert E	25844	29
Healing Abutment 3.5/4.0 – Ø 5.5, 2 mm	24577	13	Locator™ Abutment 3.5/4.0 – Ø 3.7, 1 mm	24268	27
Healing Abutment 3.5/4.0 – Ø 5.5, 4 mm	24578	13	Locator™ Abutment 3.5/4.0 – Ø 3.7, 2 mm	24269	27
Healing Abutment 3.5/4.0 – Ø 5.5, 6 mm	24579	13	Locator™ Abutment 3.5/4.0 – Ø 3.7, 3 mm	24270	27
Healing Abutment 3.5/4.0 – Ø 6.5, 4 mm	24580	13	Locator™ Abutment 3.5/4.0 – Ø 3.7, 4 mm	24271	27
Healing Abutment 3.5/4.0 – Ø 6.5, 6 mm	24581	13	Locator™ Abutment 3.5/4.0 – Ø 3.7, 5 mm	24272	27
Healing Abutment 4.5/5.0 – Ø 5.5, 2 mm	24582	13	Locator™ Abutment 4.5/5.0 – Ø 3.7, 0.5 mm	24477	27
Healing Abutment 4.5/5.0 – Ø 5.5, 4 mm	24583	13	Locator™ Abutment 4.5/5.0 – Ø 3.7, 2 mm	24478	27
Healing Abutment 4.5/5.0 – Ø 5.5, 6 mm	24584	13	Locator™ Abutment 4.5/5.0 – Ø 3.7, 3 mm	24479	27
Healing Abutment 4.5/5.0 – Ø 6.5, 2 mm	24585	13	Locator™ Abutment 4.5/5.0 – Ø 3.7, 4 mm	24480	27
Healing Abutment 4.5/5.0 – Ø 6.5, 4 mm	24586	13	Locator™ Abutment 4.5/5.0 – Ø 3.7, 5 mm	24481	27
Healing Abutment 4.5/5.0 – Ø 6.5, 6 mm	24587	13	Locator™ Abutment Pick-up	24484	27
Healing Abutment Uni 3.5/4.0 – 10 mm	24378	12	Locator™ Abutment Replica	24485	27
Healing Abutment Uni 3.5/4.0 – 2 mm	24374	12	Locator™ Core Tool	24482	28
Healing Abutment Uni 3.5/4.0 – 4 mm	24375	12	Locator™ Driver	25766	28
Healing Abutment Uni 3.5/4.0 – 6 mm	24376	12	Locator™ Insert Male Blue	24488	27
Healing Abutment Uni 3.5/4.0 – 8 mm	24377	12	Locator™ Insert Male Clear	24486	27
Healing Abutment Uni 4.5/5.0 – 10 mm	24383	12	Locator™ Insert Male Pink	24487	27
Healing Abutment Uni 4.5/5.0 – 2 mm	24379	12	Locator™ Insert Extended Range Male Green	24489	27
Healing Abutment Uni 4.5/5.0 – 4 mm	24380	12	Locator™ Insert Extended Range Male Grey	25679	27
Healing Abutment Uni 4.5/5.0 – 6 mm	24381	12	Locator™ Insert Extended Range Male Orange	25843	27
Healing Abutment Uni 4.5/5.0 – 8 mm	24382	12	Locator™ Insert Extended Range Male Red	24492	27
Healing Cap, Angled Ø 5 – 7.5 mm	24092	24	Locator™ Process Kit	24483	27
Hex CA Driver – Long	22549	33, 44	Locator Torque Wrench Bit – 15 mm	24490	27
Hex CA Driver – Short, 22 mm	25790	33, 44	Locator Torque Wrench Bit – 21 mm	24491	27
Hex CA Driver – Short, 24 mm	22548	33, 44	Mucosal Punch Ø 3.5	25711	41
Hex Driver EV Manual – Intermediate, 31 mm	25772	52	Mucosal Punch Ø 4.0	25712	41
Hex Driver EV Manual – Long, 38 mm	25773	52	Mucosal Punch Ø 4.5	25713	41
Hex Driver EV Manual – Short, 20 mm	25771	52	Mucosal Punch Ø 5.0	25714	41
Hex Screwdriver – Intermediate	22515	33, 44, 52	Mucosal Punch Ø 5.5	25715	41
Hex Screwdriver – Long	22516	33, 44, 52	Mucosal Punch Ø 6.5	25731	41
Hex Screwdriver – Short	22514	33, 44, 52	OD Cylinder Uni 20°	22182	29
Implant Depth Gauge, 6–19 mm	24801	32	OD Cylinder Uni 45°	22183	29
Implant Driver 3.0 – Long	25008	31	O-ring, Abutment Adapter, Plastic	22376	47
Implant Driver 3.0 – Short	25007	31	O-ring, Carrier Extension	22416	45
Implant Driver 3.5/4.0 – Long	25010	31	O-ring, Implant Adapter, Plastic	22375	47
Implant Driver 3.5/4.0 – Short	25009	31	OsseoSpeed™ TX 3.0 S – 11 mm	24982	10
Implant Driver 4.5/5.0 – Long	25012	31	OsseoSpeed™ TX 3.0 S – 13 mm	24983	10
Implant Driver 4.5/5.0 – Short	25011	31	OsseoSpeed™ TX 3.0 S – 15 mm	24984	10
Implant Guide Pin 3.0 – Long	24976	18	OsseoSpeed™ TX 3.5 S – 8 mm	24930	10









	REF	page		REF	page
OsseoSpeed™ TX 3.5 S – 9 mm	24931	10	Semi-Burnout Cylinder Uni 20°	22184	25
OsseoSpeed™ TX 3.5 S – 11 mm	24932	10	Semi-Burnout Cylinder Uni 45°	22185	25
OsseoSpeed™ TX 3.5 S – 13 mm	24933	10	Slot CA Driver – Long	22689	44
OsseoSpeed™ TX 3.5 S – 15 mm	24934	10	Slot CA Driver – Short	22688	45
OsseoSpeed™ TX 3.5 S – 17 mm	24935	10	Slot Screwdriver – Intermediate	22507	45
OsseoSpeed™ TX 4.0 S – 6 mm	24939	10	Slot Screwdriver – Long	22508	45
OsseoSpeed™ TX 4.0 S – 8 mm	24940	10	Slot Screwdriver – Short	22506	45
OsseoSpeed™ TX 4.0 S – 9 mm	24941	10	SP Conical Drill Ø 2.7/4.5 mm Long	25000	37
OsseoSpeed™ TX 4.0 S – 11 mm	24942	10	SP Conical Drill Ø 2.7/4.5 mm Short	24999	37
OsseoSpeed™ TX 4.0 S – 13 mm	24943	10	SP Conical Drill Ø 3.2/4.5 mm Short	22921	37
OsseoSpeed™ TX 4.0 S – 15 mm	24944	10	SP Conical Drill Ø 3.2/5.0 mm Long	25002	37
OsseoSpeed™ TX 4.0 S – 17 mm	24945	10	SP Conical Drill Ø 3.2/5.0 mm Short	25001	37
OsseoSpeed™ TX 4.5 – 9 mm	24951	11	SP Conical Drill Ø 3.7/5.0 mm Short	22923	37
OsseoSpeed™ TX 4.5 – 11 mm	24952	11	SP Conical Drill Ø 4.5 mm Long	22922	37
OsseoSpeed™ TX 4.5 – 13 mm	24953	11	SP Conical Drill Ø 5.0 mm Long	22924	37
OsseoSpeed™ TX 4.5 – 15 mm	24954	11	SP Cortical Drill Ø 2.7/3.0 mm Short	22998	37
OsseoSpeed™ TX 4.5 – 17 mm	24955	11	SP Cortical Drill Ø 3.2/3.5 mm Short	22914	37
OsseoSpeed™ TX 5.0 – 9 mm	24961	11	SP Cortical Drill Ø 3.5 mm Long	22915	37
OsseoSpeed™ TX 5.0 – 11 mm	24962	11	SP Cortical Drill Ø 3.7/4.0 mm Short	22916	37
OsseoSpeed™ TX 5.0 – 13 mm	24963	11	SP Cortical Drill Ø 4.0 mm Long	22917	37
OsseoSpeed™ TX 5.0 – 15 mm	24964	11	SP Cortical Drill Ø 4.7/5.0 mm Short	22964	37
OsseoSpeed™ TX 5.0 – 17 mm	24965	11	SP Drill Kit 6–13 mm	24737	36
OsseoSpeed™ TX 5.0 S – 9 mm	24971	11	SP Drill Kit, Long	22899	36
OsseoSpeed™ TX 5.0 S – 11 mm	24972	11	SP Drill Kit, Short	22898	36
OsseoSpeed™ TX 5.0 S – 13 mm	24973	11	SP Pilot Drill Ø 2.0/3.2, 6–13 mm	24735	37
OsseoSpeed™ TX 5.0 S – 15 mm	24974	11	SP Pilot Drill Ø 2.0/3.2 mm Long	22905	37
OsseoSpeed™ TX 5.0 S – 17 mm	24975	11	SP Pilot Drill Ø 2.0/3.2 mm Short	22904	37
Osteotome 2.0/2.5, Concave, Bayonet	22940	34	SP Pilot Drill Ø 2.0/2.7 mm Short	24997	37
Osteotome 2.0/2.5, Round, Straight	22930	34	SP Pilot Drill Ø 3.2/3.7 mm Long	22907	37
Osteotome 2.5/3.2, Concave, Bayonet	22941	34	SP Pilot Drill Ø 3.2/3.7 mm Short	22906	37
Osteotome 2.5/3.2, Round, Straight	22931	34	SP Pilot Drill Ø 3.7/4.2 mm Short	22963	37
Osteotome 3.2, Concave, Bayonet	22942	34	SP Twist Drill Ø 2.0 mm Long	24991	37
Osteotome 3.2, Round, Straight	22932	34	SP Twist Drill Ø 2.0 mm Short	24992	37
Osteotome 3.2/3.7, Concave, Bayonet	22943	34	SP Twist Drill Ø 2.7 mm Long	24993	37
Osteotome 3.2/3.7, Round, Straight	22933	34	SP Twist Drill Ø 2.7 mm Short	24994	37
Osteotome 3.2/4.3, Concave, Conical, Bayonet	22945	34	SP Twist Drill Ø 2.85 mm Long	24995	37
Osteotome 3.2/4.3, Round, Conical, Straight	22935	34	SP Twist Drill Ø 2.85 mm Short	24996	37
Osteotome 3.7, Concave, Bayonet	22944	34	SP Twist Drill Ø 3.35 mm Long	22909	37
Osteotome 3.7, Round, Straight	22934	34	SP Twist Drill Ø 3.35 mm Short	22908	37
Osteotome 3.7/4.2, Concave, Bayonet	24688	35	SP Twist Drill Ø 3.7, 6–13 mm	24199	37
Osteotome 3.7/4.2, Round, Straight	24339	35	SP Twist Drill Ø 3.7 mm Long	22911	37
Osteotome 3.7/4.8, Concave, Conical, Bayonet	22946	34	SP Twist Drill Ø 3.7 mm Short	22910	37
Osteotome 3.7/4.8, Round, Conical, Straight	22936	34	SP Twist Drill Ø 3.85 mm, 6–13 mm	24734	37
Osteotome 4.2, Concave, Bayonet	24689	35	SP Twist Drill Ø 3.85 mm Long	22913	37
Osteotome 4.2, Round, Straight	24684	35	SP Twist Drill Ø 3.85 mm Short	22912	37
Osteotome 4.2/4.7, Concave, Bayonet	24690	35	SP Twist Drill Ø 4.2 mm Long	22958	37
Osteotome 4.2/4.7, Round, Straight	24685	35	SP Twist Drill Ø 4.2 mm Short	22957	37
Osteotome 4.7, Concave, Bayonet	24691	35	SP Twist Drill Ø 4.7 mm Long	22960	37
Osteotome 4.7, Round, Straight	24686	35	SP Twist Drill Ø 4.7 mm Short	22959	37
Osteotome Kit	22956	34	SP Twist Drill Ø 4.85 mm Long	22962	37
Osteotome Mallet, Small	22955	34	SP Twist Drill Ø 4.85 mm Short	22961	37
Osteotome Set 5.0 S, Concave	24692	35	Suction Tube	68108	41
Osteotome Set 5.0 S, Round	24687	35	Suction Tube	68130	41
Osteotome Set, Concave	22947	34	Suction Tube	68118	41
Osteotome Set, Round	22937	34	Surgical Instrument Kit	24980	31
Osteotome Tray, Large	22953	35	Surgical Tray	24349	31
Osteotome Tray, Small	24693	35	TempDesign™ 3.5/4.0	22851	14
Pilot Drill Ø 2.0/2.7 mm (light blue)	24795	39	TempDesign™ 4.5/5.0	22852	14
Pilot Drill Ø 2.0/3.2 mm (green)	24207	39	TempDesign™ 3.5/4.0 NI	22853	14
Pilot Drill Ø 2.5/3.2 mm (green)	22803	39	TempDesign™ 4.5/5.0 NI	22854	14
Pilot Drill Ø 3.2/3.7 mm (black)	22805	39	Temporary Abutment 3.0	25018	14
Pilot Drill Ø 3.7/4.2, Yellow	22468	39	Temporary Abutment 3.5/4.0	24281	14
Polishing Protector Uni 20°	22471	46	Temporary Abutment 3.5/4.0 NI	24280	14
Polishing Protector Uni 45°	22474	46	Temporary Abutment 4.5/5.0	25015	14
Radiographic Implant Guides	24892	11	Temporary Abutment 4.5/5.0 NI	25016	14
Ratchet Wrench	24357	32	Temporary Cylinder Angled	22447	25
Removal Tool M1.4 – Short	24021	48, 51	Temporary Cylinder Uni 20°	22060	25
Removal Tool M1.4 – Long	24037	48, 51	Temporary Cylinder Uni 45°	22061	25
Restorative Instrument Kit	24879	43	Thread Cleaner M1.4	25862	50
Restorative Tray	22495	43	Thread Cleaner M1.6	25863	50
Screw Extractor Ø 0.8	25860	49	Thread Cleaner M1.8	25864	50
Screw Extractor Ø 1.0	25861	49	Thread Cleaner M2.0	25865	50
Semi-Burnout Cylinder Angled	24243	25	Thread Tap, 1.4 mm	22871	50

	REF	page
Thread Tap, 1.6 mm	22873	50
Thread Tap, 2.0 mm	22875	50
TiDesign™ 3.0 – Ø 4.0, 1 mm	24788	16
TiDesign™ 3.0 – Ø 4.0, 2 mm	24789	16
TiDesign™ 3.0 – Ø 4.0, 15°	24790	16
TiDesign™ 3.5/4.0 – Ø 4.5, 1.5 mm	24285	17
TiDesign™ 3.5/4.0 – Ø 4.5, 20°	24291	17
TiDesign™ 3.5/4.0 – Ø 4.5, 3 mm	24286	17
TiDesign™ 3.5/4.0 – Ø 5.5, 1.5 mm	24287	17
TiDesign™ 3.5/4.0 – Ø 5.5, 20°	24292	17
TiDesign™ 3.5/4.0 – Ø 5.5, 3 mm	24288	17
TiDesign™ 3.5/4.0 – Ø 6.5, 1.5 mm	24289	17
TiDesign™ 3.5/4.0 – Ø 6.5, 3 mm	24290	17
TiDesign™ 4.5/5.0 – Ø 5.5, 1.5 mm	24235	17
TiDesign™ 4.5/5.0 – Ø 5.5, 20°	24239	17
TiDesign™ 4.5/5.0 – Ø 5.5, 3 mm	24236	17
TiDesign™ 4.5/5.0 – Ø 6.5, 1.5 mm	24237	17
TiDesign™ 4.5/5.0 – Ø 6.5, 3 mm	24238	17
Titanium Bowl	22137	32
Titanium Cylinder Angled	24244	25
Titanium Cylinder Uni 20°	22798	25
Titanium Cylinder Uni 45°	22799	25
Ti-ZirDesign™ 3.5/4.0 Try-in	24847	44
Ti-ZirDesign™ 4.5/5.0 Try-in	24849	44
Torque Wrench	24075	44
Torque Wrench Bit Hex, Short	24093	43
Torque Wrench Bit Hex, Long	24094	43
Torque Wrench Bit Slot, Short	24095	43
Torque Wrench Bit Slot, Long	24096	43
Torque Wrench Connector, Adapter	24097	43
Torque Wrench EV	25774	52
Torque Wrench EV, Restorative Driver Handle, 15.5 mm	25776	52
Torque Wrench EV, Restorative Driver Handle, 11.5 mm	25777	52
Torque Wrench EV, Restorative Driver Handle, 4x4 Low	25730	52
Torque Wrench EV, Surgical Driver Handle, 15.3 mm	25775	52
Torque Wrench Instrument Lubricant	24098	43
Torque Wrench Dismantle Tool	24099	43
Torque Wrench Kit	24100	43

	REF	page
Trephine Drill, Ø 3.0	25866	51
Trephine Drill, Ø 3.5	22884	51
Trephine Drill, Ø 4.0	22885	51
Trephine Drill, Ø 5.0	22890	51
Twist Drill Ø 2.0, 8–13 mm (no color) Short	22887	38
Twist Drill Ø 2.5, 8–13 mm (red) Short	22802	38
Twist Drill Ø 2.7, 8–19 mm (light blue) Long	24796	38
Twist Drill Ø 2.7, 8–13 mm (light blue) Short	24797	38
Twist Drill Ø 2.85, 8–19 mm (silver) Long	24798	38
Twist Drill Ø 2.85, 8–13 mm (silver) Short	24799	38
Twist Drill Ø 3.2, 8–13 mm (green) Short	22811	38
Twist Drill Ø 3.35, 8–13 mm (lilac) Short	22812	38
Twist Drill Ø 3.7, 8–13 mm (black) Short	22813	38
Twist Drill Ø 3.85, 8–13 mm (brown) Short	22814	38
Twist Drill Ø 4.2, 8–13 mm (yellow) Short	22463	38
Twist Drill Ø 4.2, 8–19 mm (yellow) Long	22462	38
Twist Drill Ø 4.7, 8–19 mm (blue) Long	22464	38
Twist Drill Ø 4.7, 8–13 mm (blue) Short	22465	38
Twist Drill Ø 4.85, 8–19 mm (pink) Long	22466	38
Twist Drill Ø 4.85, 8–13 mm (pink) Short	22467	38
Twist Drill Ø 2.0, 8–19 mm (no color) Long	22886	38
Twist Drill Ø 2.5, 8–19 mm (red) Long	22801	38
Twist Drill Ø 3.2, 8–19 mm (green) Long	22807	38
Twist Drill Ø 3.35, 8–19 mm (lilac) Long	22808	38
Twist Drill Ø 3.7, 8–19 mm (black) Long	22809	38
Twist Drill Ø 3.85, 8–19 mm (brown) Long	22810	38
Wrench	22124	33, 52
Wrench Adapter	24572	32
ZirDesign™ 3.5/4.0 – Ø 4.4, 1.5 mm	24702	16
ZirDesign™ 3.5/4.0 – Ø 4.5, 3 mm	24703	16
ZirDesign™ 3.5/4.0 – Ø 5.5, 1.5 mm	24704	16
ZirDesign™ 3.5/4.0 – Ø 5.5, 3 mm	24705	16
ZirDesign™ 3.5/4.0 – Ø 5.5, 3.5 mm, 20°	24706	16
ZirDesign™ 4.5/5.0 – Ø 5.5, 1.5 mm	24707	16
ZirDesign™ 4.5/5.0 – Ø 5.5, 3 mm	24708	16
ZirDesign™ 4.5/5.0 – Ø 6.5, 1.5 mm	24709	16
ZirDesign™ 4.5/5.0 – Ø 6.5, 3 mm	24710	16
ZirDesign™ 4.5/5.0 – Ø 5.5, 3.5 mm, 20°	24711	16

Torque guide

Recommended tightening torque








Type of product		Torque – Ncm		
		X-Small	Small	Large
Cover Screw		Manual*	Manual*	Manual*
Healing Abutment Healing Abutment Uni ProHeal Cap Healing Cap Angled		Manual**	Manual**	Manual**
TempDesign™		–	15	15
Temporary Abutment		15	15	15
20°/45° UniAbutment		–	15	15
Bridge Screws		–	15	15
ATLANTIS™ abutment for ASTRA TECH Implant System™ ZirDesign™ TiDesign™ CastDesign™ Angled Abutment		15***	20	25
Direct Abutment™ Ball Abutment Locator™ Abutment		–	25	25








* Only light fingerforce (5–10 Ncm) using a manual screwdriver or contra angle preset at 25 rpm and 5–10 Ncm torque.

** Only light fingerforce (5–10 Ncm) using a manual screwdriver. Do not use a Ratchet Wrench or Torque Wrench.

*** **Note:** Available for TiDesign, ATLANTIS abutment, titanium and ATLANTIS abutment, GoldHue.

Explanation of the symbols on labels and instructions for use

Symbol	Text
 Date of manufacture	Date of manufacture.
 Use by	Expire date.
	Sterilized using irradiation.
	Caution: Federal (USA) law restrict this product to sale by or on a order of a dentist.
 Single use	Do not re-use, Single use only.
 Do not re-sterilize	Do not re-sterilize.
	GOST is the valid quality certification system in Russian Federation.

Symbol	Text
	ASTRA TECH Implant System products carry the CE mark and fulfill the requirements of the medical devices directive.
 Do not use if package is damaged	Do not use if package is damaged.
 Consult instructions for use	Consult instructions for use.
	Consult instructions for use.
	LOT/BATCH number.
	Article number.
	Contains article number (GTIN number), lot number and quantity.

About DENTSPLY Implants

DENTSPLY Implants offers comprehensive solutions for all phases of implant therapy, including ANKYLOS®, ASTRA TECH Implant System™ and XiVE® implant lines, digital technologies, such as ATLANTIS™ patient-specific CAD/CAM solutions and SIMPLANT® guided surgery, SYMBIOS® regenerative solutions, and professional and business development programs, such as STEPPS™. DENTSPLY Implants creates value for dental professionals and allows for predictable and lasting implant treatment outcomes, resulting in enhanced quality of life for patients.

About DENTSPLY International

DENTSPLY International Inc. is a leading manufacturer and distributor of dental and other healthcare products. For over 115 years, DENTSPLY's commitment to innovation and professional collaboration has enhanced its portfolio of branded consumables and small equipment. Headquartered in the United States, the Company has global operations with sales in more than 120 countries.

Follow DENTSPLY Implants



www.dentsplyimplants.com

