



DS Implants™

Prosthetics product catalog

Astra Tech Implant System® EV

DS OmniTaper™

DS PrimeTaper®

All Dentsply Sirona Instructions for Use are available on www.dentsplysirona.com/ifu

All products may not be regulatory cleared/released/licensed in all markets. Please contact the local Dentsply Sirona sales office for current product assortment and availability.

To improve readability for our customers, Dentsply Sirona does not use ® or ™ in body copy. However, Dentsply Sirona does not waive any right to the trademark and nothing herein shall be interpreted to the contrary.

All trademarks and company names are the property of their respective owners.

Product illustrations are not to scale.

CONTENTS
















1. Introduction	4	Product catalog for Profile EV prosthetics	
Color coding	4	12. Introduction	47
Implant-abutment connection	5	Implant-abutment connection	47
Prosthetic packaging	5	13. Overviews Profile EV	48
2. Overviews	6	14. Cover screws	52
3. Cover screws	16	15. Healing abutments	
4. Healing abutments		HealDesign Profile	52
HealDesign	16	16. Temporary abutments	
Healing Abutment	18	Temp Abutment Profile	53
5. Temporary abutments		TempDesign Profile	53
Temp Abutment	19	Abutments screws	53
TempDesign	19	17. Impression and laboratory components	
Abutment screws	20	Implant Pick-Up Design Profile	54
TempBase Cap	20	Implant Transfer Profile	54
6. Impression and laboratory components		Implant Replica Profile	54
Implant Pick-Up Design	21	Scan components	55
Implant Transfer	22	Lab Abutment Screw	56
Scan components	23	18. Cement-retained restorations	
Implant Analog	24	TiDesign Profile	56
Lab Abutment Screw	24	19. Screw-retained restorations	
7. Cement-retained restorations		MultiBase	57
TiDesign	25	20. Attachment-retained restorations	
CastDesign	27	LOCATOR R-Tx®	57
TitaniumBase	28	21. Appendix	58
8. Screw-retained restorations		22. Material specifications	59
MultiBase	29	23. Index	60
9. Attachment-retained restorations			
LOCATOR R-Tx®	35		
10. Friction-retained restorations	39		
Conometric	39		
11. Restorative Instruments	42		
Prosthetic Tray	45		
















1. Introduction






Throughout the prosthetic assortment you will find color-coding, markings and geometrical designs to simplify the correct identification of corresponding components.

Each implant-abutment connection size is identified by a specific color. The color is applied directly to components and instruments, as well as on packaging and informational material, where appropriate.

Conversion and compatibility charts

Astra Tech Implant EV	Ø3.0 mm	Ø3.6 mm	Ø4.2 mm	Ø4.8 mm	Ø5.4 mm
Implant-abutment connection					
					
EV connection					

Xive / OmniTaper EV	Ø3.0 mm	Ø3.4 mm	Ø3.8 mm	Ø4.5 mm	Ø5.5 mm
Implant-abutment connection					
					
EV connection					

PrimeTaper EV	Ø3.0 mm	Ø3.6 mm	Ø4.2 mm	Ø4.8 mm	Ø5.4 mm
EV connection					

Implant-abutment connection – EV connection

The implants have a unique interface providing three different options for abutment placement/indexing.

Abutment placement/indexing options

One-position-only


Atlantis patient-specific abutments will only seat in one position.

Six positions

Indexed abutments will seat in six available positions.

Non-indexed


Non-indexed abutments will be seated in any rotational position.



Prosthetic packaging



XS Overview



Cover screw

Cover Screw EV



68010001

Healing abutments

HealDesign EV



- Ø 3.5 2.5 mm 68013001
- Ø 3.5 3.5 mm 68013002
- Ø 3.5 4.5 mm 68013003
- Ø 3.5 6.5 mm 68013004

Healing Abutment EV



- Ø 4.0 2.0 mm 68013044
- Ø 4.0 3.0 mm 68013045
- Ø 4.0 4.0 mm 68013046
- Ø 4.0 6.0 mm 68013047

Cement-retained

Temporary abutments and components

TempAbutment EV*



Ø 3.3 1 mm 68013064

TempDesign EV*



Ø 6 5 mm 25503

TempBase Cap**



Ø 3.0-3.8 68010013

Abutments

TiDesign EV



- Ø 4.0 1.5 mm 68012001
- Ø 4.0 2.5 mm 68012002
- Ø 4.0 3.5 mm 68012003
- Ø 4.0 4.5 mm 68012004
- Ø 4.0 15° 1.5 mm 68012005
- Ø 4.0 15° 2.5 mm 68012006
- Ø 4.0 15° 3.5 mm 68012007
- Ø 4.0 15° 4.5 mm 68012008

*Also for screw-retained single tooth restoration ** Only for pre-mounted TempBase on OmniTaper EV

Screw-retained

Abutments

MultiBase Abutment EV



- 1.5 mm 68012171
- 2.5 mm 68012172
- 3.5 mm 68012173

Healing caps

MultiBase Heal Cap



Ø 5.4 - 4 mm
68012230

Impressions

MultiBase Pick-Up



68012232

MultiBase Transfer



68012231

TitaniumBase EV*



Ø 4.0 1 mm 68012081
Ø 4.0 2 mm 68012082

Implant impressions

Implant Pick-Up EV Design



Long 68014013

Implant Transfer EV



Long 68014022

Lab products

Lab Abutment Screw EV



68014029

Implant Analog EV



68014034

Lab products

MultiBase Lab Bridge Screw



68012237

MultiBase Analog



68012238

MultiBase Lab Abutment Pin



14 mm 68012234
18 mm 68012235
22 mm 68012236

Cylinders

MultiBase Temporary Cylinder



68012239

MultiBase Burnout Cylinder



68012240

MultiBase Semi-Burnout Cylinder



68012243

Bridge screws

MultiBase Bridge Screw




68012233

S Overview



One-position-only Six positions Non-indexed



Round Triangular

Cover screw

Cover Screw EV



68010002

Healing abutments

HealDesign EV



- Ø 4.0 2.5 mm 68013005
- Ø 4.0 3.5 mm 68013006
- Ø 4.0 4.5 mm 68013007
- Ø 4.0 6.5 mm 68013008
- Ø 5.0 2.5 mm 68013009
- Ø 5.0 3.5 mm 68013010
- Ø 5.0 4.5 mm 68013011
- Ø 5.0 6.5 mm 68013012
- Ø 6.0 3.5 mm 68013013
- Ø 6.0 4.5 mm 68013014
- △ Ø 5.0 3.5 mm 68013039

Healing Abutment EV



- Ø 4.0 2.0 mm 68013048
- Ø 4.0 3.0 mm 68013049
- Ø 4.0 4.0 mm 68013050
- Ø 4.0 6.0 mm 68013051

Cement-retained

Temporary abutments and components

TempAbutment EV*



Ø 4.0 1 mm 68013066

TempDesign EV*



Ø 7.5 mm 25504

TempBase Cap**



Ø 3.0-3.8 68010013

Abutments

TiDesign EV



- Ø 4.5 1.5 mm 68012009
- Ø 4.5 2.5 mm 68012010
- Ø 4.5 3.5 mm 68012011
- Ø 4.5 4.5 mm 68012012
- Ø 4.5 15° 1.5 mm 68012017
- Ø 4.5 15° 2.5 mm 68012018
- Ø 4.5 15° 3.5 mm 68012019
- Ø 4.5 15° 4.5 mm 68012020
- △ Ø 5.5 1.5 mm 68012025

Screw-retained

Abutments

MultiBase Abutment EV



- 1.5 mm 68012174
- 2.5 mm 68012175
- 3.5 mm 68012176
- 4.5 mm 68012177
- 17° 1.5 mm 68012178
- 17° 2.5 mm 68012179
- 17° 3.5 mm 68012180
- 17° 4.5 mm 68012181
- 17° 1.5 mm 68012182
- 17° 2.5 mm 68012183
- 17° 3.5 mm 68012184
- 17° 4.5 mm 68012185
- 30° 1.5 mm 68012186
- 30° 2.5 mm 68012187
- 30° 1.5 mm 68012190
- 30° 2.5 mm 68012191

Healing caps

MultiBase Heal Cap



Ø 5.4 - 4 mm
68012230

* Also for screw-retained single tooth restoration
** Only for pre-mounted TempBase on OmniTaper EV

Attachment-retained

Abutments

LOCATOR R-Tx® Abutment EV



- 1 mm 68012414
- 2 mm 68012415
- 3 mm 68012416
- 4 mm 68012417
- 5 mm 68012418
- 6 mm 68012419

Abutment impressions

LOCATOR R-Tx® Impression Coping



68012444

Analog

LOCATOR R-Tx® Abutment Analog



68012443

Friction-retained

Abutments Conometric abutment















- Ø 3.3 0° 1 mm 26115
- Ø 3.3 0° 2 mm 26116
- Ø 3.3 0° 3 mm 26117
- Ø 4.5 0° 1 mm 26121
- Ø 4.5 0° 2 mm 26122
- Ø 4.5 0° 3 mm 26123
- Ø 4.5 15° 1 mm 26127
- Ø 4.5 15° 2 mm 26128
- Ø 4.5 15° 3 mm 26129

Temporary components

Conometric Temporization cap















Ø3.3/4.6 31072112
Ø4.5/5.8 31072114

<p>CastDesign EV*</p>  <p>Ø 4.1 1 mm 68012077</p> <p>TitaniumBase EV*</p>  <p>Ø 4.1 1 mm 68012083 Ø 4.1 2 mm 68012084</p>	<p align="center">Implant impressions</p> <table border="0"> <tr> <td data-bbox="331 204 635 636"> <p align="center">Implant Pick-Up EV Design</p>  <p>Short 68014009 Long 68014014</p> </td> <td data-bbox="635 204 906 636"> <p align="center">Implant Transfer EV</p>  <p>Short 68014018 Long 68014023</p> </td> </tr> </table>	<p align="center">Implant Pick-Up EV Design</p>  <p>Short 68014009 Long 68014014</p>	<p align="center">Implant Transfer EV</p>  <p>Short 68014018 Long 68014023</p>	<p align="center">Lab products</p> <table border="0"> <tr> <td data-bbox="906 204 1177 636"> <p align="center">Lab Abutment Screw EV</p>  <p>68014030</p> </td> <td data-bbox="1177 204 1442 636"> <p align="center">Implant Analog EV</p>  <p>68014035</p> </td> </tr> </table>	<p align="center">Lab Abutment Screw EV</p>  <p>68014030</p>	<p align="center">Implant Analog EV</p>  <p>68014035</p>
<p align="center">Implant Pick-Up EV Design</p>  <p>Short 68014009 Long 68014014</p>	<p align="center">Implant Transfer EV</p>  <p>Short 68014018 Long 68014023</p>					
<p align="center">Lab Abutment Screw EV</p>  <p>68014030</p>	<p align="center">Implant Analog EV</p>  <p>68014035</p>					


<p>Impressions</p> <p>MultiBase Pick-Up</p>  <p>68012232</p> <p>MultiBase Transfer</p>  <p>68012231</p>	<p align="center">Lab products</p> <table border="0"> <tr> <td data-bbox="274 700 497 1195"> <p>MultiBase Lab Bridge Screw</p>  <p>68012237</p> <p>MultiBase Lab Abutment Pin</p>  <p>14 mm 68012234 18 mm 68012235 22 mm 68012236</p> </td> <td data-bbox="497 700 673 1195"> <p>MultiBase Analog</p>  <p>68012238</p> </td> </tr> </table>	<p>MultiBase Lab Bridge Screw</p>  <p>68012237</p> <p>MultiBase Lab Abutment Pin</p>  <p>14 mm 68012234 18 mm 68012235 22 mm 68012236</p>	<p>MultiBase Analog</p>  <p>68012238</p>	<p align="center">Cylinders</p> <table border="0"> <tr> <td data-bbox="673 700 912 1195"> <p>MultiBase Temporary Cylinder</p>  <p>68012239</p> <p>MultiBase Semi-Burnout Cylinder</p>  <p>68012243</p> </td> <td data-bbox="912 700 1168 1195"> <p>MultiBase Burnout Cylinder</p>  <p>68012240</p> </td> </tr> </table>	<p>MultiBase Temporary Cylinder</p>  <p>68012239</p> <p>MultiBase Semi-Burnout Cylinder</p>  <p>68012243</p>	<p>MultiBase Burnout Cylinder</p>  <p>68012240</p>	<p align="center">Bridge screws</p> <p>MultiBase Bridge Screw</p>  <p>68012233</p>
<p>MultiBase Lab Bridge Screw</p>  <p>68012237</p> <p>MultiBase Lab Abutment Pin</p>  <p>14 mm 68012234 18 mm 68012235 22 mm 68012236</p>	<p>MultiBase Analog</p>  <p>68012238</p>						
<p>MultiBase Temporary Cylinder</p>  <p>68012239</p> <p>MultiBase Semi-Burnout Cylinder</p>  <p>68012243</p>	<p>MultiBase Burnout Cylinder</p>  <p>68012240</p>						

Attachment components

<p>LOCATOR R-Tx* Mixed Retention Limited Range Processing Pack</p>  <p>68012439</p>	<p>LOCATOR R-Tx* Retention Insert Standard range</p>  <p>Grey 68012432 Pink 68012434 Blue 68012433 Clear 68012435</p>	<p>LOCATOR R-Tx* Retention Insert Limited range</p>  <p>Aqua 68012436 Magenta 68012437 Gold 68012438</p>	
<p>LOCATOR R-Tx* Processing Insert</p>  <p>68012440</p>	<p>LOCATOR R-Tx* Block-Out Spacer</p>  <p>68012441</p>	<p>LOCATOR R-Tx* Denture Attachment Processing Assembly</p>  <p>68012442</p>	<p>LOCATOR R-Tx* Processing Spacer</p>  <p>68012445</p>

<p align="center">Healing cap</p> <p>Conometric Healing Cap</p>  <p>Ø3.3/4.8 31072101 Ø3.3/6.0 31072102 Ø4.5/6.0 31072103</p>	<p align="center">Impressions</p> <p>Conometric Impression Cap</p>  <p>Ø3.3/5.4 31072001 Ø4.5/5.4 31072002</p>	<p align="center">Lab components</p> <p>Conometric Analog</p>  <p>Ø3.3 31047210 Ø4.5 31072020</p>	<p>Conometric Lab Cap</p>  <p>Ø3.3/4.6 31072121 Ø4.5/5.8 31072123</p>	<p>Conometric Final Cap</p>  <p>Ø3.3/4.6 31072301 Ø4.5/5.8 31072303</p>
--	---	--	---	---

M Overview



Cover screw

Cover Screw EV



68010005

Healing abutments

HealDesign EV



- Ø 5.0 2.5 mm 68013015
- Ø 5.0 3.5 mm 68013016
- Ø 5.0 4.5 mm 68013017
- Ø 5.0 6.5 mm 68013018
- Ø 6.5 2.5 mm 68013019
- Ø 6.5 3.5 mm 68013020
- Ø 6.5 4.5 mm 68013021
- Ø 6.5 6.5 mm 68013022
- △ Ø 5.0 3.5 mm 68013040
- △ Ø 6.5 3.5 mm 68013041

Healing Abutment EV



- Ø 4.0 2.0 mm 68013052
- Ø 4.0 3.0 mm 68013053
- Ø 4.0 4.0 mm 68013054
- Ø 4.0 6.0 mm 68013055

Cement-retained

Temporary abutments and components

TempAbutment EV*



Ø 4.5 1 mm 68013070

TempDesign EV*



Ø 9 5 mm 25505

TempBase Cap**



Ø 3.0-3.8 68010013

Abutments

TiDesign EV



- Ø 5.5 1.5 mm 68012042
- Ø 5.5 2.5 mm 68012043
- Ø 5.5 3.5 mm 68012044
- Ø 5.5 4.5 mm 68012045
- Ø 5.5 15° 1.5 mm 68012046
- Ø 5.5 15° 2.5 mm 68012047
- Ø 5.5 15° 3.5 mm 68012048
- Ø 5.5 15° 4.5 mm 68012049
- △ Ø 5.5 1.5 mm 68012050
- △ Ø 7.0 1.5 mm 68012051

Screw-retained

Abutments

MultiBase Abutment EV



- 1.5 mm 68012194
- 2.5 mm 68012195
- 3.5 mm 68012196
- 4.5 mm 68012197
- 17° 1.5 mm 68012198
- 17° 2.5 mm 68012199
- 17° 3.5 mm 68012200
- 17° 4.5 mm 68012201
- 17° 1.5 mm 68012202
- 17° 2.5 mm 68012203
- 17° 3.5 mm 68012204
- 17° 4.5 mm 68012205
- 30° 1.5 mm 68012206
- 30° 2.5 mm 68012207
- 30° 1.5 mm 68012208
- 30° 2.5 mm 68012209

Healing caps

MultiBase Heal Cap



Ø 5.4 - 4 mm
68012230

* Also for screw-retained single tooth restoration
** Only for pre-mounted TempBase on OmniTaper EV

Attachment-retained

Abutments

LOCATOR R-Tx® Abutment EV



- 1 mm 68012420
- 2 mm 68012421
- 3 mm 68012422
- 4 mm 68012423
- 5 mm 68012424
- 6 mm 68012425

Abutment impressions

LOCATOR R-Tx® Impression Coping



68012444

Analog

LOCATOR R-Tx® Abutment Analog



68012443

Friction-retained

Abutments Conometric abutment



- Ø 4.5 0° 1 mm 26124
- Ø 4.5 0° 2 mm 26125
- Ø 4.5 0° 3 mm 26126
- Ø 4.5 15° 1 mm 26130
- Ø 4.5 15° 2 mm 26131
- Ø 4.5 15° 3 mm 26132


Temporary components

Conometric Temporization cap




- Ø3.3/4.6 31072112
- Ø4.5/5.8 31072114

CastDesign EV*



Ø 4.1 1 mm 68012078


TitaniumBase EV*



Ø 4.7 1 mm 68012088
Ø 4.7 2 mm 68012089


Implant impressions

Implant Pick-Up EV Design



Short 68014010
Long 68014015

Implant Transfer EV



Short 68014019
Long 68014024

Lab products

Lab Abutment Screw EV



68014031


Implant Analog EV



68014036


Impressions

MultiBase Pick-Up



68012232


MultiBase Transfer



68012231


Lab products

MultiBase Lab Bridge Screw




68012237

MultiBase Lab Abutment Pin



14 mm 68012234
18 mm 68012235
22 mm 68012236

MultiBase Analog



68012238

Cylinders

MultiBase Temporary Cylinder



68012239

MultiBase Semi-Burnout Cylinder



68012243


MultiBase Burnout Cylinder



68012240

Bridge screws


MultiBase Bridge Screw



68012233


Attachment components

LOCATOR R-Tx* Mixed Retention Limited Range Processing Pack




68012439

LOCATOR R-Tx* Retention Insert Standard range




Grey 68012432 Pink 68012434
Blue 68012433 Clear 68012435

LOCATOR R-Tx* Retention Insert Limited range




Aqua 68012436
Magenta 68012437
Gold 68012438

LOCATOR R-Tx* Processing Insert




68012440

LOCATOR R-Tx* Block-Out Spacer




68012441

LOCATOR R-Tx* Denture Attachment Processing Assembly



68012442

LOCATOR R-Tx* Processing Spacer



68012445

Healing cap


Conometric Healing Cap



Ø3.3/4.8 31072101
Ø3.3/6.0 31072102
Ø4.5/6.0 31072103

Impressions


Conometric Impression Cap



Ø3.3/5.4 31072001
Ø4.5/5.4 31072002


Lab components

Conometric Analog




Ø3.3 31047210
Ø4.5 31072020

Conometric Lab Cap




Ø3.3/4.6 31072121
Ø4.5/5.8 31072123

Conometric Final Cap



Ø3.3/4.6 31072301
Ø4.5/5.8 31072303

L Overview



Cover screw

Cover Screw EV



68010006

Healing abutments

HealDesign EV



	●	Ø 5.0	2.5 mm	68013023
	●	Ø 5.0	3.5 mm	68013024
	●	Ø 5.0	4.5 mm	68013025
	●	Ø 5.0	6.5 mm	68013026
	●	Ø 6.5	2.5 mm	68013027
	●	Ø 6.5	3.5 mm	68013028
	●	Ø 6.5	4.5 mm	68013029
	●	Ø 6.5	6.5 mm	68013030
	●	Ø 7.5	3.5 mm	68013031
	●	Ø 7.5	4.5 mm	68013032
	▲	Ø 5.0	3.5 mm	68013042
	▲	Ø 6.5	3.5 mm	68013043

Healing Abutment EV



	●	Ø 4.3	2.0 mm	68013056
	●	Ø 4.3	3.0 mm	68013057
	●	Ø 4.3	4.0 mm	68013058
	●	Ø 4.3	6.0 mm	68013059

Cement-retained

Temporary abutments and components

TempAbutment EV*



Ø 5 1 mm 68013072

TempDesign EV*



Ø 10 5 mm 25506

TempBase Cap**



Ø 4.5 68010014

Abutments

TiDesign EV



●	Ø 7.0	1.5 mm	68012052
●	Ø 7.0	2.5 mm	68012053
●	Ø 7.0	3.5 mm	68012054
●	Ø 7.0	4.5 mm	68012055
●	Ø 5.5 15°	1.5 mm	68012056
●	Ø 5.5 15°	2.5 mm	68012057
●	Ø 5.5 15°	3.5 mm	68012058
●	Ø 5.5 15°	4.5 mm	68012059
▲	Ø 5.5	1.5 mm	68012060
▲	Ø 7.0	1.5 mm	68012061

*Also for screw-retained single tooth restoration ** Only for pre-mounted TempBase on OmniTaper EV

Screw-retained

Abutments

MultiBase Abutment EV



	1.5 mm	68012210		30° 1.5 mm	68012221
	2.5 mm	68012211		30° 2.5 mm	68012222
	3.5 mm	68012212		30° 1.5 mm	68012223
	4.5 mm	68012213		30° 2.5 mm	68012224
	17° 1.5 mm	68012214			
	17° 2.5 mm	68012215			
	17° 3.5 mm	68012216			
	17° 4.5 mm	68012217			
	17° 1.5 mm	68012218			
	17° 2.5 mm	68012219			
	17° 3.5 mm	68012220			
	17° 4.5 mm	68012352			

Healing caps

MultiBase Heal Cap



Ø 5.4 - 4 mm
68012230

Attachment-retained

Abutments

LOCATOR R-Tx® Abutment EV



	1 mm	68012426
	2 mm	68012427
	3 mm	68012428
	4 mm	68012429
	5 mm	68012430
	6 mm	68012431

Abutment impressions

LOCATOR R-Tx®
Impression Coping

















68012444






















Analog

LOCATOR R-Tx®
Abutment Analog










68012443


<p>CastDesign EV*</p>  <p>Ø 5.1 1 mm 68012079</p> <p>TitaniumBase EV*</p>  <p>Ø 5.0 1 mm 68012090 Ø 5.0 2 mm 68012091</p>	<p align="center">Implant impressions</p> <table border="0"> <tr> <td data-bbox="351 255 606 510"> <p>Implant Pick-Up EV Design</p>  <p>Short 68014011 Long 68014016</p> </td> <td data-bbox="622 255 877 510"> <p>Implant Transfer EV</p>  <p>Short 68014020 Long 68014025</p> </td> </tr> </table>	<p>Implant Pick-Up EV Design</p>  <p>Short 68014011 Long 68014016</p>	<p>Implant Transfer EV</p>  <p>Short 68014020 Long 68014025</p>	<p align="center">Lab products</p> <table border="0"> <tr> <td data-bbox="925 255 1181 425"> <p>Lab Abutment Screw EV</p>  <p>68014032</p> </td> <td data-bbox="1197 255 1436 425"> <p>Implant Analog EV</p>  <p>68014037</p> </td> </tr> </table>	<p>Lab Abutment Screw EV</p>  <p>68014032</p>	<p>Implant Analog EV</p>  <p>68014037</p>
<p>Implant Pick-Up EV Design</p>  <p>Short 68014011 Long 68014016</p>	<p>Implant Transfer EV</p>  <p>Short 68014020 Long 68014025</p>					
<p>Lab Abutment Screw EV</p>  <p>68014032</p>	<p>Implant Analog EV</p>  <p>68014037</p>					

<p>Impressions</p> <p>MultiBase Pick-Up</p>  <p>68012232</p> <p>MultiBase Transfer</p>  <p>68012231</p>	<p>Lab products</p> <table border="0"> <tr> <td data-bbox="303 872 494 1042"> <p>MultiBase Lab Bridge Screw</p>  <p>68012237</p> </td> <td data-bbox="510 872 638 1042"> <p>MultiBase Analog</p>  <p>68012238</p> </td> </tr> <tr> <td colspan="2" data-bbox="303 1085 638 1340"> <p>MultiBase Lab Abutment Pin</p>  <p>14 mm 68012234 18 mm 68012235 22 mm 68012236</p> </td> </tr> </table>	<p>MultiBase Lab Bridge Screw</p>  <p>68012237</p>	<p>MultiBase Analog</p>  <p>68012238</p>	<p>MultiBase Lab Abutment Pin</p>  <p>14 mm 68012234 18 mm 68012235 22 mm 68012236</p>		<p>Cylinders</p> <table border="0"> <tr> <td data-bbox="694 872 925 1042"> <p>MultiBase Temporary Cylinder</p>  <p>68012239</p> </td> <td data-bbox="941 872 1133 1042"> <p>MultiBase Burnout Cylinder</p>  <p>68012240</p> </td> </tr> <tr> <td colspan="2" data-bbox="694 1085 1133 1340"> <p>MultiBase Semi-Burnout Cylinder</p>  <p>68012243</p> </td> </tr> </table>	<p>MultiBase Temporary Cylinder</p>  <p>68012239</p>	<p>MultiBase Burnout Cylinder</p>  <p>68012240</p>	<p>MultiBase Semi-Burnout Cylinder</p>  <p>68012243</p>		<p>Bridge screws</p> <p>MultiBase Bridge Screw</p>  <p>68012233</p>
<p>MultiBase Lab Bridge Screw</p>  <p>68012237</p>	<p>MultiBase Analog</p>  <p>68012238</p>										
<p>MultiBase Lab Abutment Pin</p>  <p>14 mm 68012234 18 mm 68012235 22 mm 68012236</p>											
<p>MultiBase Temporary Cylinder</p>  <p>68012239</p>	<p>MultiBase Burnout Cylinder</p>  <p>68012240</p>										
<p>MultiBase Semi-Burnout Cylinder</p>  <p>68012243</p>											

Attachment components

<p>LOCATOR R-Tx® Mixed Retention Limited Range Processing Pack</p>  <p>68012439</p>	<p>LOCATOR R-Tx® Retention Insert Standard range</p>  <p>Grey 68012432 Blue 68012433 Pink 68012434 Clear 68012435</p>	<p>LOCATOR R-Tx® Retention Insert Limited range</p>  <p>Aqua 68012436 Magenta 68012437 Gold 68012438</p>	
<p>LOCATOR R-Tx® Processing Insert</p>  <p>68012440</p>	<p>LOCATOR R-Tx® Block-Out Spacer</p>  <p>68012441</p>	<p>LOCATOR R-Tx® Denture Attachment Processing Assembly</p>  <p>68012442</p>	<p>LOCATOR R-Tx® Processing Spacer</p>  <p>68012445</p>

XL Overview



Cover screw

Cover Screw EV



68010007

Healing abutments

HealDesign EV



- Ø 6.5 2.5 mm 68013033
- Ø 6.5 3.5 mm 68013034
- Ø 6.5 4.5 mm 68013035
- Ø 6.5 6.5 mm 68013036
- Ø 7.5 3.5 mm 68013037
- Ø 7.5 4.5 mm 68013038

Healing Abutment EV



- Ø 4.8 2.0 mm 68013060
- Ø 4.8 3.0 mm 68013061
- Ø 4.8 4.0 mm 68013062
- Ø 4.8 6.0 mm 68013063

Cement-retained

Temporary abutments and components

TempAbutment EV*



Ø 5.5 1 mm 68013074

TempDesign EV*



Ø 10 5 mm 25507

TempBase Cap**



Ø 5.5 68010015

Abutments

TiDesign EV



- Ø 7.0 1.5 mm 68012062
- Ø 7.0 2.5 mm 68012063
- Ø 7.0 15° 1.5 mm 68012064
- Ø 7.0 15° 2.5 mm 68012065

*Also for screw-retained single tooth restoration ** Only for pre-mounted TempBase on OmniTaper EV

Screw-retained

Abutments

MultiBase Abutment EV



- 1.5 mm 68012225
- 2.5 mm 68012226
- 3.5 mm 68012227
- 4.5 mm 68012228

Healing caps

MultiBase Heal Cap



Ø 5.4 - 4 mm
68012230

Impressions

MultiBase Pick-Up



68012232

MultiBase Transfer



68012231

XL is not applicable for PrimeTaper EV

CastDesign EV*



Ø 5.1 1 mm 68012080

TitaniumBase EV*



Ø 5.5 1 mm 68012092
Ø 5.5 2 mm 68012093

Implant impressions

Implant Pick-Up EV Design



Short 68014012
Long 68014017

Implant Transfer EV



Short 68014021
Long 68014026

Lab products

Lab Abutment Screw EV



68014033


Implant Analog EV



68014038


Lab products

MultiBase Lab Bridge Screw




68012237

MultiBase Analog



68012238

MultiBase Lab Abutment Pin



14 mm 68012234
18 mm 68012235
22 mm 68012236

Cylinders

MultiBase Temporary Cylinder



68012239

MultiBase Burnout Cylinder



68012240


MultiBase Semi-Burnout Cylinder



68012243

Bridge screws

MultiBase Bridge Screw



68012233

3. Cover screw

Cover Screw EV

Titanium alloy¹, sterile

The Cover Screw is used for sealing the implant interface.

- Clinical use: two-stage surgical procedures
- Color coded

Cover Screw EV



* Not applicable for PrimeTaper EV


4. Healing abutments

HealDesign EV

Titanium alloy¹, sterile

The HealDesign is used for soft tissue sculpturing during the healing phase.

- The design of the healing abutments is based upon the natural dentition utilizing a site-specific, crown-down approach.
- The design mimics a variety of tooth shapes and support the soft tissue, preparing for the final abutment.
- Heights and diameters are harmonized with the final abutments and with the expected tooth positions.
- Clinical use: one- and two-stage surgery
- Color coded
- Indexing options; six-position and non-indexed



Round shapes are indicated for all positions in the mouth.

Triangular shapes are designed for anterior implant sites and mimics the specific shape for incisors and canines. Triangular HealDesign EV is a two-piece abutment.

XS HealDesign EV



S HealDesign EV



M HealDesign EV




Ø mm	5	5	5	5
Height mm	2.5	3.5	4.5	6.5
Order No.	68013015	68013016	68013017	68013018



Ø mm	6.5	6.5	6.5	6.5	5	6.5
Height mm	2.5	3.5	4.5	6.5	3.5	3.5
Order No.	68013019	68013020	68013021	68013022	68013040	68013041

L HealDesign EV



Ø mm	5	5	5	5
Height mm	2.5	3.5	4.5	6.5
Order No.	68013023	68013024	68013025	68013026



Ø mm	6.5	6.5	6.5	6.5	7.5	7.5	5	6.5
Height mm	2.5	3.5	4.5	6.5	3.5	4.5	3.5	3.5
Order No.	68013027	68013028	68013029	68013030	68013031	68013032	68013042	68013043

XL HealDesign EV*



Ø mm	6.5	6.5	6.5	6.5	7.5	7.5
Height mm	2.5	3.5	4.5	6.5	3.5	4.5
Order No.	68013033	68013034	68013035	68013036	68013037	68013038


* Not applicable for PrimeTaper EV

Healing Abutment EV

Titanium alloy¹, sterile

The healing abutment is used for soft tissue sculpturing.

- Height markings
- Color coded
- Indexing option; non-indexed



XS Healing Abutment EV

Ø mm	4	4	4	4
Height mm	2	3	4	6
Order No.	68013044	68013045	68013046	68013047

S Healing Abutment EV

Ø mm	4	4	4	4
Height mm	2	3	4	6
Order No.	68013048	68013049	68013050	68013051

M Healing Abutment EV

Ø mm	4	4	4	4
Height mm	2	3	4	6
Order No.	68013052	68013053	68013054	68013055

L Healing Abutment EV

Ø mm	4.3	4.3	4.3	4.3
Height mm	2	3	4	6
Order No.	68013056	68013057	68013058	68013059


XL Healing Abutment EV*

Ø mm	4.8	4.8	4.8	4.8
Height mm	2	3	4	6
Order No.	68013060	68013061	68013062	68013063

* Not applicable for PrimeTaper EV

5. Temporary abutments

TempAbutment EV




Ø mm	3.3	4.0	4.5	5.0	5.5
A - height mm	1	1	1	1	1
B - height mm	9	9	9	9	9
Order No.	68013064	68013066	68013070	68013072	68013074*

TempAbutment EV


Titanium alloy¹, non-sterile

The temporary abutment is used as a customizable base for temporary implant-level restorations and allows for further sculpturing of the soft tissue.

- Designed for build-up technique
- Primarily processed in the laboratory
- Restoration: screw- and cement-retained
- Screw-retained restorations, limited to single tooth only
- Clinical use: long-term temporization
- Contains: TempAbutment EV and corresponding color coded Abutment Screw EV
- Indexing option; six-positions



TempDesign EV




Ø mm	6	7	9	10	10
A - height mm	5	5	5	5	5
B - height mm	10	12	12	12	10
Order No.	25503	25504	25505	25506	25507*

TempDesign EV

Titanium alloy¹ / PEEK plastic⁸, non-sterile

The TempDesign abutment is an abutment designed for reduction technique.

- Can be processed chairside or in the laboratory
- Restoration: screw- and cement-retained
- Screw-retained restorations limited to single-tooth only
- Clinical use: max 180 days
- Contains: TempDesign EV and corresponding color coded Abutment Screw EV
- Indexing option: six-positions



Astra Tech Implant System EV product assortment.
See connection size conversion on page 4.

* Not applicable for PrimeTaper EV


Abutment Screw EV

Titanium alloy¹², non-sterile

The abutment screw is used for securing the abutment to the implant.

- A corresponding abutment screw is included with every two-piece abutment.
- Additional screws can be ordered separately
- Color coded

Abutment Screw EV



	M1.4	M1.6	M1.8	M2.0	M2.0
Order No.	68012166	68012167	68012168	68012169	68012170*

* Not applicable for PrimeTaper EV

TempBase Cap

PP plastic¹², non-sterile

Transfer coping for index registration during surgery and basis for temporary restorations.

- Tooth-colored plastic
- Rotation lock
- Only for pre-mounted TempBase on OmniTaper EV
- Retention by a diamond-shaped head and a side retention tab

TempBase Cap



Ø mm	3.0-3.8	4.5	5.5
Order No.	68010013	68010014	68010015

Patient specific products - alternative restorative options



Atlantis Healing Abutment



Atlantis CustomBase Solution
- Atlantis Abutment and
Atlantis Temporary Crown

6. Impression and laboratory components

Implant Pick-Up EV Design, Short



Ø mm		3.6	4.2	4.8	5.4
Height mm		16.7	16.7	16.7	16.7
Order No.		68014009	68014010	68014011	68014012*


Implant Pick-Up EV Design

Titanium alloy³, non-sterile

The implant pick-up is used for transferring the implant position and the soft tissue anatomy to the master model.

- Self-guiding impression component
- Integrated pin for safe handling
- Designed with a hex at the pin head
- One-hand-procedure
- Designed for splinting possibilities
- Clinical use: open tray impression procedure
- Color coded
- Contains: Implant Pick-Up EV Design with pin
- Instruments needed: Hex Driver (optional)

Implant Pick-Up EV Design, Long



Ø mm	3.0	3.6	4.2	4.8	5.4
Height mm	22	22	22	22	22
Order No.	68014013	68014014	68014015	68014016	68014017*




* Not applicable for PrimeTaper EV

Implant Transfer EV


Titanium alloy³, non-sterile

The implant transfer is used for transferring the implant position and the soft tissue anatomy to the master model.

- Self-guiding impression component
- Integrated pin for safe handling
- One-hand procedure
- Designed with a hex at the pin head
- Clinical use: closed tray impression procedure
- Color coded
- Contains: Implant Transfer EV with pin
- Instruments needed: Hex Driver (optional)




Implant Transfer EV, Short



Ø mm		4.4	4.2	4.8	5.4
Height mm		11	11	11	11
Order No.		68014018	68014019	68014020	68014021*

Implant Transfer EV, Long



Ø mm	4.0	4.4	4.2	4.8	5.4
Height mm	14	14	14	14	14
Order No.	68014022	68014023	68014024	68014025	68014026*

* Not applicable for PrimeTaper EV

Scan components

Atlantis IO FLO

Intraoral scan



XS

S

M

L

XL

IO FLO code	IO P-01	IO P-02	IO P-03	IO P-04	IO P-05
Order No.	35243	35244	35245	35246	35247*

Atlantis FLO

Lab scan



XS

S

M

L

XL

FLO code	P-01	P-02	P-03	P-04	P-05
Order No.	34593	34594	34595	34596	34597*

Atlantis IO FLO

Titanium alloy¹ / PEEK plastic⁸, non-sterile

Atlantis FLO

Stainless steel³ / POM plastic⁷, non-sterile

Atlantis IO FLO is a scan body used for implant level digital impressions.

Atlantis FLO is a scan body used for implant level model scanning.

- Can be used with all connectivity when scanning for Atlantis abutments.
- Enables the design software to create a sufficient output to produce the restoration onto the TitaniumBase
- Instruments needed: Hex Driver for Atlantis IO FLO and Atlantis FLO screwdriver for Atlantis FLO.

A digital library is required when designing restorations for TitaniumBase. The digital library includes all necessary information of the implant system, TitaniumBase and scanbody. The libraries can be used for 3Shape and Exocad design software.

To download The TitaniumBase library, go to the help page for Dentsply Sirona Implants libraries at <https://www.orderdigitalsolutions.com/>

Atlantis IO FLO-S

Implant level

XS

S

M

L

XL

FLO code	A04K	A04L	A04M	A04N	A04O
Order No.	68020018	68020019	68020020	68020021	68020022*

Abutment level



MultiBase Abutment EV	
FLO code	A04S
Order No.	68020034

Atlantis IO FLO-S

Titanium², non-sterile

The storage trays are made from aluminium with silicone grommets.

Atlantis IO FLO-S is a scan body used for implant or abutment level digital impressions.

- Atlantis IO FLO-S is used when scanning for Atlantis suprastructure.
- Can be used for both intraoral and model scanning.

The FLO-S scan body without the IO marking can only be used for model scanning and is not approved for intraoral scanning.

* Not applicable for PrimeTaper EV

Implant Analog EV

Titanium alloy³, non-sterile

The implant analog is used for laboratory fabrication of implant-level restorations.

- Single use
- Color coded

Implant Analog EV



Height mm	13	13	13	13	13
Order No.	68014034	68014035	68014036	68014037	68014038*


Lab Abutment Screw EV

Titanium alloy³, non-sterile

The lab abutment screw is used to secure the abutment on the implant analog.

- Designed for use with implant analog only
- Color coded
- Contains:
4 pcs of Lab Abutment Screw EV

Lab Abutment Screw EV



Order No.	68014029	68014030	68014031	68014032	68014033*
-----------	----------	----------	----------	----------	-----------

* Not applicable for PrimeTaper EV

7. Cement-retained restorations

XS TiDesign EV



Ø mm	4	4	4	4
A - height mm	1.5	2.5	3.5	4.5
B - height mm	2.5	3.5	4.5	5.5
C - height mm	7	8	9	10
Order No.	68012001	68012002	68012003	68012004




Ø mm	4	4	4	4
A - height mm	1.5	2.5	3.5	4.5
B - height mm	2.5	3.5	4.5	5.5
C - height mm	7	8	9	10
Order No.	68012005	68012006	68012007	68012008

TiDesign EV


Titanium alloy³, non-sterile

TiDesign is used as a base for cement-retained restorations.

- Anatomically pre-designed abutment
- Round - design for the majority of tooth shapes
- Triangular - primarily for incisors and canines with distinct triangular shape
- Angled - for offset situations both in the anterior and posterior regions, compensating for implants with a restoratively unfavorable angulation
- Restoration: cement retained
- Clinical use: single and multi unit restorations
- Marked with connection size and diameter
- Color coded
- Contains: TiDesign EV abutment and corresponding Abutment Screw EV.
- Indexing option; six-positions



S TiDesign EV



Ø mm	4.5	4.5	4.5	4.5
A - height mm	1.5	2.5	3.5	4.5
B - height mm	2.5	3.5	4.5	5.5
C - height mm	9	10	11	12
Order No.	68012009	68012010	68012011	68012012



Ø mm	4.5	4.5	4.5	4.5	5.5
A - height mm	1.5	2.5	3.5	4.5	1.5
B - height mm	2.5	3.5	4.5	5.5	2.5
C - height mm	9	10	11	12	9
Order No.	68012017	68012018	68012019	68012020	68012025

M TiDesign EV



Ø mm	5.5	5.5	5.5	5.5
A - height mm	1.5	2.5	3.5	4.5
B - height mm	2.5	3.5	4.5	5.5
C - height mm	9	10	11	12
Order No.	68012042	68012043	68012044	68012045



Ø mm	5.5	5.5	5.5	5.5	5.5	7.0
A - height mm	1.5	2.5	3.5	4.5	1.5	1.5
B - height mm	2.5	3.5	4.5	5.5	2.5	2.5
C - height mm	9	10	11	12	9	9
Order No.	68012046	68012047	68012048	68012049	68012050	68012051

L TiDesign EV



Ø mm	7.0	7.0	7.0	7.0
A - height mm	1.5	2.5	3.5	4.5
B - height mm	2.5	3.5	4.5	5.5
C - height mm	9	10	11	12
Order No.	68012052	68012053	68012054	68012055



Ø mm	5.5	5.5	5.5	5.5	5.5	7.0
A - height mm	1.5	2.5	3.5	4.5	1.5	1.5
B - height mm	2.5	3.5	4.5	5.5	2.5	2.5
C - height mm	9	10	11	12	9	9
Order No.	68012056	68012057	68012058	68012059	68012060	68012061

XL TiDesign EV*



Ø mm	7.0	7.0	7.0	7.0
A - height mm	1.5	2.5	1.5	2.5
B - height mm	2.5	3.5	2.5	3.5
C - height mm	9	10	9	10
Order No.	68012062	68012063	68012064	68012065

CastDesign EV




Ø mm	4.1	4.1	5.1	5.1
A - height mm	1	1	1	1
B - height mm	11	11	11	11
Order No.	68012077	68012078	68012079	68012080*

CastDesign EV

Gold-Platinum alloy² / POM plastic⁷, non-sterile

CastDesign is used for fabrication of a customized cement- or screw-retained restoration, using regular wax-up and cast-to techniques.

- Non-oxidizing high precious alloy abutment
- Modified at the laboratory
- Metal Base:
Au 60%, Pd 20%, Pt 19%, Ir 1%
- Cylinder: POM burnout plastic
- Restoration: for screw-retained restorations, CastDesign is limited to single-tooth only
- Color coded
- Contains: CastDesign EV abutment and Abutment Screw EV
- Indexing option; six-positions



Patient specific products - alternative restorative options



Atlantis Abutment



Atlantis Crown Abutment



Atlantis CustomBase Solution - Atlantis Abutment and Atlantis Crown


* Not applicable for PrimeTaper EV

TitaniumBase EV

Titanium alloy¹, non-sterile

TitaniumBase is used in the digital workflow as a base for customized ceramic restorations.

- Two flattened sides forming an anti-rotational feature
- Restoration: Cement-retained and screw-retained
- Clinical use: temporary or final restorations
- Screw-retained restorations are limited to single-tooth only
- Single and multi units
- Contains: TitaniumBase EV abutment and color coded Abutment Screw EV
- Instruments needed: Hex Driver and scanbody
- Indexing option; six-positions



XS TitaniumBase EV



Ø mm	4	4
A - height mm	1	2
B - height mm	5	6
Order No.	68012081	68012082

S TitaniumBase EV



Ø mm	4.1	4.1
A - height mm	1	2
B - height mm	5	6
Order No.	68012083	68012084

M TitaniumBase EV



Ø mm	4.7	4.7
A - height mm	1	2
B - height mm	5	6
Order No.	68012088	68012089

L TitaniumBase EV



Ø mm	5	5
A - height mm	1	2
B - height mm	5	6
Order No.	68012090	68012091

XL TitaniumBase EV*



Ø mm	5.5	5.5
A - height mm	1	2
B - height mm	5	6
Order No.	68012092	68012093

* Not applicable for PrimeTaper EV

8. Screw-retained restorations

XS MultiBase Abutment EV



A - height mm	1.5	2.5	3.5
Order No.	68012171	68012172	68012173

S MultiBase Abutment EV



A - height mm	1.5	2.5	3.5	4.5
Order No.	68012174	68012175	68012176	68012177

S MultiBase Abutment EV 17°



A - height mm	1.5	2.5	3.5	4.5
B - height mm	3	4	5	6
Order No.	68012178	68012179	68012180	68012181
Order No.	68012182	68012183	68012184	68012185

S MultiBase Abutment EV 30°



A - height mm	1.5	2.5	1.5	2.5
B - height mm	4	5	4	5
Order No.	68012186	68012187	68012190	68012191


MultiBase Abutment EV

Titanium alloy¹ with a PEEK® holder, sterile

The MultiBase abutment is used for screw-retained restorations for multi-unit cases.

- Applicable for SmartFix concept
- Straight abutments are one-piece abutments, angled abutments are two-piece abutments
- Top cone (21°) enables bridge insertion on non-parallel abutments up to 42°
- Same prosthetic platform and components for all abutments
- Non-indexed abutments can be seated in any rotational position
- The holder on straight abutment has eight identification grooves, the holder on 17° abutment has four identification grooves, the holder on 30° abutment has six identification grooves
- Restoration: screw retained
- Clinical use: multi-unit restorations
- Color coded
- Straight abutment contains: MultiBase Abutment EV with a plastic holder pre-mounted to the abutment
- MultiBase 17°/30° abutment contains: MultiBase Abutment EV with a separate head part and a plastic holder with a pre-assembled abutment screw
- Instruments needed: Hex Driver for installing the abutment screw. MultiBase Driver for tightening the abutment head to the abutment body and for installing straight abutments
- Indexing options; non-indexed and six positions

Screw-retained restorations



M MultiBase Abutment EV



A - height mm	1.5	2.5	3.5	4.5
Order No.	68012194	68012195	68012196	68012197

M MultiBase Abutment EV 17°



A - height mm	1.5	2.5	3.5	4.5
B - height mm	3	4	5	6
Order No. ☉	68012198	68012199	68012200	68012201
Order No. ☉	68012202	68012203	68012204	68012205

M MultiBase Abutment EV 30°



A - height mm	1.5	2.5	1.5	2.5
B - height mm	4	5	4	5
Order No.	68012206	68012207	68012208	68012209

L MultiBase Abutment EV



A - height mm	1.5	2.5	3.5	4.5
Order No.	68012210	68012211	68012212	68012213

L MultiBase Abutment EV 17°



A - height mm	1.5	2.5	3.5	4.5
B - height mm	3	4	5	6
Order No. ☉	68012214	68012215	68012216	68012217
Order No. ☉	68012218	68012219	68012220	68012352

L MultiBase Abutment EV 30°



A - height mm	1.5	2.5	1.5	2.5
B - height mm	4	5	4	5
Order No.	68012221	68012222	68012223	68012224

XL MultiBase Abutment EV*



A - height mm	1.5	2.5	3.5	4.5
Order No.	68012225	68012226	68012227	68012228

Patient specific products - alternative restorative options



Atlantis Bridge



Atlantis Hybrid



Atlantis BridgeBase

* Not applicable for PrimeTaper EV

MultiBase Abutment Head with holder

Titanium alloy¹ with a PEEK[®] plastic holder, sterile

The abutment head with holder is used when needed to replace the abutment head.

- Spare part to MultiBase Abutment EV 17° and 30°
- Single use
- Contains: MultiBase Abutment Head with holder; the head part is pre-mounted on the holder

MultiBase Abutment Head with holder



Order No.	68012229
-----------	----------

MultiBase Heal Cap

Titanium alloy¹, sterile


The heal cap is used to protect the abutment and for soft tissue sculpturing during the healing phase.

- One-piece
- Single use

MultiBase Heal Cap



Ø mm	5.4
Vertical height mm	4
Order No.	68012230



MultiBase Pick-Up and Transfer

Stainless steel², non-sterile

The pick-up and transfer are used for transferring the MultiBase abutment position to the master model.

- Two-piece pick-up, with a pronounced groove for splinting possibility
- Transfer two-piece
- Screw retained
- Contains: MultiBase Pick-Up and screw
- Contains: MultiBase Transfer and screw

MultiBase


Pick-Up open tray technique



Transfer closed tray technique



Ø mm	5.5	5.5
Vertical height mm	15	9.5
Order No.	68012232	68012231



Protection sleeve

Order No.	68012241
-----------	----------

Protection sleeveSilicone¹⁰, non-sterile

The protection sleeve is used to protect the soft tissue from acrylic resin.

- Single use

MultiBase Temporary Cylinder

Ø mm	5.0
Vertical height mm	12
Order No.	68012239

MultiBase Temporary CylinderTitanium alloy¹, non-sterile

The temporary cylinder is used for temporary restorations.

- Single use
- Restoration: screw retained
- Clinical use: multi-unit; long-term temporization

Bridge screws need to be ordered separately.

MultiBase Burnout Cylinder

Ø mm	4.8
Vertical height mm	10
Order No.	68012240

MultiBase Burnout CylinderPMMA plastic¹¹, non-sterile

The burnout cylinder is used for fabricating the final restoration.

- Single use
- Restoration: screw retained
- Clinical use: multi-unit

Bridge screws need to be ordered separately.

MultiBase Semi-Burnout Cylinder


Ø mm	5.4
Vertical height mm	14
Order No.	68012243

MultiBase Semi-Burnout CylinderGold-Platinum alloy² / POM plastic⁷, non-sterile

The semi-burnout cylinder is used for fabricating the final restoration.

- Single use
- Restoration: screw retained
- Clinical use: multi-unit

Bridge screws need to be ordered separately.



MultiBase Analog

Stainless steel³, non-sterile

The analog is used for laboratory fabrication of abutment-level restorations.

- Single use

MultiBase Analog



Order No.	68012238
-----------	----------

MultiBase Bridge Screw

Titanium alloy³, non-sterile

The bridge screw is used for connecting the screw-retained restoration to the Multibase abutment.

- Light blue for differentiation to the laboratory bridge screw
- Single use
- Screw head height: 1.65 mm
- Screw head diameter: 2.1 mm
- Contains: 1 MultiBase Bridge Screw

MultiBase Bridge Screw



	M1.4
Screw head height mm	1.65
Screw head Ø mm	2.1
Order No.	68012233

MultiBase Lab Bridge Screw

Titanium alloy³, non-sterile

The lab bridge screw is used for connecting the screw-retained restoration to the Multibase analog

- Screw head height: 1.65 mm
- Screw head diameter: 2.1 mm
- Contains: 4 pcs

MultiBase Lab Bridge Screw



	M1.4
Screw head height mm	1.65
Screw head Ø mm	2.1
Order No.	68012237

MultiBase Lab Abutment Pin

Stainless steel³, non-sterile

The lab abutment pin is used for maintaining the screw access channel.

- Designed with a hex at the pin head

MultiBase Lab Abutment Pin



Length mm	14	18	22
Order No.	68012234	68012235	68012236

9. Attachment-retained restorations

S LOCATOR R-Tx® Abutment EV



A - Ø mm	3.7	3.7	3.7	3.7	3.7	3.7
B - Ø mm	3.4	3.4	3.4	3.4	3.4	3.4
C - height mm	1	2	3	4	5	6
Order No.	68012414	68012415	68012416	68012417	68012418	68012419

LOCATOR R-Tx® Abutment EV

Titanium alloy¹ / TiCN Coated⁶, non-sterile


The LOCATOR R-Tx® Abutment is used for attachment-retained restorations.

- Ability to accept up to 60 degrees of implant divergence
- Restoration: attachment retained
- Clinical use: multi-unit
- Contains: 1 abutment with complementary components (1 of each: insert Grey, Blue, Pink, Clear, Block-out spacer and Processing assembly)
- Instruments needed: Hex Driver
- Indexing option; non-indexed
- Refer to instructions for use at www.zestdent.com


M LOCATOR R-Tx® Abutment EV



A - Ø mm	3.7	3.7	3.7	3.7	3.7	3.7
B - Ø mm	3.7	3.7	3.7	3.7	3.7	3.7
C - height mm	1	2	3	4	5	6
Order No.	68012420	68012421	68012422	68012423	68012424	68012425



L LOCATOR R-Tx® Abutment EV



A - Ø mm	3.7	3.7	3.7	3.7	3.7	3.7
B - Ø mm	4.3	4.3	4.3	4.3	4.3	4.3
C - height mm	1	2	3	4	5	6
Order No.	68012426	68012427	68012428	68012429	68012430	68012431

LOCATOR R-Tx® Retention Insert

PA plastic¹³, non-sterile

The LOCATOR R-Tx® Retention Insert is used as retention element.

- Two ranges of inserts, both types come in low, medium and high retention
- Standard range inserts can be used for any patient with implant divergence up to a total of 60 degrees
- Limited range inserts are intended for patients with 10 degrees or less of implant divergence to provide a tighter fit
- Color coded by retention strength
- Contains: 4 pcs of the same insert
- Instruments needed: LOCATOR R-Tx® Retention Insert Tool
- Refer to instructions for use at www.zestdent.com

LOCATOR R-Tx® Retention Insert Standard range



Grey



Blue



Pink



Clear

Retention	Zero	Low	Medium	High
Order No.	68012432	68012433	68012434	68012435

LOCATOR R-Tx® Retention Insert Limited range



Aqua



Magenta



Gold

Retention	Low	Medium	High
Order No.	68012436	68012437	68012438

LOCATOR R-Tx® Mixed Retention Limited Range Processing Pack

- Contains: 2 pcs of each insert Aqua, Magenta, Gold, Block-out spacer and Processing assembly.

LOCATOR R-Tx® Mixed Retention Limited Range Processing Pack



Order No.	68012439
-----------	----------

LOCATOR R-Tx® Denture Attachment Processing Assembly

Titanium alloy¹ / PE plastic¹⁴, non-sterile

The LOCATOR R-Tx® Denture Attachment Processing Assembly is used as housing for retention insert in the restoration.

- Contains: 4 pcs (each assembly includes a housing and a pre-assembled Processing insert)
- Refer to instructions for use at www.zestdent.com

LOCATOR R-Tx® Denture Attachment Processing Assembly



Order No.	68012442
-----------	----------

LOCATOR R-Tx® Block-Out Spacer

Order No.	68012441
-----------	----------

LOCATOR R-Tx® Block-Out SpacerSilicone¹⁰, non-sterile

The LOCATOR R-Tx® Block-out Spacer is used to eliminate undercuts between non-parallel abutments that excess pick-up material could lock in the denture during the pick-up process.

- Contains: 20 pcs
- Refer to instructions for use at www.zestdent.com

LOCATOR R-Tx® Processing Insert

Order No.	68012440
-----------	----------

LOCATOR R-Tx® Processing InsertPE plastic¹⁴, non-sterile

The LOCATOR R-Tx® Processing Insert is used as a place holder for retention inserts inside the housing during the fabrication of the restoration.

- Contains: 4 pcs
- Instruments needed: LOCATOR R-Tx® Retention Insert Tool
- Refer to instructions for use at www.zestdent.com

LOCATOR R-Tx® Processing Spacer

Order No.	68012445
-----------	----------

LOCATOR R-Tx® Processing SpacerPOM plastic⁷, non-sterile

The LOCATOR R-Tx® Processing Spacer is used for indirect processing of the attachment housings.

- Contains: 4 pcs
- Refer to instructions for use at www.zestdent.com

LOCATOR R-Tx® Abutment Analog Ø4

Ø mm	4
Order No.	68012443

LOCATOR R-Tx® Abutment Analog Ø4Titanium alloy¹, non-sterile

The LOCATOR R-Tx® Abutment Analog is used for laboratory fabrication of abutment-level restorations.

- Contains: 4 pcs
- Refer to instructions for use at www.zestdent.com

LOCATOR R-Tx® Impression Coping

POM plastic⁷, non-sterile

The LOCATOR R-Tx® Impression Coping is used for transferring the LOCATOR R-Tx® Abutment position to the master model.

- Closed tray impression procedure
- Contains: 4 pcs
- Refer to instructions for use at www.zestdent.com

LOCATOR R-Tx® Impression Coping



Order No.	68012444
-----------	----------

LOCATOR R-Tx® Retention Insert Tool

Stainless steel³ / POM plastic⁷, non-sterile

The LOCATOR R-Tx® Retention Insert Tool is used for insertion and removal of the LOCATOR R-Tx® Retention Insert.

- Metal slot on the back of the tool for disengaging the retention insert
- Contains: a two-piece instrument
- Refer to instructions for use at www.zestdent.com


LOCATOR R-Tx® Retention Insert Tool



Order No.	68012446
-----------	----------

10. Friction-retained restorations

3.6 Conometric Abutment EV 0° Ø 3.3



Ø mm	3.3	3.3	3.3
A - height mm	1	2	3
Order No.	26115	26116	26117

3.6 Conometric Abutment EV 0° Ø 4.5



Ø mm	4.5	4.5	4.5
A - height mm	1	2	3
Order No.	26121	26122	26123

3.6 Conometric Abutment EV 15° Ø 4.5



Ø mm	4.5	4.5	4.5
A - height mm	1	2	3
B - height mm	2.1	3.1	4.1
Order No.	26127	26128	26129

4.2 Conometric Abutment EV 0° Ø 4.5



Ø mm	4.5	4.5	4.5
A - height mm	1	2	3
Order No.	26124	26125	26126

4.2 Conometric Abutment EV 15° Ø 4.5





Ø mm	4.5	4.5	4.5
A - height mm	1	2	3
B - height mm	2.1	3.1	4.1
Order No.	26130	26131	26132

Conometric Abutment EV

Titanium alloy¹, sterile

The Conometric Abutment is used for friction-retained restorations.

- Restoration: single tooth fixed restorations
- Two diameters, same prosthetic interface and components for all abutments of the same diameter
- Straight Ø 3.3 mm abutments are one-piece
- Instruments needed: Conometric Abutment Driver for installing straight Ø 3.3 mm one-piece abutments and Hex Driver for installing angled abutments
- Indexing option: non-indexed and six-positions




Astra Tech Implant System EV product assortment.
See connection size conversion on page 4.

Conometric Healing Cap

PEEK plastic®, one-piece, non-sterile

The conometric healing cap is a protection for the abutment when a temporary crown is not used.

- Clinical use: can be used up to six months
- Single use



Conometric Healing Cap




Conometric abutment size Ø mm	3.3	3.3	4.5
Ø mm	4.8	6.0	6.0
Height mm	5.3	5.3	5.3
Order No.	31072101	31072102	31072103

Conometric Impression Cap

PEEK plastic®, non-sterile

The conometric impression cap is used to capture the abutment position.

- Single use



Conometric Impression Cap



Conometric abutment size Ø mm	3.3	4.5
Ø mm	5.4	5.4
Height mm	8.3	8.3
Order No.	31072001	31072002


Conometric Temporization Cap

Cap Ø 3.3/4.6: Titanium Alloy-ELI²/PEEK plastic®, non-sterile, single-use


Cap Ø 4.5/5.8: PEEK plastic®, non-sterile

The conometric temporization cap is used as a base for a temporary crown.

- Clinical use: can be used up to six months
- Single use



Conometric Temporization Cap



Conometric abutment size Ø mm	3.3	4.5
Ø mm	4.6	5.8
Height mm	5	5.3
Order No.	31072112	31072114

Conometric Analog

Conometric abutment size Ø mm	3.3	4.5
Height mm	20	20
Order No.	31047210	31072020

Conometric AnalogStainless steel³, non-sterile

The conometric analog corresponds to the abutment and is used in the master model.

- Single use

Conometric Lab Cap

Conometric abutment size Ø mm	3.3	4.5
Ø mm	4.6	5.8
Height mm	5	5
Order No.	31072121	31072123

Conometric Lab CapTitanium alloy³, non-sterile

The conometric lab cap is used by the dental lab when fabricating the crown.

- Single use

Conometric Final Cap

Conometric abutment size Ø mm	3.3	4.5
Ø mm	4.6	5.8
Height mm	5	5
Order No.	31072301	31072303

Conometric Final CapTitanium grade 4², TiN-coated⁵, non-sterile

The conometric final cap is used as a base when cementing the final crown.

- Single use

11. Restorative instruments

Hex Driver Manual

Stainless steel³, non-sterile

The hex driver is used for tightening screws, surgical and restorative components.

Hex Driver Manual



Total length mm	20	31
Order No.	25771	25772

Hex Driver

Stainless steel³, non-sterile

The hex driver is used for tightening screws, surgical and restorative components.

Hex Driver



Total length mm	20	24	35
Order No.	68015207	68015205	68015206

Atlantis Angulated Screw Access Screwdriver

Stainless steel³, non-sterile

The Atlantis Angulated Screw Access Screwdriver is used for components with Hex interface.

- Must be used in combination with Atlantis implant restorations that have been designed and manufactured with Angulated Screw Access on 1 or more connections
- Allows screw access up to 30 degrees

Every connection with angulated screw access is supplied with a corresponding Atlantis prosthetic screw.

Atlantis Angulated Screw Access Screwdriver



Total length mm	18	24	32
Order No.	36030	36031	36032

MultiBase Driver

Stainless steel³, non-sterile

The MultiBase driver is used for installation and removal of the MultiBase abutment.

- Restoration: screw retained

MultiBase Driver



Total length mm	19
Order No.	68012244

Conometric Abutment Driver



Ø mm	3.3	3.3
Height mm	25	20
Order No.	31072909	31072910

Conometric Abutment Driver

Stainless steel³, non-sterile

The conometric abutment driver is used for installation and removal of one-piece Conometric Abutments.

- Restoration: friction-retained

Torque Wrench EV



Order No.	25774
-----------	-------

Torque Wrench EV

Stainless steel³, non-sterile

The torque wrench is used together with the surgical driver handle or the restorative driver handle for tightening and measuring the torque.

- Used together with the Surgical Driver Handle for implant installation and adjustment
- Used together with the Restorative Driver Handle for tightening abutments and/or bridge screws
- Refer to instructions for use at www.elosmedtech.com

Torque Wrench EV Surgical Driver Handle



Order No.	25775
-----------	-------

Torque Wrench EV Surgical Driver Handle

Stainless steel³, non-sterile

The surgical driver handle is used together with the torque wrench and a surgical instrument.

Torque Wrench EV Restorative Driver Handle



Order No.	25776	25777
-----------	-------	-------

Torque Wrench EV Restorative Driver Handle

Stainless steel³, non-sterile

The restorative driver handle is used together with the torque wrench and a restorative instrument for tightening abutment and/or bridge screws.

Conometric Temporization Cap Insertion Tool

Stainless steel³, non-sterile

The temporization cap insertion tool is used for carrying the cap to the abutment and snapping the cap in to place.

- The insertion tool Ø 3.3 is marked with one groove for identification and the insertion tool Ø 4.5 is marked with two grooves

Conometric Temporization Cap Insertion Tool



Ø mm	3.3	4.5
Height mm	24.5	24.5
Order No.	31033636	31033637

Conometric Fixation Tool

Stainless steel³, non-sterile

The conometric fixation tool activates the friction retention between final cap/final crown and abutment by a combination of pressure and impulse.

Conometric Fixation Tool



Order No.	31072911
-----------	----------

Conometric Fixation Tool Tip

PEEK plastic⁸, non-sterile

The conometric fixation tool tip is applied on the tip of conometric fixation tool.

- Single use

Conometric Fixation Tool Tips



	Tip Convex (5 pcs)	Tip U-shape (5 pcs)	Tip Concave (5 pcs)
Height mm	11	9.5	10.5
Recommended use	Pre molar/molar	Incisors	Canine/pre molar
Order No.	31072906	31072907	31072908

Atlantis FLO screwdriver

Stainless steel³, non-sterile

Required for Atlantis FLO, used with lab-based scanning.

Atlantis FLO screwdriver



Order No.	34601
-----------	-------



Prosthetic Tray

PPSU plastic⁹ / Silicone¹⁰, non-sterile

The Prosthetic tray is used for sterilization and storage of restorative instruments.

- Integrated silicone holders
- Scannable QR code for further information

Prosthetic Tray

	Length	Width	Height
Measurements mm	97.8	136.5	61.5
Order No.	68015288		

Product catalog

Profile EV prosthetics

Components compatible with Astra Tech Implant EV Profile are presented in this catalog.

Non-indexed components designed for implants with EV connection can also be used for Astra Tech Implant EV Profile.

Indexed components designed for implants with EV connection cannot be used for Astra Tech Implant EV Profile.



Astra Tech Implant System EV product assortment.
See connection size conversion on page 4.

12. Introduction to the Profile EV prosthetics assortment

Throughout the prosthetic assortment you will find color-coding, markings and geometrical designs to simplify the correct identification of corresponding components.

Implant-abutment connection size is identified by a specific color. The color is applied directly to components and instruments, as well as on packaging and informational material, where appropriate.



Implant-abutment connection

Astra Tech Implant EV Profile

Astra Tech Implant EV Profile has a unique interface with one-position-only placement of all indexed components and includes an option for non-indexed placement.

One-position-only

All Atlantis patient-specific abutments and indexed components for Astra Tech Implant EV Profile will seat in one-position-only.




Non-indexed

Non-indexed abutments will be seated in any rotational position.




Refer to page 5 for more information about the EV connection and the three different options for abutment placement/indexing.

P_{4.2} M Overview




Cover screw

Cover Screw Profile 4.2




Healing abutments

HealDesign Profile EV 4.2



HealDesign EV




Healing Abutment EV




Cement-retained

Temporary abutments

TempDesign Profile EV*




Temp Abutment Profile EV*



Abutments

TiDesign Profile EV 4.2




*Also for screw-retained single tooth restoration

Screw-retained


Abutments

MultiBase Abutment EV



Healing caps

MultiBase Heal Cap




Impressions

MultiBase Pick-Up




MultiBase Transfer



Attachment-retained

Abutments

LOCATOR R-Tx® Abutment EV



Abutment impressions

LOCATOR R-Tx® Impression Coping



Analog

LOCATOR R-Tx® Abutment Analog



Non-indexed components including healing abutments, MultiBase abutments and LOCATOR R-Tx® abutments are compatible with Astra Tech Implant EV Profile.

Implant impressions

Implant Pick-Up Profile EV



Short 26258

Implant Pick-Up Design Profile EV



26262

Implant Transfer Profile EV



Short 25606
Long 25607

Lab products

Lab Abutment Screw



68014031

Implant Replica Profile EV



25610

Lab products

MultiBase Lab Bridge Screw



68012237

MultiBase Analog



68012238

MultiBase Lab Abutment Pin



14 mm 68012234
18 mm 68012235
22 mm 68012236

Cylinders

MultiBase Temporary Cylinder



68012239

MultiBase Burnout Cylinder



68012240

MultiBase Semi-Burnout Cylinder



68012243

Bridge screws

MultiBase Bridge Screw



68012233

Attachment components

LOCATOR R-Tx® Mixed Retention Limited Range Processing Pack



68012439

LOCATOR R-Tx® Retention Insert Standard range



Grey 68012432
Blue 68012433
Pink 68012434
Clear 68012435

LOCATOR R-Tx® Retention Insert Limited range



Aqua 68012436
Magenta 68012437
Gold 68012438

LOCATOR R-Tx® Processing Insert



68012440

LOCATOR R-Tx® Block-Out Spacer



68012441

LOCATOR R-Tx® Denture Attachment Processing Assembly




68012442

LOCATOR R-Tx® Processing Spacer




68012445

P_{4.8} L Overview



Cover screw

Cover Screw Profile 4.8




Healing abutments

HealDesign Profile EV 4.8



HealDesign EV




Healing Abutment EV




Cement-retained

Temporary abutments

TempDesign Profile EV*




Temp Abutment Profile EV*



Abutments

TiDesign Profile EV 4.8



*Also for screw-retained single tooth restoration

Screw-retained


Abutments

MultiBase Abutment EV



Healing caps

MultiBase Heal Cap




Impressions

MultiBase Pick-Up




MultiBase Transfer



Attachment-retained

Abutments

LOCATOR R-Tx® Abutment EV



Abutment impressions

LOCATOR R-Tx® Impression Coping



Analog

LOCATOR R-Tx® Abutment Analog



Non-indexed components including healing abutments, MultiBase abutments and LOCATOR R-Tx® abutments are compatible with Astra Tech Implant EV Profile.

Implant impressions

Implant Pick-Up Profile EV



Short 26259

Implant Pick-Up Design Profile EV



26263

Implant Transfer Profile EV



Short 25608
Long 25609

Lab products

Lab Abutment Screw



68014032

Implant Replica Profile EV



25611

Lab products

MultiBase Lab Bridge Screw



68012237

MultiBase Analog



68012238

MultiBase Lab Abutment Pin



14 mm 68012234
18 mm 68012235
22 mm 68012236

Cylinders

MultiBase Temporary Cylinder



68012239

MultiBase Burnout Cylinder



68012240

MultiBase Semi-Burnout Cylinder



68012243

Bridge screws

MultiBase Bridge Screw



68012233

Attachment components

LOCATOR R-Tx® Mixed Retention Limited Range Processing Pack



68012439

LOCATOR R-Tx® Retention Insert Standard range



Grey 68012432
Blue 68012433
Pink 68012434
Clear 68012435

LOCATOR R-Tx® Retention Insert Limited range



Aqua 68012436
Magenta 68012437
Gold 68012438

LOCATOR R-Tx® Processing Insert



68012440

LOCATOR R-Tx® Block-Out Spacer



68012441

LOCATOR R-Tx® Denture Attachment Processing Assembly



68012442

LOCATOR R-Tx® Processing Spacer



68012445

14. Cover screws

Cover Screw Profile

Titanium alloy¹, sterile

The cover screw is used for sealing the implant interface.

- Self-guiding component; engages into the implant when correctly seated
- One height option for each implant abutment connection size.
- Two-piece cover screw with color coded sleeve. The included screw is without color.
- Clinical use: two-stage surgical procedures
- Color coded
- Indexing options; one-position only

Cover Screw Profile



Order no.	25582	25583
-----------	-------	-------

15. Healing abutments


HealDesign Profile EV

Titanium alloy¹, sterile

The HealDesign is used for soft tissue sculpturing during the healing phase.


- The design of the healing abutments is based upon the natural dentition utilizing a site-specific, crown-down approach.
- The design mimic a variety of tooth shapes and support the soft tissue preparing for the final abutment.
- Heights and diameters are harmonized with the final abutments and with the expected tooth positions.
- HealDesign Profile is a two-piece abutment.
- Self-guiding component; engages into the implant only when correctly seated.
- Marked with diameter, height and P for profile
- Clinical use: one- and two-stage surgery
- Color coded
- Contains: HealDesign Profile EV and color-coded Abutment Screw
- Indexing options; one-position only

P_{4.2} HealDesign Profile EV 4.2




Ø mm	5	5	5	6.5
A - height mm	5	4	4.5	4
B - height mm	4	3	3	3
Order no.	25584	25587	25585	25586

P_{4.8} HealDesign Profile EV 4.8



Ø mm	5	6.5	5	6.5
A - height mm	4.5	5.5	4.5	4.5
B - height mm	3	4	3	3
Order no.	25591	25589	25588	25590




Round shapes are indicated for all positions in the mouth.

Triangular shapes are designed for anterior implant sites and mimic the specific shape for incisors and canines.

One-piece non-indexed healing abutments can also be used.

16. Temporary abutments

Temp Abutment Profile EV




Ø mm	4.5	5.0
A - buccal height mm	1	1
B - lingual height mm	1	1
Vertical height mm	9	9
Order no.	26256	26257

Temp Abutment Profile EV


Titanium alloy¹, non-sterile

The temporary abutment is used as a customizable base for temporary implant-level restorations and allows for further sculpturing of the soft tissue.

- Designed for build-up technique
- Primarily processed in the laboratory
- Restoration: screw- and cement-retained
- Screw-retained restorations, limited to single-tooth only
- Clinical use: long-term temporization
- Contains: TempAbutment Profile EV and corresponding color-coded Abutment Screw EV
- Indexing option; one-position only



TempDesign Profile EV




Ø mm	7	8
A - buccal height mm	1	1
B - lingual height mm	1	1
Vertical height mm	12	12
Order no.	25756	25757

TempDesign Profile EV

Titanium alloy¹ / PEEK plastic², non-sterile

The TempDesign abutment is designed for reduction technique.

- Can be processed chairside or in the laboratory
- Restoration: screw- and cement-retained
- Screw-retained restorations limited to single-tooth only
- Clinical use: max 180 days
- Contains: TempDesign Profile EV and corresponding color-coded Abutment Screw EV
- Indexing option: one-position only



Patient specific products – alternative restorative options




Atlantis Healing Abutment



Atlantis CustomBase Solution – Atlantis Abutment and Atlantis Temporary Crown

Abutment Screw EV



	M1.4	M1.6	M1.8	M2.0	M2.0
Order No.	68012166	68012167	68012168	68012169	68012170

Abutment Screw EV

Titanium alloy¹, non-sterile

The abutment screw is used for securing the abutment to the implant.

- A corresponding abutment screw is included with every two-piece abutment.
- Additional screws can be ordered separately
- Color coded

17. Impression and laboratory components

Implant Pick-Up Profile EV / Implant Pick-Up Design Profile EV

Titanium alloy¹, non-sterile

The implant pick-up is used for transferring the implant position and the soft tissue anatomy to the master model.


- Self-guiding impression component
- Integrated pin for safe handling
- Designed with a hex at the pin head
- One-hand-procedure
- Implant Pick-Up Design EV is designed for splinting possibilities
- Clinical use: open tray impression procedure
- Marked with P for Profile
- Color coded
- Contains: In both Implant Pick-Up Profile EV and Implant Pick-Up Design Profile EV, the pin is included
- Instruments needed: Hex Driver (optional)

Implant Pick-Up Profile EV, Short





Ø mm	4.6	4.6
Height mm	16.5	16.5
Order no.	26258	26259

Implant Pick-Up Design Profile EV



Ø mm	4.2	4.8
Height mm	22	22
Order no.	26262	26263



Implant Transfer Profile EV

Titanium alloy¹, non-sterile

The implant transfer is used for transferring the implant position and the soft tissue anatomy to the master model.

- Self-guiding impression component
- Integrated pin for safe handling
- One-hand procedure
- Designed with a hex at the pin head
- Clinical use: closed tray impression procedure
- Marked with a P for Profile
- Color coded
- Contains: Implant Transfer Profile with pin
- Instruments needed: Hex Driver (optional)

Implant Transfer Profile EV, Short




Ø mm	4.2	4.8
Height mm	11	11
Order no.	25606	25608

Implant Transfer Profile EV, Long



Ø mm	4.2	4.8
Height mm	14	14
Order no.	25607	25609



Implant Replica Profile EV

Titanium alloy¹, non-sterile

Adjustment of apex allow for removal of replica from master model without need for sectioning.

Implant Replica Profile EV



Height mm	16.5	16.5
Order no.	25610	25611

Scan components

Atlantis IO FLO



Intraoral scan



IO FLO code	IO P-06	IO P-07
Order No.	35248	35249

Atlantis FLO



Lab scan



FLO code	P-06	P-07
Order No.	34598	34599

Atlantis IO FLO

Titanium alloy¹ / PEEK plastic⁸, non-sterile

Atlantis FLO

Stainless steel³ / POM plastic⁷, non-sterile

Atlantis IO FLO is a scan body used for implant level digital impressions.

Atlantis FLO is a scan body used for implant level model scanning.

- Can be used with all connectivity when scanning for Atlantis abutments.
- Enables the design software to create a sufficient output to produce the restoration onto the TitaniumBase
- Instruments needed: Hex Driver for Atlantis IO FLO and Atlantis FLO screwdriver for Atlantis FLO.

Atlantis IO FLO-S

Implant level



FLO code	A04M	A04N
Order No.	68020020	68020021

Abutment level



MultiBase Abutment EV	
FLO code	A04S
Order No.	68020034

Atlantis IO FLO-S

Titanium², non-sterile

The storage trays are made from aluminium with silicone grommets.

Atlantis IO FLO-S is a scan body used for implant or abutment level digital impressions.

- Atlantis IO FLO-S is used when scanning for Atlantis suprastructure.
- Can be used for both intraoral and model scanning.

The FLO-S scan body without the IO marking can only be used for model scanning and is not approved for intraoral scanning.


Lab Abutment Screw EV

Titanium alloy³, non-sterile

The lab abutment screw is used to secure the abutment on the implant analog.

- Designed for use with implant analog only
- Color coded
- Contains:
4 pcs of Lab Abutment Screw EV

Lab Abutment Screw EV



Order No.	68014029	68014030	68014031	68014032	68014033
-----------	----------	----------	----------	----------	----------


18. Cement-retained restorations

TiDesign Profile EV


Titanium alloy³, non-sterile

TiDesign is used as a base for cement-retained restorations.

- Anatomically pre-designed abutment
- Round – design for the majority of tooth shapes
- Triangular – primarily for incisors and canines with distinct triangular shape
- Angled – for offset situations both in the anterior and posterior regions, compensating for implants with a restoratively unfavorable angulation.
- Restoration: cement retained
- Clinical use: single and multi unit restorations
- Marked with connection size, diameter and P for Profile
- Color coded
- Contains: TiDesign Profile EV and corresponding color-coded Abutment Screw EV.
- Indexing option; one-position only




P_{4.2} TiDesign Profile EV 4.2



Ø mm	5.5	5.5	5.5	7.0
A – buccal height mm	3	2	2	2
B – lingual height mm	3	2	2	2
Vertical height mm	9.5	8.5	8.5	8.5
Order no.	25594	25595	25592	25593

P_{4.8} TiDesign Profile EV 4.8



Ø mm	7.0	5.5	5.5	7.0
A – buccal height mm	3	2	2	2
B – lingual height mm	3	2	2	2
Vertical height mm	9	8	8	8
Order no.	25598	25599	25596	25597

Patient specific products – alternative restorative options



Atlantis Abutment



Atlantis Crown Abutment



Atlantis CustomBase Solution – Atlantis Abutment and Atlantis Crown

19. Screw-retained restorations

MultiBase Abutment EV

Non-indexed MultiBase Abutment EV are compatible with Astra Tech Implant EV Profile.

See product overview on page 10, 12, 48, 50 and product assortment on page 30, 31.



20. Attachment-retained restorations

LOCATOR R-Tx® Abutment EV

LOCATOR R-Tx Abutment EV are compatible with Astra Tech Implant EV Profile.

See product overview on page 10, 12, 48, 50 and product assortment on page 35.



Patient specific products – alternative restorative options



Atlantis Bridge



Atlantis Hybrid



Atlantis BridgeBase

21. Appendix

Acuris conometric concept

Acuris is a paradigm shift in prosthetic retention of single crowns that are fixed yet retrievable by the clinician. The friction-based retention offers a fixation mode providing the esthetics of a cement-retained crown, maintaining retrievability and excluding the risk of submucosal residual cement.



For further information and step-by-step procedures refer to [Acuris conometric concept manual for Astra Tech Implant System EV.](#)

Atlantis customized patient-specific restorations

As part of the digital implant solutions offered by Dentsply Sirona, Atlantis delivers patient-specific prosthetic solutions for all major implant systems* providing an excellent foundation for optimal function and esthetics.

By utilizing the unique design software, suprastructures, abutments and crowns will be individually designed from the final tooth shape. This is a significant advantage for achieving a more natural, esthetic result and optimized function.



* For further information, compatible charts, manual and instructions, go to www.orderdigitalsolutions.com

Patient information material

With education comes knowledge - we offer a variety of easy-to-understand information material about implant treatment for your patients so that they can make an informed decision about their oral health.

Contact your Dentsply Sirona sales representative or customer service for more information.



22. Material specifications

Index* will be found at material description for specific products.

Metals

Type	Index	Composition/Designation	Standard
Titanium alloy	1	Titanium-6Aluminum-4Vanadium	ASTM F136
Titanium	2	Pure titanium	ASTM F67
Stainless steel	3		ASTM F899
Gold-Platinum Alloy	4	Au 60%, Pd 20%, Pt 19%, Ir 1%	
TiN Coated	5	Titanium Nitride	
TiCN Coated	6	Titanium Carbon Nitride	

Plastic

Type	Index	Composition/Designation	Standard
POM plastic	7	Polyoxymethylene	
PEEK plastic	8	Polyetheretherketon	
PPSU plastic	9	Polyphenylsulfone	
Silicone	10		
PMMA plastic	11	Polymethylenemethacrylate	
PP plastic	12	Polypropylene	
PA plastic	13	Polyamide	
PE plastic	14	Polyethylene	

23. Index

By order number

Order No.		page
25503	TempDesign EV 3.0 Ø6 5mm.....	19
25504	TempDesign EV 3.6 Ø7 5mm.....	19
25505	TempDesign EV 4.2 Ø9 5mm.....	19
25506	TempDesign EV 4.8 Ø10 5mm.....	19
25507	TempDesign EV 5.4 Ø10 5mm.....	19
25582	Cover Screw Profile 4.2.....	48, 52
25583	Cover Screw Profile 4.8.....	50, 52
25584	HealDesign Profile EV 4.2 Ø5 5mm.....	48, 52
25585	HealDesign Profile EV 4.2 Ø5 4.5mm.....	48, 52
25586	HealDesign Profile EV 4.2 Ø6.5 4mm.....	48, 52
25587	HealDesign Profile EV 4.2 Ø5 4mm.....	48, 52
25588	HealDesign Profile EV 4.8 Ø5 4.5mm.....	50, 52
25589	HealDesign Profile EV 4.8 Ø6.5 5.5mm.....	50, 52
25590	HealDesign Profile EV 4.8 Ø6.5 4.5mm.....	50, 52
25591	HealDesign Profile EV 4.8 Ø5 4.5mm.....	50, 52
25556	TempDesign Profile EV 4.2 Ø7.....	48, 53
25557	TempDesign Profile EV 4.8 Ø8.....	50, 53
25592	TiDesign Profile EV 4.2 Ø5.5 2mm.....	48, 56
25593	TiDesign Profile EV 4.2 Ø7.0 2mm.....	48, 56
25594	TiDesign Profile EV 4.2 Ø5.5 3mm.....	48, 56
25595	TiDesign Profile EV 4.2 Ø5.5 15° 2mm.....	48, 56
25596	TiDesign Profile EV 4.8 Ø5.5 2mm.....	50, 56
25597	TiDesign Profile EV 4.8 Ø7.0 2mm.....	50, 56
25598	TiDesign Profile EV 4.8 Ø7.0 3mm.....	50, 56
25599	TiDesign Profile EV 4.8 Ø5.5 15° 2mm.....	50, 56
25606	Implant Transfer Profile EV 4.2 short.....	49, 54
25607	Implant Transfer Profile EV 4.2 long.....	49, 54
25608	Implant Transfer Profile EV 4.8 short.....	51, 54
25609	Implant Transfer Profile EV 4.8 long.....	51, 54
25610	Implant Replica Profile EV 4.2.....	49, 54
25611	Implant Replica Profile EV 4.8.....	51, 54
25771	Hex Driver 20mm manual.....	42
25772	Hex Driver 31mm manual.....	42
25774	Torque Wrench EV.....	43
25775	Torque Wrench EV Surgical Driver Handle.....	43
25776	Torque Wrench EV Restorative Driver Handle.....	43
25777	Torque Wrench EV Restorative Driver Handle Low.....	43
26115	Conometric Abutment EV 3.6 0° Ø3.3 1mm NI.....	8, 39
26116	Conometric Abutment EV 3.6 0° Ø3.3 2mm NI.....	8, 39
26117	Conometric Abutment EV 3.6 0° Ø3.3 3mm NI.....	8, 39
26121	Conometric Abutment EV 3.6 0° Ø4.5 1mm.....	8, 39
26122	Conometric Abutment EV 3.6 0° Ø4.5 2mm.....	8, 39
26123	Conometric Abutment EV 3.6 0° Ø4.5 3mm.....	8, 39
26127	Conometric Abutment EV 3.6 15° Ø4.5 1mm.....	8, 39
26128	Conometric Abutment EV 3.6 15° Ø4.5 2mm.....	8, 39
26129	Conometric Abutment EV 3.6 15° Ø4.5 3mm.....	8, 39
26124	Conometric Abutment EV 4.2 0° Ø4.5 1mm.....	10, 39
26125	Conometric Abutment EV 4.2 0° Ø4.5 2mm.....	10, 39
26126	Conometric Abutment EV 4.2 0° Ø4.5 3mm.....	10, 39
26130	Conometric Abutment EV 4.2 15° Ø4.5 1mm.....	10, 39
26131	Conometric Abutment EV 4.2 15° Ø4.5 2mm.....	10, 39
26132	Conometric Abutment EV 4.2 15° Ø4.5 3mm.....	10, 39
26256	Temp Abutment Profile EV 4.2 Ø4.5.....	48, 53
26257	Temp Abutment Profile EV 4.8 Ø5.0.....	50, 53
26258	Implant Pick-Up Profile EV 4.2 short.....	49, 54
26259	Implant Pick-Up Profile EV 4.8 short.....	51, 54
26262	Implant Pick-Up Design Profile EV 4.2.....	49, 54
26263	Implant Pick-Up Design Profile EV 4.8.....	51, 54
31033636	Conometric Temporization Cap Insertion Tool Ø3.3.....	44
31033637	Conometric Temporization Cap Insertion Tool Ø4.5.....	44
31047210	Conometric Analog Ø3.3.....	9, 11, 41
31072001	Conometric Impression Cap Ø3.3/5.4.....	9, 11, 40
31072002	Conometric Impression Cap Ø4.5/5.4.....	9, 11, 40
31072020	Conometric Analog Ø4.5.....	9, 11, 41
31072101	Conometric Healing Cap Ø3.3/4.8.....	9, 11, 40
31072102	Conometric Healing Cap Ø3.3/6.0.....	9, 11, 40
31072103	Conometric Healing Cap Ø4.5/6.0.....	9, 11, 40

Order No.		page
31072112	Conometric Temporization Cap Ø3.3/4.6.....	8, 10, 40
31072114	Conometric Temporization Cap Ø4.5/5.8.....	8, 10, 40
31072121	Conometric Lab Cap Ø3.3/4.6.....	9, 11, 41
31072123	Conometric Lab Cap Ø4.5/5.8.....	9, 11, 41
31072301	Conometric Final Cap Ø3.3.....	9, 11, 41
31072303	Conometric Final Cap Ø4.5.....	9, 11, 41
31072906	Conometric Fixation Tool Tip Convex (5 pcs).....	44
31072907	Conometric Fixation Tool Tip U-shape (5 pcs).....	44
31072908	Conometric Fixation Tool Tip Concave (5 pcs).....	44
31072909	Conometric Abutment Driver Ø3.3 25mm.....	43
31072910	Conometric Abutment Driver Ø3.3 20mm.....	43
31072911	Conometric Fixation Tool.....	44
34593	Atlantis FLO P-01 (XS).....	23
34594	Atlantis FLO P-02 (S).....	23
34595	Atlantis FLO P-03 (M).....	23
34596	Atlantis FLO P-04 (L).....	23
34597	Atlantis FLO P-05 (XL).....	23
34598	Atlantis FLO P-06 Profile 4.2.....	55
34599	Atlantis FLO P-07 Profile 4.8.....	55
34601	Atlantis FLO Screwdriver.....	44
35243	Atlantis IO FLO IO P-01 (XS).....	23
35244	Atlantis IO FLO IO P-02 (S).....	23
35245	Atlantis IO FLO IO P-03 (M).....	23
35246	Atlantis IO FLO IO P-04 (L).....	23
35247	Atlantis IO FLO IO P-05 (XL).....	23
35248	Atlantis IO FLO IO P-06 Profile 4.2.....	55
35249	Atlantis IO FLO IO P-07 Profile 4.8.....	55
36030	Atlantis screwdriver-ASA 18mm.....	42
36031	Atlantis screwdriver-ASA 24mm.....	42
36032	Atlantis screwdriver-ASA 32mm.....	42
68010001	Cover Screw EV (XS).....	6, 16
68010002	Cover Screw EV (S).....	8, 16
68010005	Cover Screw EV (M).....	10, 16
68010006	Cover Screw EV (L).....	12, 16
68010007	Cover Screw EV (XL).....	14, 16
68010013	TempBase Cap (XS) (S) (M).....	6, 8, 10, 20
68010014	TempBase Cap (L).....	12, 20
68010015	TempBase Cap (XL).....	14, 20
68012001	TiDesign EV (XS) Ø4.0 1.5mm.....	6, 25
68012002	TiDesign EV (XS) Ø4.0 2.5mm.....	6, 25
68012003	TiDesign EV (XS) Ø4.0 3.5mm.....	6, 25
68012004	TiDesign EV (XS) Ø4.0 4.5mm.....	6, 25
68012005	TiDesign EV (XS) Ø4.0 1.5mm 15°.....	6, 25
68012006	TiDesign EV (XS) Ø4.0 2.5mm 15°.....	6, 25
68012007	TiDesign EV (XS) Ø4.0 3.5mm 15°.....	6, 25
68012008	TiDesign EV (XS) Ø4.0 4.5mm 15°.....	6, 25
68012009	TiDesign EV (S) Ø4.5 1.5mm.....	8, 25
68012010	TiDesign EV (S) Ø4.5 2.5mm.....	8, 25
68012011	TiDesign EV (S) Ø4.5 3.5mm.....	8, 25
68012012	TiDesign EV (S) Ø4.5 4.5mm.....	8, 25
68012017	TiDesign EV (S) Ø4.5 1.5mm 15°.....	8, 25
68012018	TiDesign EV (S) Ø4.5 2.5mm 15°.....	8, 25
68012019	TiDesign EV (S) Ø4.5 3.5mm 15°.....	8, 25
68012020	TiDesign EV (S) Ø4.5 4.5mm 15°.....	8, 25
68012025	TiDesign EV (S) Ø5.5 1.5mm Tri.....	8, 25
68012042	TiDesign EV (M) Ø5.5 1.5mm.....	10, 26
68012043	TiDesign EV (M) Ø5.5 2.5mm.....	10, 26
68012044	TiDesign EV (M) Ø5.5 3.5mm.....	10, 26
68012045	TiDesign EV (M) Ø5.5 4.5mm.....	10, 26
68012046	TiDesign EV (M) Ø5.5 1.5mm 15°.....	10, 26
68012047	TiDesign EV (M) Ø5.5 2.5mm 15°.....	10, 26
68012048	TiDesign EV (M) Ø5.5 3.5mm 15°.....	10, 26
68012049	TiDesign EV (M) Ø5.5 4.5mm 15°.....	10, 26
68012050	TiDesign EV (M) Ø5.5 1.5mm Tri.....	10, 26
68012051	TiDesign EV (M) Ø7.0 1.5mm Tri.....	10, 26
68012052	TiDesign EV (L) Ø7.0 1.5mm.....	12, 26
68012053	TiDesign EV (L) Ø7.0 2.5mm.....	12, 26

Order No.		page
68012054	TiDesign EV (L) Ø7.0 3.5mm	12, 26
68012055	TiDesign EV (L) Ø7.0 4.5mm	12, 26
68012056	TiDesign EV (L) Ø5.5 1.5mm 15°	12, 26
68012057	TiDesign EV (L) Ø5.5 2.5mm 15°	12, 26
68012058	TiDesign EV (L) Ø5.5 3.5mm 15°	12, 26
68012059	TiDesign EV (L) Ø5.5 4.5mm 15°	12, 26
68012060	TiDesign EV (L) Ø5.5 1.5mm Tri	12, 26
68012061	TiDesign EV (L) Ø7.0 1.5mm Tri	12, 26
68012062	TiDesign EV (XL) Ø7.0 1.5mm	14, 27
68012063	TiDesign EV (XL) Ø7.0 2.5mm	14, 27
68012064	TiDesign EV (XL) Ø7.0 1.5mm 15°	14, 27
68012065	TiDesign EV (XL) Ø7.0 2.5mm 15°	14, 27
68012077	CastDesign EV (S)	9, 27
68012078	CastDesign EV (M)	11, 27
68012079	CastDesign EV (L)	13, 27
68012080	CastDesign EV (XL)	15, 27
68012081	TitaniumBase EV (XS) 1mm	7, 28
68012082	TitaniumBase EV (XS) 2mm	7, 28
68012083	TitaniumBase EV (S) 1mm	9, 28
68012084	TitaniumBase EV (S) 2mm	9, 28
68012088	TitaniumBase EV (M) 1mm	11, 28
68012089	TitaniumBase EV (M) 2mm	11, 28
68012090	TitaniumBase EV (L) 1mm	13, 28
68012091	TitaniumBase EV (L) 2mm	13, 28
68012092	TitaniumBase EV (XL) 1mm	15, 28
68012093	TitaniumBase EV (XL) 2mm	15, 28
68012166	Abutment Screw EV (XS)	20, 53
68012167	Abutment Screw EV (S)	20, 53
68012168	Abutment Screw EV (M)	20, 53
68012169	Abutment Screw EV (L)	20, 53
68012170	Abutment Screw EV (XL)	20, 53
68012171	MultiBase Abutment EV (XS) 1.5mm NI	6, 29
68012172	MultiBase Abutment EV (XS) 2.5mm NI	6, 29
68012173	MultiBase Abutment EV (XS) 3.5mm NI	6, 29
68012174	MultiBase Abutment EV (S) 1.5mm NI	8, 29
68012175	MultiBase Abutment EV (S) 2.5mm NI	8, 29
68012176	MultiBase Abutment EV (S) 3.5mm NI	8, 29
68012177	MultiBase Abutment EV (S) 4.5mm NI	8, 29
68012178	MultiBase Abutment EV (S) 1.5mm 17°	8, 29
68012179	MultiBase Abutment EV (S) 2.5mm 17°	8, 29
68012180	MultiBase Abutment EV (S) 3.5mm 17°	8, 29
68012181	MultiBase Abutment EV (S) 4.5mm 17°	8, 29
68012182	MultiBase Abutment EV (S) 1.5mm 17° NI	8, 29
68012183	MultiBase Abutment EV (S) 2.5mm 17° NI	8, 29
68012184	MultiBase Abutment EV (S) 3.5mm 17° NI	8, 29
68012185	MultiBase Abutment EV (S) 4.5mm 17° NI	8, 29
68012186	MultiBase Abutment EV (S) 1.5mm 30°	8, 29
68012187	MultiBase Abutment EV (S) 2.5mm 30°	8, 29
68012190	MultiBase Abutment EV (S) 1.5mm 30° NI	8, 29
68012191	MultiBase Abutment EV (S) 2.5mm 30° NI	8, 29
68012194	MultiBase Abutment EV (M) 1.5mm NI	10, 30, 48
68012195	MultiBase Abutment EV (M) 2.5mm NI	10, 30, 48
68012196	MultiBase Abutment EV (M) 3.5mm NI	10, 30, 48
68012197	MultiBase Abutment EV (M) 4.5mm NI	10, 30, 48
68012198	MultiBase Abutment EV (M) 1.5mm 17°	10, 30
68012199	MultiBase Abutment EV (M) 2.5mm 17°	10, 30
68012200	MultiBase Abutment EV (M) 3.5mm 17°	10, 30
68012201	MultiBase Abutment EV (M) 4.5mm 17°	10, 30
68012202	MultiBase Abutment EV (M) 1.5mm 17° NI	10, 30, 48
68012203	MultiBase Abutment EV (M) 2.5mm 17° NI	10, 30, 48
68012204	MultiBase Abutment EV (M) 3.5mm 17° NI	10, 30, 48
68012205	MultiBase Abutment EV (M) 4.5mm 17° NI	10, 30, 48
68012206	MultiBase Abutment EV (M) 1.5mm 30°	10, 30
68012207	MultiBase Abutment EV (M) 2.5mm 30°	10, 30
68012208	MultiBase Abutment EV (M) 1.5mm 30° NI	10, 30, 48
68012209	MultiBase Abutment EV (M) 2.5mm 30° NI	10, 30, 48
68012210	MultiBase Abutment EV (L) 1.5mm NI	12, 31, 50

Order No.		page
68012211	MultiBase Abutment EV (L) 2.5mm NI	12, 31, 50
68012212	MultiBase Abutment EV (L) 3.5mm NI	12, 31, 50
68012213	MultiBase Abutment EV (L) 4.5mm NI	12, 31, 50
68012214	MultiBase Abutment EV (L) 1.5mm 17°	12, 31
68012215	MultiBase Abutment EV (L) 2.5mm 17°	12, 31
68012216	MultiBase Abutment EV (L) 3.5mm 17°	12, 31
68012217	MultiBase Abutment EV (L) 4.5mm 17°	12, 31
68012218	MultiBase Abutment EV (L) 1.5mm 17° NI	12, 31, 50
68012219	MultiBase Abutment EV (L) 2.5mm 17° NI	12, 31, 50
68012220	MultiBase Abutment EV (L) 3.5mm 17° NI	12, 31, 50
68012221	MultiBase Abutment EV (L) 1.5mm 30°	12, 31
68012222	MultiBase Abutment EV (L) 2.5mm 30°	12, 31
68012223	MultiBase Abutment EV (L) 1.5mm 30° NI	12, 31, 50
68012224	MultiBase Abutment EV (L) 2.5mm 30° NI	12, 31, 50
68012225	MultiBase Abutment EV (XL) 1.5mm NI	14, 31
68012226	MultiBase Abutment EV (XL) 2.5mm NI	14, 31
68012227	MultiBase Abutment EV (XL) 3.5mm NI	14, 31
68012228	MultiBase Abutment EV (XL) 4.5mm NI	14, 31
68012229	MultiBase Abutment Head with holder	32
68012230	MultiBase Heal Cap Ø5.4 4mm	6, 8, 10, 12, 14, 32, 48, 50
68012231	MultiBase Transfer	6, 8, 10, 12, 14, 32, 48, 50
68012232	MultiBase Pick-Up	6, 8, 10, 12, 14, 32, 48, 50
68012233	MultiBase Bridge Screw	6, 8, 10, 12, 14, 34, 48, 50
68012234	MultiBase Lab Abutment Pin 14mm	6, 8, 10, 12, 14, 34, 48, 50
68012235	MultiBase Lab Abutment Pin 18mm	6, 8, 10, 12, 14, 34, 48, 50
68012236	MultiBase Lab Abutment Pin 22mm	6, 8, 10, 12, 14, 34, 48, 50
68012237	MultiBase Lab Bridge Screw 4 pcs	6, 8, 10, 12, 14, 34, 48, 50
68012238	MultiBase Analog	6, 8, 10, 12, 14, 34, 48, 50
68012239	MultiBase Temporary Cylinder	6, 8, 10, 12, 14, 33, 48, 50
68012240	MultiBase Burnout Cylinder	6, 8, 10, 12, 14, 33, 48, 50
68012241	Protection sleeve	33
68012243	MultiBase Semi-Burnout Cylinder	6, 8, 10, 12, 14, 33, 48, 50
68012244	MultiBase Driver	43
68012352	MultiBase Abutment EV (L) 4.5mm 17° NI	12, 31, 50
68012414	LOCATOR R-Tx* Abutment EV (S) 1mm	8, 35
68012415	LOCATOR R-Tx* Abutment EV (S) 2mm	8, 35
68012416	LOCATOR R-Tx* Abutment EV (S) 3mm	8, 35
68012417	LOCATOR R-Tx* Abutment EV (S) 4mm	8, 35
68012418	LOCATOR R-Tx* Abutment EV (S) 5mm	8, 35
68012419	LOCATOR R-Tx* Abutment EV (S) 6mm	8, 35
68012420	LOCATOR R-Tx* Abutment EV (M) 1mm	10, 35, 48
68012421	LOCATOR R-Tx* Abutment EV (M) 2mm	10, 35, 48
68012422	LOCATOR R-Tx* Abutment EV (M) 3mm	10, 35, 48
68012423	LOCATOR R-Tx* Abutment EV (M) 4mm	10, 35, 48
68012424	LOCATOR R-Tx* Abutment EV (M) 5mm	10, 35, 48
68012425	LOCATOR R-Tx* Abutment EV (M) 6mm	10, 35, 48
68012426	LOCATOR R-Tx* Abutment EV (L) 1mm	12, 35, 50
68012427	LOCATOR R-Tx* Abutment EV (L) 2mm	12, 35, 50
68012428	LOCATOR R-Tx* Abutment EV (L) 3mm	12, 35, 50
68012429	LOCATOR R-Tx* Abutment EV (L) 4mm	12, 35, 50
68012430	LOCATOR R-Tx* Abutment EV (L) 5mm	12, 35, 50
68012431	LOCATOR R-Tx* Abutment EV (L) 6mm	12, 35, 50
68012432	LOCATOR R-Tx* Zero Retention Insert Grey 4 pcs	9, 11, 13, 36, 49, 51
68012433	LOCATOR R-Tx* Low Retention Insert Blue 4 pcs	9, 11, 13, 36, 49, 51
68012434	LOCATOR R-Tx* Medium Retention Insert Pink 4 pcs	9, 11, 13, 36, 49, 51
68012435	LOCATOR R-Tx* High Retention Insert Clear 4 pcs	9, 11, 13, 36, 49, 51
68012436	LOCATOR R-Tx* Low Retention Limited Range Insert Aqua 4 pcs	9, 11, 13, 36, 49, 51
68012437	LOCATOR R-Tx* Medium Retention Limited Range Insert Magenta 4 pcs	9, 11, 13, 36, 49, 51
68012438	LOCATOR R-Tx* High Retention Limited Range Insert Gold 4 pcs	9, 11, 13, 36, 49, 51
68012439	LOCATOR R-Tx* Mixed Retention	

Order No.	page
	Limited Range Processing Pack 2 pcs..... 9, 11, 13, 36, 49, 51
68012440	LOCATOR R-Tx® Processing Insert 4 pcs..... 9, 11, 13, 37, 49, 51
68012441	LOCATOR R-Tx® Block-Out Spacer 20 pcs... 9, 11, 13, 37, 49, 51
68012442	LOCATOR R-Tx® Denture Attachment Processing Assembly 4 pcs..... 9, 11, 13, 36, 49, 51
68012443	LOCATOR R-Tx® Abutment Analog Ø4 4 pcs 8, 10, 12, 35, 48, 50
68012444	LOCATOR R-Tx® Impression Coping 4 pcs... 8, 10, 12, 38, 48, 50
68012445	LOCATOR R-Tx® Processing Spacer 4 pcs... 9, 11, 13, 37, 49, 51
68012446	LOCATOR R-Tx® Retention Insert Tool38
68013001	HealDesign EV (XS) Ø3.5 2.5mm.....6, 16
68013002	HealDesign EV (S) Ø4.0 3.5mm.....6, 16
68013003	HealDesign EV (XS) Ø3.5 4.5mm.....6, 16
68013004	HealDesign EV (XS) Ø3.5 6.5mm.....6, 16
68013005	HealDesign EV (S) Ø4.0 2.5mm8, 16
68013006	HealDesign EV (S) Ø4.0 3.5mm8, 16
68013007	HealDesign EV (S) Ø4.0 4.5mm8, 16
68013008	HealDesign EV (S) Ø4.0 6.5mm8, 16
68013009	HealDesign EV (S) Ø5.0 2.5mm8, 16
68013010	HealDesign EV (S) Ø5.0 3.5mm8, 16
68013011	HealDesign EV (S) Ø5.0 4.5mm8, 16
68013012	HealDesign EV (S) Ø5.0 6.5mm8, 16
68013013	HealDesign EV (S) Ø6.0 3.5mm8, 16
68013014	HealDesign EV (S) Ø6.0 4.5mm8, 16
68013015	HealDesign EV (M) Ø5.0 2.5mm.....10, 17, 48
68013016	HealDesign EV (M) Ø5.0 3.5mm.....10, 17, 48
68013017	HealDesign EV (M) Ø5.0 4.5mm.....10, 17, 48
68013018	HealDesign EV (M) Ø5.0 6.5mm.....10, 17, 48
68013019	HealDesign EV (M) Ø6.5 2.5mm.....10, 17, 48
68013020	HealDesign EV (M) Ø6.5 3.5mm.....10, 17, 48
68013021	HealDesign EV (M) Ø6.5 4.5mm.....10, 17, 48
68013022	HealDesign EV (M) Ø6.5 6.5mm.....10, 17, 48
68013023	HealDesign EV (L) Ø5.0 2.5mm.....12, 17, 50
68013024	HealDesign EV (L) Ø5.0 3.5mm.....12, 17, 50
68013025	HealDesign EV (L) Ø5.0 4.5mm.....12, 17, 50
68013026	HealDesign EV (L) Ø5.0 6.5mm.....12, 17, 50
68013027	HealDesign EV (L) Ø6.5 2.5mm.....12, 17, 50
68013028	HealDesign EV (L) Ø6.5 3.5mm.....12, 17, 50
68013029	HealDesign EV (L) Ø6.5 4.5mm.....12, 17, 50
68013030	HealDesign EV (L) Ø6.5 6.5mm.....12, 17, 50
68013031	HealDesign EV (L) Ø7.5 3.5mm.....12, 17, 50
68013032	HealDesign EV (L) Ø7.5 4.5mm.....12, 17, 50
68013033	HealDesign EV (XL) Ø6.5 2.5mm.....14, 17
68013034	HealDesign EV (XL) Ø6.5 3.5mm.....14, 17
68013035	HealDesign EV (XL) Ø6.5 4.5mm.....14, 17
68013036	HealDesign EV (XL) Ø6.5 6.5mm.....14, 17
68013037	HealDesign EV (XL) Ø7.5 3.5mm.....14, 17
68013038	HealDesign EV (XL) Ø7.5 4.5mm.....14, 17
68013039	HealDesign EV (S) Ø5.0 3.5mm Tri8, 16
68013040	HealDesign EV (M) Ø5.0 3.5mm Tri10, 17
68013041	HealDesign EV (M) Ø6.5 3.5mm Tri10, 17
68013042	HealDesign EV (L) Ø5.0 3.5mm Tri12, 17
68013043	HealDesign EV (L) Ø6.5 3.5mm Tri12, 17
68013044	Healing Abutment EV (XS) 2mm.....6, 18
68013045	Healing Abutment EV (XS) 3mm.....6, 18
68013046	Healing Abutment EV (XS) 4mm.....6, 18
68013047	Healing Abutment EV (XS) 6mm.....6, 18
68013048	Healing Abutment EV (S) 2mm.....8, 18

Order No.	page
68013049	Healing Abutment EV (S) 3mm.....8, 18
68013050	Healing Abutment EV (S) 4mm.....8, 18
68013051	Healing Abutment EV (S) 6mm.....8, 18
68013052	Healing Abutment EV (M) 2mm.....10, 18, 48
68013053	Healing Abutment EV (M) 3mm.....10, 18, 48
68013054	Healing Abutment EV (M) 4mm.....10, 18, 48
68013055	Healing Abutment EV (M) 6mm.....10, 18, 48
68013056	Healing Abutment EV (L) 2mm.....12, 18, 50
68013057	Healing Abutment EV (L) 3mm.....12, 18, 50
68013058	Healing Abutment EV (L) 4mm.....12, 18, 50
68013059	Healing Abutment EV (L) 6mm.....12, 18, 50
68013060	Healing Abutment EV (XL) 2mm.....14, 18
68013061	Healing Abutment EV (XL) 3mm.....14, 18
68013062	Healing Abutment EV (XL) 4mm.....14, 18
68013063	Healing Abutment EV (XL) 6mm.....14, 18
68013064	TempAbutment EV (XS).....19
68013066	TempAbutment EV (S).....19
68013070	TempAbutment EV (M).....19
68013072	TempAbutment EV (L).....19
68013074	TempAbutment EV (XL).....19
68014009	Implant Pick-Up EV Design (S) short.....9, 21
68014010	Implant Pick-Up EV Design (M) short.....11, 21
68014011	Implant Pick-Up EV Design (L) short.....13, 21
68014012	Implant Pick-Up EV Design (XL) short.....15, 21
68014013	Implant Pick-Up EV Design (XS) long7, 21
68014014	Implant Pick-Up EV Design (S) long9, 21
68014015	Implant Pick-Up EV Design (M) long11, 21
68014016	Implant Pick-Up EV Design (L) long13, 21
68014017	Implant Pick-Up EV Design (XL) long15, 21
68014018	Implant Transfer EV (S) short.....9, 22
68014019	Implant Transfer EV (M) short.....11, 22
68014020	Implant Transfer EV (L) short.....13, 22
68014021	Implant Transfer EV (XL) short.....15, 22
68014022	Implant Transfer EV (XS) long7, 22
68014023	Implant Transfer EV (S) long9, 22
68014024	Implant Transfer EV (M) long11, 22
68014025	Implant Transfer EV (L) long13, 22
68014026	Implant Transfer EV (XL) long15, 22
68014029	Lab Abutment Screw EV (XS) 4 pcs7, 24, 56
68014030	Lab Abutment Screw EV (S) 4 pcs9, 24, 56
68014031	Lab Abutment Screw EV (M) 4 pcs11, 24, 49, 56
68014032	Lab Abutment Screw EV (L) 4 pcs13, 24, 51, 56
68014033	Lab Abutment Screw EV (XL) 4 pcs15, 24, 56
68014034	Implant Analog EV (XS).....7, 24
68014035	Implant Analog EV (S)9, 24
68014036	Implant Analog EV (M)11, 24
68014037	Implant Analog EV (L)13, 24
68014038	Implant Analog EV (XL)15, 24
68015205	Hex Driver 24mm.....42
68015206	Hex Driver 35mm.....42
68015207	Hex Driver 20mm.....42
68015288	Prosthetic Tray.....45
68020018	Atlantis IO FLO-S A04K (XS).....23
68020019	Atlantis IO FLO-S A04L (S).....23
68020020	Atlantis IO FLO-S A04M (M)23, 55
68020021	Atlantis IO FLO-S A04N (L).....23, 55
68020022	Atlantis IO FLO-S A04O (XL)23
68020034	Atlantis IO FLO-S A04S, MultiBase Abutment EV23, 55

Index

Alphabetical order

Order No.		page	Order No.		page
68012169	Abutment Screw EV (L)	20, 53	31033636	Conometric Temporization Cap Insertion Tool Ø3.3	44
68012168	Abutment Screw EV (M)	20, 53	31033637	Conometric Temporization Cap Insertion Tool Ø4.5	44
68012167	Abutment Screw EV (S)	20, 53	68010006	Cover Screw EV (L)	12, 16
68012170	Abutment Screw EV (XL)	20, 53	68010005	Cover Screw EV (M)	10, 16
68012166	Abutment Screw EV (XS)	20, 53	68010002	Cover Screw EV (S)	8, 16
34593	Atlantis FLO P-01 (XS)	23	68010007	Cover Screw EV (XL)	14, 16
34594	Atlantis FLO P-02 (S)	23	68010001	Cover Screw EV (XS)	6, 16
34595	Atlantis FLO P-03 (M)	23	25582	Cover Screw Profile 4.2	48, 52
34596	Atlantis FLO P-04 (L)	23	25583	Cover Screw Profile 4.8	50, 52
34597	Atlantis FLO P-05 (XL)	23	68013015	HealDesign EV (M) Ø5.0 2.5mm	10, 17, 48
34598	Atlantis FLO P-06 Profile 4.2	55	68013016	HealDesign EV (M) Ø5.0 3.5mm	10, 17, 48
34599	Atlantis FLO P-07 Profile 4.8	55	68013040	HealDesign EV (M) Ø5.0 3.5mm Tri	10, 17
34601	Atlantis FLO Screwdriver	45	68013017	HealDesign EV (M) Ø5.0 4.5mm	10, 17, 48
35243	Atlantis IO FLO IO P-01 (XS)	23	68013018	HealDesign EV (M) Ø5.0 6.5mm	10, 17, 48
35244	Atlantis IO FLO IO P-02 (S)	23	68013019	HealDesign EV (M) Ø6.5 2.5mm	10, 17, 48
35245	Atlantis IO FLO IO P-03 (M)	23	68013020	HealDesign EV (M) Ø6.5 3.5mm	10, 17, 48
35246	Atlantis IO FLO IO P-04 (L)	23	68013041	HealDesign EV (M) Ø6.5 3.5mm Tri	10, 17
35247	Atlantis IO FLO IO P-05 (XL)	23	68013021	HealDesign EV (M) Ø6.5 4.5mm	10, 17, 48
35248	Atlantis IO FLO IO P-06 Profile 4.2	55	68013022	HealDesign EV (M) Ø6.5 6.5mm	10, 17, 48
35249	Atlantis IO FLO IO P-07 Profile 4.8	55	68013023	HealDesign EV (L) Ø5.0 2.5mm	12, 17, 50
68020018	Atlantis IO FLO-S A04K (XS)	23	68013024	HealDesign EV (L) Ø5.0 3.5mm	12, 17, 50
68020019	Atlantis IO FLO-S A04L (S)	23	68013042	HealDesign EV (L) Ø5.0 3.5mm Tri	12, 17
68020020	Atlantis IO FLO-S A04M (M)	23, 55	68013025	HealDesign EV (L) Ø5.0 4.5mm	12, 17, 50
68020021	Atlantis IO FLO-S A04N (L)	23, 55	68013026	HealDesign EV (L) Ø5.0 6.5mm	12, 17, 50
68020022	Atlantis IO FLO-S A04O (XL)	23	68013027	HealDesign EV (L) Ø6.5 2.5mm	12, 17, 50
68020034	Atlantis IO FLO-S A04S, MultiBase Abutment EV	23, 55	68013028	HealDesign EV (L) Ø6.5 3.5mm	12, 17, 50
36030	Atlantis screwdriver-ASA 18mm	42	68013043	HealDesign EV (L) Ø6.5 3.5mm Tri	12, 17
36031	Atlantis screwdriver-ASA 24mm	42	68013029	HealDesign EV (L) Ø6.5 4.5mm	12, 17, 50
36032	Atlantis screwdriver-ASA 32mm	42	68013030	HealDesign EV (L) Ø6.5 6.5mm	12, 17, 50
68012079	CastDesign EV (L)	13, 27	68013031	HealDesign EV (L) Ø7.5 3.5mm	12, 17, 50
68012078	CastDesign EV (M)	11, 27	68013032	HealDesign EV (L) Ø7.5 4.5mm	12, 17, 50
68012077	CastDesign EV (S)	9, 27	68013005	HealDesign EV (S) Ø4.0 2.5mm	8, 16
68012080	CastDesign EV (XL)	15, 27	68013006	HealDesign EV (S) Ø4.0 3.5mm	8, 16
26115	Conometric Abutment EV 3.6 0° Ø3.3 1mm NI	8, 39	68013007	HealDesign EV (S) Ø4.0 4.5mm	8, 16
26116	Conometric Abutment EV 3.6 0° Ø3.3 2mm NI	8, 39	68013008	HealDesign EV (S) Ø4.0 6.5mm	8, 16
26117	Conometric Abutment EV 3.6 0° Ø3.3 3mm NI	8, 39	68013009	HealDesign EV (S) Ø5.0 2.5mm	8, 16
26121	Conometric Abutment EV 3.6 0° Ø4.5 1mm	8, 39	68013010	HealDesign EV (S) Ø5.0 3.5mm	8, 16
26122	Conometric Abutment EV 3.6 0° Ø4.5 2mm	8, 39	68013039	HealDesign EV (S) Ø5.0 3.5mm Tri	8, 16
26123	Conometric Abutment EV 3.6 0° Ø4.5 3mm	8, 39	68013011	HealDesign EV (S) Ø5.0 4.5mm	8, 16
26127	Conometric Abutment EV 3.6 15° Ø4.5 1mm	8, 39	68013012	HealDesign EV (S) Ø5.0 6.5mm	8, 16
26128	Conometric Abutment EV 3.6 15° Ø4.5 2mm	8, 39	68013013	HealDesign EV (S) Ø6.0 3.5mm	8, 16
26129	Conometric Abutment EV 3.6 15° Ø4.5 3mm	8, 39	68013014	HealDesign EV (S) Ø6.0 4.5mm	8, 16
26124	Conometric Abutment EV 4.2 0° Ø4.5 1mm	10, 39	68013033	HealDesign EV (XL) Ø6.5 2.5mm	14, 17
26125	Conometric Abutment EV 4.2 0° Ø4.5 2mm	10, 39	68013034	HealDesign EV (XL) Ø6.5 3.5mm	14, 17
26126	Conometric Abutment EV 4.2 0° Ø4.5 3mm	10, 39	68013035	HealDesign EV (XL) Ø6.5 4.5mm	14, 17
26130	Conometric Abutment EV 4.2 15° Ø4.5 1mm	10, 39	68013036	HealDesign EV (XL) Ø6.5 6.5mm	14, 17
26131	Conometric Abutment EV 4.2 15° Ø4.5 2mm	10, 39	68013037	HealDesign EV (XL) Ø7.5 3.5mm	14, 17
26132	Conometric Abutment EV 4.2 15° Ø4.5 3mm	10, 39	68013038	HealDesign EV (XL) Ø7.5 4.5mm	14, 17
31047210	Conometric Analog Ø3.3	9, 11, 41	68013001	HealDesign EV (XS) Ø3.5 2.5mm	6, 16
31072020	Conometric Analog Ø4.5	9, 11, 41	68013002	HealDesign EV (XS) Ø3.5 3.5mm	6, 16
31072910	Conometric Abutment Driver Ø3.3 20mm	43	68013003	HealDesign EV (XS) Ø3.5 4.5mm	6, 16
31072909	Conometric Abutment Driver Ø3.3 25mm	43	68013004	HealDesign EV (XS) Ø3.5 6.5mm	6, 16
31072301	Conometric Final Cap Ø3.3	9, 11, 41	25585	HealDesign Profile EV 4.2 Ø5 4.5mm	48, 52
31072303	Conometric Final Cap Ø4.5	9, 11, 41	25584	HealDesign Profile EV 4.2 Ø5 5mm	48, 52
31072911	Conometric Fixation Tool	44	25587	HealDesign Profile EV 4.2 Ø5 4mm	48, 52
31072908	Conometric Fixation Tool Tip Concave (5 pcs)	44	25586	HealDesign Profile EV 4.2 Ø6.5 4mm	48, 52
31072906	Conometric Fixation Tool Tip Convex (5 pcs)	44	25588	HealDesign Profile EV 4.8 Ø5 4.5mm	50, 52
31072907	Conometric Fixation Tool Tip U-shape (5 pcs)	44	25591	HealDesign Profile EV 4.8 Ø5 4.5mm	50, 52
31072101	Conometric Healing Cap Ø3.3/4.8	9, 11, 40	25590	HealDesign Profile EV 4.8 Ø6.5 4.5mm	50, 52
31072102	Conometric Healing Cap Ø3.3/6.0	9, 11, 40	25589	HealDesign Profile EV 4.8 Ø6.5 5.5mm	50, 52
31072103	Conometric Healing Cap Ø4.5/6.0	9, 11, 40	68013056	Healing Abutment EV (L) 2mm	12, 18, 50
31072001	Conometric Impression Cap Ø3.3/5.4	9, 11, 40	68013057	Healing Abutment EV (L) 3mm	12, 18, 50
31072002	Conometric Impression Cap Ø4.5/5.4	9, 11, 40	68013058	Healing Abutment EV (L) 4mm	12, 18, 50
31072121	Conometric Lab Cap Ø3.3/4.6	9, 11, 41	68013059	Healing Abutment EV (L) 6mm	12, 18, 50
31072123	Conometric Lab Cap Ø4.5/5.8	9, 11, 41	68013052	Healing Abutment EV (M) 2mm	10, 18, 48
31072112	Conometric Temporization Cap Ø3.3/4.6	8, 10, 40	68013053	Healing Abutment EV (M) 3mm	10, 18, 48
31072114	Conometric Temporization Cap Ø4.5/5.8	8, 10, 40	68013054	Healing Abutment EV (M) 4mm	10, 18, 48

Order No.		page
68013055	Healing Abutment EV (M) 6mm.....	10, 18, 48
68013048	Healing Abutment EV (S) 2mm.....	8, 18
68013049	Healing Abutment EV (S) 3mm.....	8, 18
68013050	Healing Abutment EV (S) 4mm.....	8, 18
68013051	Healing Abutment EV (S) 6mm.....	8, 18
68013060	Healing Abutment EV (XL) 2mm.....	14, 18
68013061	Healing Abutment EV (XL) 3mm.....	14, 18
68013062	Healing Abutment EV (XL) 4mm.....	14, 18
68013063	Healing Abutment EV (XL) 6mm.....	14, 18
68013044	Healing Abutment EV (XS) 2mm.....	6, 18
68013045	Healing Abutment EV (XS) 3mm.....	6, 18
68013046	Healing Abutment EV (XS) 4mm.....	6, 18
68013047	Healing Abutment EV (XS) 6mm.....	6, 18
68015207	Hex Driver 20mm.....	42
25771	Hex Driver 20mm manual.....	42
68015205	Hex Driver 24mm.....	42
25772	Hex Driver 31mm manual.....	42
68015206	Hex Driver 35mm.....	42
68014037	Implant Analog EV (L).....	13, 24
68014036	Implant Analog EV (M).....	11, 24
68014035	Implant Analog EV (S).....	9, 24
68014038	Implant Analog EV (XL).....	15, 24
68014034	Implant Analog EV (XS).....	7, 24
26262	Implant Pick-Up Design Profile EV 4.2.....	49, 54
26263	Implant Pick-Up Design Profile EV 4.8.....	51, 54
68014016	Implant Pick-Up EV Design (L) long.....	21
68014011	Implant Pick-Up EV Design (L) short.....	21
68014015	Implant Pick-Up EV Design (M) long.....	21
68014010	Implant Pick-Up EV Design (M) short.....	21
68014014	Implant Pick-Up EV Design (S) long.....	9, 21
68014009	Implant Pick-Up EV Design (S) short.....	9, 21
68014017	Implant Pick-Up EV Design (XL) long.....	21
68014012	Implant Pick-Up EV Design (XL) short.....	21
68014013	Implant Pick-Up EV Design (XS) long.....	21
26258	Implant Pick-Up Profile EV 4.2 short.....	49, 54
26259	Implant Pick-Up Profile EV 4.8 short.....	51, 54
25610	Implant Replica Profile EV 4.2.....	49, 54
25611	Implant Replica Profile EV 4.8.....	51, 54
68014025	Implant Transfer EV (L) long.....	13, 22
68014020	Implant Transfer EV (L) short.....	13, 22
68014024	Implant Transfer EV (M) long.....	11, 22
68014019	Implant Transfer EV (M) short.....	11, 22
68014023	Implant Transfer EV (S) long.....	9, 22
68014018	Implant Transfer EV (S) short.....	9, 22
68014026	Implant Transfer EV (XL) long.....	15, 22
68014021	Implant Transfer EV (XL) short.....	15, 22
68014022	Implant Transfer EV (XS) long.....	7, 22
25607	Implant Transfer Profile EV 4.2 long.....	49, 54
25606	Implant Transfer Profile EV 4.2 short.....	49, 54
25609	Implant Transfer Profile EV 4.8 long.....	51, 54
25608	Implant Transfer Profile EV 4.8 short.....	51, 54
68014032	Lab Abutment Screw EV (L) 4 pcs.....	13, 24, 51, 56
68014031	Lab Abutment Screw EV (M) 4 pcs.....	11, 24, 49, 56
68014030	Lab Abutment Screw EV (S) 4 pcs.....	9, 24, 56
68014033	Lab Abutment Screw EV (XL) 4 pcs.....	15, 24, 56
68014029	Lab Abutment Screw EV (XS) 4 pcs.....	7, 24, 56
68012443	LOCATOR R-Tx® Abutment Analog Ø4 4 pcs.....	8, 10, 12, 35, 48, 50
68012426	LOCATOR R-Tx® Abutment EV (L) 1mm.....	12, 35, 50
68012427	LOCATOR R-Tx® Abutment EV (L) 2mm.....	12, 35, 50
68012428	LOCATOR R-Tx® Abutment EV (L) 3mm.....	12, 35, 50
68012429	LOCATOR R-Tx® Abutment EV (L) 4mm.....	12, 35, 50
68012430	LOCATOR R-Tx® Abutment EV (L) 5mm.....	12, 35, 50
68012431	LOCATOR R-Tx® Abutment EV (L) 6mm.....	12, 35, 50
68012420	LOCATOR R-Tx® Abutment EV (M) 1mm.....	10, 35, 48
68012421	LOCATOR R-Tx® Abutment EV (M) 2mm.....	10, 35, 48
68012422	LOCATOR R-Tx® Abutment EV (M) 3mm.....	10, 35, 48

Order No.		page
68012423	LOCATOR R-Tx® Abutment EV (M) 4mm.....	10, 35, 48
68012424	LOCATOR R-Tx® Abutment EV (M) 5mm.....	10, 35, 48
68012425	LOCATOR R-Tx® Abutment EV (M) 6mm.....	10, 35, 48
68012414	LOCATOR R-Tx® Abutment EV (S) 1mm.....	8, 35
68012415	LOCATOR R-Tx® Abutment EV (S) 2mm.....	8, 35
68012416	LOCATOR R-Tx® Abutment EV (S) 3mm.....	8, 35
68012417	LOCATOR R-Tx® Abutment EV (S) 4mm.....	8, 35
68012418	LOCATOR R-Tx® Abutment EV (S) 5mm.....	8, 35
68012419	LOCATOR R-Tx® Abutment EV (S) 6mm.....	8, 35
68012441	LOCATOR R-Tx® Block-Out Spacer 20 pcs... 9, 11, 13, 37, 49, 51	
68012442	LOCATOR R-Tx® Denture Attachment Processing Assembly 4 pcs.....	9, 11, 13, 36, 49, 51
68012435	LOCATOR R-Tx® High Retention Insert Clear 4 pcs.....	9, 11, 13, 36, 49, 51
68012438	LOCATOR R-Tx® High Retention Limited Range Insert Gold 4 pcs.....	9, 11, 13, 36, 49, 51
68012444	LOCATOR R-Tx® Impression Coping 4 pcs... 8, 10, 12, 38, 48, 50	
68012446	LOCATOR R-Tx® Retention Insert Tool.....	38
68012433	LOCATOR R-Tx® Low Retention Insert Blue 4 pcs.....	9, 11, 13, 36, 49, 51
68012436	LOCATOR R-Tx® Low Retention Limited Range Insert Aqua 4 pcs.....	9, 11, 13, 36, 49, 51
68012434	LOCATOR R-Tx® Medium Retention Insert Pink 4 pcs.....	9, 11, 13, 36, 49, 51
68012437	LOCATOR R-Tx® Medium Retention Limited Range Insert Magenta 4 pcs.....	9, 11, 13, 36, 49, 51
68012439	LOCATOR R-Tx® Mixed Retention Limited Range Processing Pack 2 pcs.....	9, 11, 13, 36, 49, 51
68012440	LOCATOR R-Tx® Processing Insert 4 pcs.....	9, 11, 13, 37, 49, 51
68012445	LOCATOR R-Tx® Processing Spacer 4 pcs... 9, 11, 13, 37, 49, 51	
68012432	LOCATOR R-Tx® Zero Retention Insert Grey 4 pcs.....	9, 11, 13, 36, 49, 51
68012214	MultiBase Abutment EV (L) 1.5mm 17°.....	12, 31
68012218	MultiBase Abutment EV (L) 1.5mm 17° NI.....	12, 31, 50
68012221	MultiBase Abutment EV (L) 1.5mm 30°.....	12, 31
68012223	MultiBase Abutment EV (L) 1.5mm 30° NI.....	12, 31, 50
68012210	MultiBase Abutment EV (L) 1.5mm NI.....	12, 31, 50
68012215	MultiBase Abutment EV (L) 2.5mm 17°.....	12, 31
68012219	MultiBase Abutment EV (L) 2.5mm 17° NI.....	12, 31, 50
68012222	MultiBase Abutment EV (L) 2.5mm 30°.....	12, 31
68012224	MultiBase Abutment EV (L) 2.5mm 30° NI.....	12, 31, 50
68012211	MultiBase Abutment EV (L) 2.5mm NI.....	12, 31, 50
68012216	MultiBase Abutment EV (L) 3.5mm 17°.....	12, 31
68012220	MultiBase Abutment EV (L) 3.5mm 17° NI.....	12, 31, 50
68012212	MultiBase Abutment EV (L) 3.5mm NI.....	12, 31, 50
68012217	MultiBase Abutment EV (L) 4.5mm 17°.....	12, 31
68012352	MultiBase Abutment EV (L) 4.5mm 17° NI.....	12, 31, 50
68012213	MultiBase Abutment EV (L) 4.5mm NI.....	12, 31, 50
68012198	MultiBase Abutment EV (M) 1.5mm 17°.....	10, 30
68012202	MultiBase Abutment EV (M) 1.5mm 17° NI.....	10, 30, 48
68012206	MultiBase Abutment EV (M) 1.5mm 30°.....	10, 30
68012208	MultiBase Abutment EV (M) 1.5mm 30° NI.....	10, 30, 48
68012194	MultiBase Abutment EV (M) 1.5mm NI.....	10, 30, 48
68012199	MultiBase Abutment EV (M) 2.5mm 17°.....	10, 30
68012203	MultiBase Abutment EV (M) 2.5mm 17° NI.....	10, 30, 48
68012207	MultiBase Abutment EV (M) 2.5mm 30°.....	10, 30
68012209	MultiBase Abutment EV (M) 2.5mm 30° NI.....	10, 30, 48
68012195	MultiBase Abutment EV (M) 2.5mm NI.....	10, 30, 48
68012200	MultiBase Abutment EV (M) 3.5mm 17°.....	10, 30
68012204	MultiBase Abutment EV (M) 3.5mm 17° NI.....	10, 30, 48
68012196	MultiBase Abutment EV (M) 3.5mm NI.....	10, 30, 48
68012201	MultiBase Abutment EV (M) 4.5mm 17°.....	10, 30
68012205	MultiBase Abutment EV (M) 4.5mm 17° NI.....	10, 30, 48
68012197	MultiBase Abutment EV (M) 4.5mm NI.....	10, 30, 48
68012178	MultiBase Abutment EV (S) 1.5mm 17°.....	8, 29
68012182	MultiBase Abutment EV (S) 1.5mm 17° NI.....	8, 29
68012186	MultiBase Abutment EV (S) 1.5mm 30°.....	8, 29

Order No.	page
68012190	MultiBase Abutment EV (S) 1.5mm 30° NI.....8, 29
68012174	MultiBase Abutment EV (S) 1.5mm NI.....8, 29
68012179	MultiBase Abutment EV (S) 2.5mm 17°.....8, 29
68012183	MultiBase Abutment EV (S) 2.5mm 17° NI.....8, 29
68012187	MultiBase Abutment EV (S) 2.5mm 30°.....8, 29
68012191	MultiBase Abutment EV (S) 2.5mm 30° NI.....8, 29
68012175	MultiBase Abutment EV (S) 2.5mm NI.....8, 29
68012180	MultiBase Abutment EV (S) 3.5mm 17°.....8, 29
68012184	MultiBase Abutment EV (S) 3.5mm 17° NI.....8, 29
68012176	MultiBase Abutment EV (S) 3.5mm NI.....8, 29
68012181	MultiBase Abutment EV (S) 4.5mm 17°.....8, 29
68012185	MultiBase Abutment EV (S) 4.5mm 17° NI.....8, 29
68012177	MultiBase Abutment EV (S) 4.5mm NI.....8, 29
68012225	MultiBase Abutment EV (XL) 1.5mm NI.....14, 31
68012226	MultiBase Abutment EV (XL) 2.5mm NI.....14, 31
68012227	MultiBase Abutment EV (XL) 3.5mm NI.....14, 31
68012228	MultiBase Abutment EV (XL) 4.5mm NI.....14, 31
68012171	MultiBase Abutment EV (XS) 1.5mm NI.....6, 29
68012172	MultiBase Abutment EV (XS) 2.5mm NI.....6, 29
68012173	MultiBase Abutment EV (XS) 3.5mm NI.....6, 29
68012229	MultiBase Abutment Head with holder.....32
68012238	MultiBase Analog.....6, 8, 10, 12, 14, 34, 48, 50
68012233	MultiBase Bridge Screw.....6, 8, 10, 12, 14, 34, 48, 50
68012240	MultiBase Burnout Cylinder.....6, 8, 10, 12, 14, 33, 48, 50
68012244	MultiBase Driver.....42
68012230	MultiBase Heal Cap Ø5.4 4mm.....6, 8, 10, 12, 14, 32, 48, 50
68012234	MultiBase Lab Abutment Pin 14mm.....6, 8, 10, 12, 14, 34, 48, 50
68012235	MultiBase Lab Abutment Pin 18mm.....6, 8, 10, 12, 14, 34, 48, 50
68012236	MultiBase Lab Abutment Pin 22mm.....6, 8, 10, 12, 14, 34, 48, 50
68012237	MultiBase Lab Bridge Screw 4 pcs.....6, 8, 10, 12, 14, 34, 48, 50
68012232	MultiBase Pick-Up.....6, 8, 10, 12, 14, 32, 48, 50
68012243	MultiBase Semi-Burnout Cylinder.....6, 8, 10, 12, 14, 33, 48, 50
68012239	MultiBase Temporary Cylinder.....6, 8, 10, 12, 14, 33, 48, 50
68012231	MultiBase Transfer.....6, 8, 10, 12, 14, 32, 48, 50
68015288	Prosthetic Tray.....45
68012241	Protection sleeve.....33
68013072	TempAbutment EV (L).....19
68013070	TempAbutment EV (M).....19
68013066	TempAbutment EV (S).....19
68013074	TempAbutment EV (XL).....19
68013064	TempAbutment EV (XS).....19
68010014	TempBase Cap (L).....12, 20
68010015	TempBase Cap (XL).....14, 20
68010013	TempBase Cap (XS) (S) (M).....6, 8, 10, 20
26256	Temp Abutment Profile EV 4.2 Ø4.5.....48, 53
26257	Temp Abutment Profile EV 4.8 Ø5.0.....50, 53
25503	TempDesign EV 3.0 Ø6 5mm.....19
25504	TempDesign EV 3.6 Ø7 5mm.....19
25505	TempDesign EV 4.2 Ø9 5mm.....19
25506	TempDesign EV 4.8 Ø10 5mm.....19
25507	TempDesign EV 5.4 Ø10 5mm.....19
25556	TempDesign Profile EV 4.2 Ø7.....48, 53
25557	TempDesign Profile EV 4.8 Ø8.....50, 53
68012056	TiDesign EV (L) Ø5.5 1.5mm 15°.....12, 26
68012060	TiDesign EV (L) Ø5.5 1.5mm Tri.....12, 26
68012057	TiDesign EV (L) Ø5.5 2.5mm 15°.....12, 26
68012058	TiDesign EV (L) Ø5.5 3.5mm 15°.....12, 26
68012059	TiDesign EV (L) Ø5.5 4.5mm 15°.....12, 26

Order No.	page
68012052	TiDesign EV (L) Ø7.0 1.5mm.....12, 26
68012061	TiDesign EV (L) Ø7.0 1.5mm Tri.....12, 26
68012053	TiDesign EV (L) Ø7.0 2.5mm.....12, 26
68012054	TiDesign EV (L) Ø7.0 3.5mm.....12, 26
68012055	TiDesign EV (L) Ø7.0 4.5mm.....12, 26
68012042	TiDesign EV (M) Ø5.5 1.5mm.....10, 26
68012046	TiDesign EV (M) Ø5.5 1.5mm 15°.....10, 26
68012050	TiDesign EV (M) Ø5.5 1.5mm Tri.....10, 26
68012043	TiDesign EV (M) Ø5.5 2.5mm.....10, 26
68012047	TiDesign EV (M) Ø5.5 2.5mm 15°.....10, 26
68012044	TiDesign EV (M) Ø5.5 3.5mm.....10, 26
68012048	TiDesign EV (M) Ø5.5 3.5mm 15°.....10, 26
68012045	TiDesign EV (M) Ø5.5 4.5mm.....10, 26
68012049	TiDesign EV (M) Ø5.5 4.5mm 15°.....10, 26
68012051	TiDesign EV (M) Ø7.0 1.5mm Tri.....10, 26
68012009	TiDesign EV (S) Ø4.5 1.5mm.....8, 25
68012017	TiDesign EV (S) Ø4.5 1.5mm 15°.....8, 25
68012025	TiDesign EV (S) Ø5.5 1.5mm Tri.....8, 25
68012010	TiDesign EV (S) Ø4.5 2.5mm.....8, 25
68012018	TiDesign EV (S) Ø4.5 2.5mm 15°.....8, 25
68012011	TiDesign EV (S) Ø4.5 3.5mm.....8, 25
68012019	TiDesign EV (S) Ø4.5 3.5mm 15°.....8, 25
68012012	TiDesign EV (S) Ø4.5 4.5mm.....8, 25
68012020	TiDesign EV (S) Ø4.5 4.5mm 15°.....8, 25
68012062	TiDesign EV (XL) Ø7.0 1.5mm.....14, 27
68012064	TiDesign EV (XL) Ø7.0 1.5mm 15°.....14, 27
68012063	TiDesign EV (XL) Ø7.0 2.5mm.....14, 27
68012065	TiDesign EV (XL) Ø7.0 2.5mm 15°.....14, 27
68012001	TiDesign EV (XS) Ø4.0 1.5mm.....6, 25
68012005	TiDesign EV (XS) Ø4.0 1.5mm 15°.....6, 25
68012002	TiDesign EV (XS) Ø4.0 2.5mm.....6, 26
68012006	TiDesign EV (XS) Ø4.0 2.5mm 15°.....6, 25
68012003	TiDesign EV (XS) Ø4.0 3.5mm.....6, 25
68012007	TiDesign EV (XS) Ø4.0 3.5mm 15°.....6, 25
68012004	TiDesign EV (XS) Ø4.0 4.5mm.....6, 25
68012008	TiDesign EV (XS) Ø4.0 4.5mm 15°.....6, 26
25595	TiDesign Profile EV 4.2 Ø5.5 15° 2mm.....48, 56
25592	TiDesign Profile EV 4.2 Ø5.5 2mm.....48, 56
25594	TiDesign Profile EV 4.2 Ø5.5 3mm.....48, 56
25593	TiDesign Profile EV 4.2 Ø7.0 2mm.....48, 56
25599	TiDesign Profile EV 4.8 Ø5.5 15° 2mm.....50, 56
25596	TiDesign Profile EV 4.8 Ø5.5 2mm.....50, 56
25597	TiDesign Profile EV 4.8 Ø7.0 2mm.....50, 56
25598	TiDesign Profile EV 4.8 Ø7.0.5 3mm.....50, 56
68012090	TitaniumBase EV (L) 1mm.....13, 28
68012091	TitaniumBase EV (L) 2mm.....13, 28
68012088	TitaniumBase EV (M) 1mm.....11, 28
68012089	TitaniumBase EV (M) 2mm.....11, 28
68012083	TitaniumBase EV (S) 1mm.....9, 28
68012084	TitaniumBase EV (S) 2mm.....9, 28
68012092	TitaniumBase EV (XL) 1mm.....15, 28
68012093	TitaniumBase EV (XL) 2mm.....15, 28
68012081	TitaniumBase EV (XS) 1mm.....7, 28
68012082	TitaniumBase EV (XS) 2mm.....7, 28
25774	Torque Wrench EV.....43
25776	Torque Wrench EV Restorative Driver Handle.....43
25777	Torque Wrench EV Restorative Driver Handle Low.....43
25775	Torque Wrench EV Surgical Driver Handle.....43

THE DENTAL
SOLUTIONS
COMPANY™

